

LED LIGHTING

SOLUTIONS

PRODUCT GUIDE 2023-2024



 ***Global Headquarters***
Net Zero Energy Building spread over 48,000 sq. mtrs.

Conceived back in 1960, the Jaquar Group has been built on the platform of the highest quality standards, aesthetics and the intent of providing world-class products. Today, the Jaquar Group caters to luxury, premium and value bathroom segments with Artize, Jaquar & Essco brands, respectively, for residential and commercial sectors across the globe. The group's lighting division, Jaquar Lighting too, has been setting new parameters of excellence while witnessing unprecedented success.

Artize

It pays a tribute to the fine traditions of exquisite craftsmanship and precision where design, technology and talent combine to deliver a masterpiece. Artize products are crafted for luxurious bath spaces. Perfect harmony is the very essence of Artize- together as coordinates or even as individual pieces. Artize's exquisite craftsmanship is so stunning that it can inspire the design principles of not just your bath spaces but of your entire living spaces.



BATH + LIGHT

A leading global super brand known for its excellence in innovation and technology. The highest build standards combine with the most beautifully designed aesthetics to provide world-class products for tough conditions. With a superb blend of ergonomic shapes, contemporary styles and meticulous finish, Jaquar continues to enthrall millions of hearts across the world with its wide range of concepts and products.



For over 6 decades 'Essco' the bathroom brand has been the benchmark for organised bath industry in India. Essco defines base quality standards in India. A great value for money bath brand, Essco pioneered the concept of branded bath fittings in India, and is today one of the most respected names in the market, fulfilling a common man's ambition of a better quality of life through true quality, better hygiene, affordable pricing, trusted customer service & a 10 year warranty promise.




Jaquar

LED lighting solutions

Jaquar lighting gives you LED lighting solutions – for residential, commercial and outdoor use. Choose for varied budgets without compromising on quality and reliability.

They are designed to complement and co-ordinate the most exclusive interior and exterior lifestyles and decors, from classic to contemporary.

In fact, Jaquar lighting carries forward the legacy of Jaquar Group where the thrust has always been on creating new parameters of design, quality and customer satisfaction.




JACUAR LIGHTING

The torchbearer for innovation in lighting

Innovative, energy-efficient lighting solutions, for an array of places and purposes. From home to office, decorative to landscaping, from gorgeous chandeliers to unique LEDs, you name it, we have it. All, illuminating with the highest quality, fascinating designs and immaculate perfection.

What makes Jaquar lighting stand apart:

- LED lighting solutions
- Futuristic manufacturing facility
- Global certifications
- Unique customisation option for chandeliers
- Best in the world lighting, best for the Indian conditions
- Smart new products
- Trusted for prestigious projects
- Jaquar orientation centres
- Pro-active customer care



Futuristic manufacturing facility

One of the flag-bearers of the government's 'Make in India' initiative, Jaquar's advanced LED plant produces a wide range of world-class lighting products under one roof.

- A fully automated state-of-the-art manufacturing facility sprawling over 68,000 sq. m. of covered area
- Fully automated facility with in-house ROHS compliant LED driver manufacturing capability
- NABL accredited lab with an in-house testing of CCT upto 100,000 K
- LED module manufacturing unit with high-precision optical inspection equipment that can mount 160,000 LEDs per hour as well as 120,000 electronic components per hour simultaneously
- Powder coating machine to make 22,000 LED housing units a day
- In-house pressure die-casting machines of 250 tons and 350 tons for making housings
- With many firsts to its credit and with sustained investment in enhancing capabilities, Jaquar has been setting new benchmarks for the lighting industry



BIS Certificate



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
(Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India)

मानक भवन, 9 बंगला, बांग जंगम मार्ग, नई दिल्ली - 110002
Manak Bhavan, 9 Bangla, Bang Jangam Marg, New Delhi - 110002
दूरभाष/Phone: +91-11-23230856/23230101/2323377/23239402
ई-मेल/Email: registration@bis.org.in
वेबसाइट/Website: <http://www.bis.org.in> <http://online.bis.org.in>

Our Ref: Registration/CRS 2018-3285/R-91002879

Date: 07-09-2018

Subject : Licence Document

MANUFACTURING UNIT : JAQUAR AND COMPANY PVT. LTD.
PLOT NO.3, SECTOR M11, IMT MANESAR, GURGAON, HARYANA - 122050, INDIA
salil.kulshrestha@jaquar.com
7290027208

Dear Sir,

1. With reference to your Application, we are pleased to inform you that it has been decided to grant you License through registration based on self-declaration of conformity as per details given below:

| | |
|-------------------------|--|
| PRODUCT : | LED FLOOD LIGHTS |
| IS NO : | IS 10322 (PART 5/SEC 5) : 2013 |
| BRAND : | JAQUAR LIGHTING |
| MODEL : | 250W JFCW, 240W JFCW, 220W JFCW, 200W JFCW, 190W JFCW, 150W JFCW, 140W JFCW, 120W JFCW, 110W JFCW, 100W JFCW, 90W JFCW, 70W JFCW, 60W JFCW |
| MANUFACTURING ADDRESS : | JAQUAR AND COMPANY PVT. LTD. PLOT NO.3, SECTOR M11, IMT MANESAR, GURGAON, HARYANA - 122050, INDIA |

2. The licence is being granted to the unit located at the address and for the brand and models mentioned at serial no 1 above.

3. The number assigned to this Licence is **R-91002879** which has been made operative from **06-09-2018** and is valid upto **05-09-2020**. The licence Number should invariably be referred to in your future correspondence.

4. The rights and privileges under the licence shall not be exercised by any other factory / organisation at any other location and in the event of shifting of the manufacturing machinery from the registered premises to some other place use of the licence number shall be stopped and BIS shall be informed.

5. The licensee shall comply with the provisions of the Act, Rules and Regulations framed thereunder and as amended from time to time

6. The licensee shall follow the guidelines for the use of Standard Mark and labeling requirements as per Annexure.

7. The licensee shall not use the licence in any manner which contravenes the provisions of Act, Rules and Regulations framed thereunder and as amended from time to time.

8. Upon expiry of validity, stoppage or suspension or cancellation of licence, the licensee shall discontinue forthwith the self-declaration of conformity to the relevant Indian Standard(s) and withdraw all promotional and advertising matter which contains any reference thereto.

9. For renewal of licence, the licensee shall have to apply to BIS three months in advance before expiration of the licence and application form for Renewal is available on BIS website.

10. The licence is not transferable.

Thanking you,

Yours faithfully,

(MOHIT PRABHAKAR)

Scientist-B (Reg. Dept.)

Telefax: +91-11-23230856

E-mail: registration@bis.org.in



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
(Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India)

मानक भवन, 9 बंगला, बांग जंगम मार्ग, नई दिल्ली - 110002
Manak Bhavan, 9 Bangla, Bang Jangam Marg, New Delhi - 110002
दूरभाष/Phone: +91-11-23230856/23230101/2323377/23239402
ई-मेल/Email: registration@bis.org.in
वेबसाइट/Website: <http://www.bis.org.in> <http://online.bis.org.in>

Our Ref: Registration/CRS 2018-3075/R-91002771

Date: 11-08-2018

Subject : Licence Document

MANUFACTURING UNIT : JAQUAR AND COMPANY PVT. LTD.
PLOT NO.03, SECTOR M11, IMT MANESAR, GURGAON - 122050, HARYANA, INDIA
salil.kulshrestha@jaquar.com
7290027208

Dear Sir,

1. With reference to your Application, we are pleased to inform you that it has been decided to grant you License through registration based on self-declaration of conformity as per details given below:

| | |
|-------------------------|---|
| PRODUCT : | LED LUMINAIRES FOR ROAD AND STREET LIGHTING |
| IS NO : | IS 10322 (PART 5/SEC 3) : 2012 |
| BRAND : | JAQUAR LIGHTING |
| MODEL : | 250W JSCW, 220W JSCW, 200W JSCW, 190W JSCW, 150W JSCW, 140W JSCW, 120W JSCW, 110W JSCW, 100W JSCW, 90W JSCW, 72W JSCW, 60W JSCW, 45W JSCW, 40W JSCW, 35W JSCW, 30W JSCW, 25W JSCW, 20W JSCW, 18W JSCW |
| MANUFACTURING ADDRESS : | JAQUAR AND COMPANY PVT. LTD. PLOT NO.03, SECTOR M11, IMT MANESAR, GURGAON - 122050, HARYANA, INDIA |

2. The licence is being granted to the unit located at the address and for the brand and models mentioned at serial no 1 above.

3. The number assigned to this Licence is **R-91002771** which has been made operative from **07-08-2018** and is valid upto **06-08-2020**. The licence Number should invariably be referred to in your future correspondence.

4. The rights and privileges under the licence shall not be exercised by any other factory / organisation at any other location and in the event of shifting of the manufacturing machinery from the registered premises to some other place use of the licence number shall be stopped and BIS shall be informed.

5. The licensee shall comply with the provisions of the Act, Rules and Regulations framed thereunder and as amended from time to time

6. The licensee shall follow the guidelines for the use of Standard Mark and labeling requirements as per Annexure.

7. The licensee shall not use the licence in any manner which contravenes the provisions of Act, Rules and Regulations framed thereunder and as amended from time to time.

8. Upon expiry of validity, stoppage or suspension or cancellation of licence, the licensee shall discontinue forthwith the self-declaration of conformity to the relevant Indian Standard(s) and withdraw all promotional and advertising matter which contains any reference thereto.

9. For renewal of licence, the licensee shall have to apply to BIS three months in advance before expiration of the licence and application form for Renewal is available on BIS website.

10. The licence is not transferable.

Thanking you,

Yours faithfully,

(Sandeep Kumar)

Scientist-C (Reg. Dept.)

Telefax: +91-11-23230856

E-mail: registration@bis.org.in



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
(Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India)

मानक भवन, 9 बंगला, बांग जंगम मार्ग, नई दिल्ली - 110002
Manak Bhavan, 9 Bangla, Bang Jangam Marg, New Delhi - 110002
दूरभाष/Phone: +91-11-23230856/23230101/2323377/23239402
ई-मेल/Email: registration@bis.org.in
वेबसाइट/Website: <http://www.bis.org.in> <http://online.bis.org.in>

Our Ref: Registration/CRS 2018-3963/R-91003000

Date: 27-09-2018

Subject : Licence Document

MANUFACTURING UNIT : JAQUAR AND COMPANY PVT. LTD.
PLOT NO.3, SECTOR M11, IMT MANESAR, GURUGRAM - 122050, HARYANA, INDIA
salil.kulshrestha@jaquar.com
7290027208

Dear Sir,

1. With reference to your Application, we are pleased to inform you that it has been decided to grant you License through registration based on self-declaration of conformity as per details given below:

| | |
|-------------------------|---|
| PRODUCT : | RECESSED LED LUMINAIRES |
| IS NO : | IS 10322 (PART 5/SEC 2) : 2012 |
| BRAND : | JAQUAR LIGHTING |
| MODEL : | 22W DL, 20W DL, 18W DL, 15W DL, 12W DL, 10W DL, 8W DL, 6W DL, 3W DL |
| MANUFACTURING ADDRESS : | JAQUAR AND COMPANY PVT. LTD. PLOT NO.3, SECTOR M11, IMT MANESAR, GURUGRAM - 122050, HARYANA, INDIA |

2. The licence is being granted to the unit located at the address and for the brand and models mentioned at serial no 1 above.

3. The number assigned to this Licence is **R-91003000** which has been made operative from **25-09-2018** and is valid upto **24-09-2020**. The licence Number should invariably be referred to in your future correspondence.

4. The rights and privileges under the licence shall not be exercised by any other factory / organisation at any other location and in the event of shifting of the manufacturing machinery from the registered premises to some other place use of the licence number shall be stopped and BIS shall be informed.

5. The licensee shall comply with the provisions of the Act, Rules and Regulations framed thereunder and as amended from time to time

6. The licensee shall follow the guidelines for the use of Standard Mark and labeling requirements as per Annexure.

7. The licensee shall not use the licence in any manner which contravenes the provisions of Act, Rules and Regulations framed thereunder and as amended from time to time.

8. Upon expiry of validity, stoppage or suspension or cancellation of licence, the licensee shall discontinue forthwith the self-declaration of conformity to the relevant Indian Standard(s) and withdraw all promotional and advertising matter which contains any reference thereto.

9. For renewal of licence, the licensee shall have to apply to BIS three months in advance before expiration of the licence and application form for Renewal is available on BIS website.

10. The licence is not transferable.

Thanking you,

Yours faithfully,

(VINOD KUMAR)

Scientist-C (Reg. Dept.)

Telefax: +91-11-23230856

E-mail: registration@bis.org.in



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
(Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India)

मानक भवन, 9 बंगला, बांग जंगम मार्ग, नई दिल्ली - 110002
Manak Bhavan, 9 Bangla, Bang Jangam Marg, New Delhi - 110002
दूरभाष/Phone: +91-11-23230856/23230101/2323377/23239402
ई-मेल/Email: registration@bis.org.in
वेबसाइट/Website: <http://www.bis.org.in> <http://online.bis.org.in>

Our Ref: Registration/CRS 2016-3126/R-91000159

Date: 29-08-2016

Subject : Grant of Registration

MANUFACTURING UNIT : JAQUAR AND COMPANY PVT LTD
PLOT NO.3, SECTOR M11, IMT MANESAR, GURGAON, HARYANA, INDIA
Mr. SALIL KULSHRESTHA, HEAD, R & D & PRODUCTION
salil.kulshrestha@jaquar.com
7290027208

Dear Sir,

1. With reference to your Application, we are pleased to inform you that it has been decided to grant you registration as per details given below:

| | |
|-------------------|---|
| PRODUCT : | Fixed General Purpose LED Luminaires |
| IS NO : | IS 10322(PART 5/SEC 1):2012 |
| BRAND : | Jaquar Lighting |
| MODEL : | 16W JMSE, 18W JMSE, 20W JMSE, 6W JMSE, 8W JMSE, 10W JMSE, 12W JMSE, 4W JMSE |
| FACTORY ADDRESS : | JAQUAR AND COMPANY PVT LTD PLOT NO.3, SECTOR M11, IMT MANESAR, GURGAON, HARYANA, INDIA |

2. The Registration is being granted for your unit located at the address and for the brand and models mentioned at serial no 1 above.

3. The number assigned to this Registration is **R-91000159** which has been made operative from **23-08-2016** and is valid upto **22-08-2018** The Registration Number should invariably be referred to in your future correspondence.

4. The rights and privileges under the registration shall not be exercised by any other factory / organization at any other location. This registration is not transferable. In the event of shifting of the manufacturing machinery from the registered premises to some other place use of the Registration Number shall be stopped and BIS shall be informed.

5. You shall comply with the provisions of Bureau of Indian Standards Act, 1986 and Rules and Regulations framed there under and as amended from time to time.

6. You shall follow the guidelines for the use of Standard Mark and labeling requirements under BIS Compulsory Registration Scheme for Electronic and IT Products given in circular No. Ref : CMD 3/8: 1/6975 dated 03/12/2015 available on BIS website and Department of Electronics and Information Technology (DeitY) notification S. O. 638(E) dated 10/02/2016.

7. You shall not use the registration in any manner which contravenes the provisions of Bureau of Indian Standards Act, 1986 and Rules and Regulations framed there under and as amended from time to time.

8. Upon expiry of validity, stoppage or suspension or cancellation of registration, you shall discontinue forthwith the self declaration of conformity to the relevant Indian Standard(s) and withdraw all promotional and advertising matter which contains any reference thereto.

9. As per your declaration, **MR. SALIL KULSHRESTHA, HEAD, R & D & PRODUCTION** is your authorized representative. Any intended change in the name of the authorized representative ought to be brought to our notice immediately.

10. It may be noted that for consideration of renewal of your registration, you shall have to apply to BIS at least one month in advance before expiry of the validity period. Application Form for Renewal (FORM IX) is available on BIS website.

11. This letter is being issued with the approval of competent authority. Kindly acknowledge receipt of this letter.

Thanking you,

Yours faithfully,

(Vinod Kumar)

Scientist-C (Reg. Dept.)

Telefax: +91-11-23230856

E-mail: registration@bis.org.in

ISO Certificate

ZERTIFIKAT ♦ CERTIFICATE ♦ CERTIFICADO ♦ CERTIFICAT
증명서
ZERTIFIKAT ♦ CERTIFICATE ♦ CERTIFICADO ♦ CERTIFICAT


South Asia

CERTIFICATE

The Certification Body
of TÜV SÜD South Asia Private Limited
certifies that



Complete
Bathroom
and Lighting
Solutions

Jaquar & Company Pvt. Ltd. (Lighting Division)
Plot No-A 111 to 114, RIICO Industrial Area,
Bhiwadi, Alwar – 301019, Rajasthan, India

has implemented Quality Management System
in accordance with **ISO 9001:2015**
for the scope of

**Design and Manufacture of Indoor & Outdoor LED Lights and
Chandeliers for Domestic & Overseas Markets**

The certificate is valid in conjunction
with the main certificate from **2022-05-15** until **2025-05-14**
Subject to successful completion of annual periodic audits
The present status of this certificate can be obtained through TÜV SÜD website by scanning below QR code and by
entering the certificate number (without spaces) on web page. Further clarifications regarding the status & scope of
this certificate may be obtained by consulting the certification body at info.in@tuv-sud.com

Certificate Registration No. **99 100 16868/07**
Date of Initial certification: **2019-05-15**
Issue Date: **2022-05-20** Rev. 01




Rahul Kale
Head of Certification Body
of TÜV SÜD South Asia Private Limited,
Mumbai
Member of TÜV SÜD Group



TÜV SÜD South Asia Pvt. Ltd. • TÜV SÜD House • Sakinaka • Andheri (East) • Mumbai – 400072 • Maharashtra • India



Global certifications

They say, excellence begets rewards and laurels. Jaquar Lighting's NABL accredited lab has enabled the company to come up with the best lighting products. Certifications followed along the way:

- System certifications like ISO 9001:2015, BIS and BEE
- BIS certification for its LED Lamps, Drivers, Panels, LED Streetlights and Floodlights, as per the latest applicable Indian standards

ROHS COMPLIANT

UL

ECAS

EC



Unique customisation option for Chandeliers

Jaquar Lighting has the first chandelier manufacturing plant in India with in-house facilities for designing, fabrication, plating and assembly, to provide unique customised solutions.

As a chandelier manufacturer, Jaquar is also the first and only one in India to offer 24K gold plating-in Antique Gold, as well as Chrome plating with some of the world's best crystals.



Best in the world lighting, best for the Indian conditions

Jaquar lighting products are built keeping in mind the tough, ever-changing Indian weather conditions. These products pass through a wide range of tests to ensure their endurance, reliability and durability.

Jaquar lighting products follow the philosophy of sustained development. Precisely why, all these products are eco-friendly and energy-efficient.

Jaquar lighting LED products:

- Save up to 90% of the energy required for similar levels of illumination by conventional, non-LED products
- Designed to be glare-free and provide uniform illumination
- Built to be high efficiency products that provide approximately 100 Lm/W-higher than most competing products

Trusted for prestigious projects

Jaquar lighting has been entrusted to light up an array of prestigious premises for its expertise in coming up with the best lighting solutions. Have a look:

- Central Hall, Parliament of India
- Supreme Court, Delhi
- Jammu & Kashmir Assembly, Srinagar
- Governor House, Dehradun
- Air Force Headquarters, Delhi
- National Defence Academy (NDA), Pune
- ISRO
- Royal Orchid hotels in Bangalore, Hyderabad and Jaipur
- Hotel Mount View, Chandigarh
- Hotel Westin, Hyderabad
- Hotel India Awadh, Lucknow
- Amber Conventional Centre, Indore
- Hindustan Club, Kolkata
- Hotel Crown, Bhubaneswar

- IIM Shillong
- IIT Mandi & IIT Guwahati
- Bangur House, Kolkata
- Holiday Inn, Kolkata
- Mahagun, Noida
- Supertech, Noida
- MG Motors, Delhi
- Jeep Showroom, Haryana
- Hotel Hyatt, Gurgaon
- Hotel Marriott, Nasik
- HP (Hewlett Packard)

Jaquar lighting also has corporate tie-ups with Sayaji Group, Lemontree, and Jaypee, among others.



Good lighting takes good planning

Give your property's lighting design the benefit of professional advice. With Jaquar's Light Planning Service you get expert guidance to achieve the right effect using the key features of your building's architecture, as well as evoke the right mood in your interior spaces.

Jaquar uses the latest professional design software to develop and present the entire solution to you – from AutoCAD drawings of the layouts to the analysis of the plan, to creating simulations, designs, renders and culminating in the documentation, right down to details like the BoQ.



Jaquar's Lux Studio


Imagine a space where the boundaries between architecture and light are blurred? The Lux Studio by Jaquar, in New Delhi, is a first-of-its-kind light studio where a wide range of architectural lighting solutions is showcased in an applied scenario.

The designers of the studio, Harmeet Singh Issar and Nivedita Sehwat of Design Matrix, say that they “...took the three constructs of space, time and light and merged them together to create an experience that is unpretentious, unexpected, fluid in form and program, and dignified yet engaging.”

Unlike the usual design of experience centres for lighting that typically tends to fall into two categories - white, matte minimalism driven by surface textures, or a dark, edgier aesthetic emphasizing contrasts- the design of Lux Studio amalgamates and represents both these approaches.

Dark, solid, charcoal grey walls of the Studio, contrast with luminous, textural ‘light’ partitions. Both sit side by side in an amorphous, flowing plan. Designed to be flexible, the space is both a blank canvas for lighting experiments - making allowance for tests and trials, as well as evaluating space for light/light quality - in the Dark Room. The setting of the Lux Studio itself is a display of Jaquar's lighting capability and possibilities.

To discover how Jaquar's lighting range carries forward the legacy of the brand's commitment to excellence in bathroom fixtures, quality and customer satisfaction, the Lux Studio is a perfect showcase of possibilities and ideas for everyone who's planning to create buildings and spaces that are illuminated brilliantly.





Jaquar orientation centres

Jaquar orientation centres are spread across the length & breadth of the nation and even abroad.


You can discover the whole gamut of Jaquar lighting products under one roof. Offering a one-stop solution to the discovery and selection process, the orientation centre is manned by trained experts who can help you find the perfect match even for your most unique lighting requirements.

So drop in to a Jaquar orientation centre today. And bring home the glow of happiness!

For more information, visit any of our 21 orientation centres in following cities:

Ahmedabad, Bangalore, Bhopal, Bhubaneswar, Chandigarh, Chennai, Cochin, Guwahati, Hyderabad, Jaipur, Jammu, Kolkata, Lucknow, Ludhiana, Mumbai, Nagpur, New Delhi, Pune, Raipur, Siliguri and Surat





Pro-active customer care

Even the peers vouch for Jaquar's enviable customer care.

Backed by over 1,000 trained technicians and warranty on its products, Jaquar lighting provides India's most reliable service to its customers with fully integrated service network across the country.

Toll-free customer care no: 1800 212 6808

E-mail: ccare.lighting@jaquar.com

Category Content

Professional Lighting



2694

Chandeliers & Decorative Lights

The best of global lighting designs and craftsmanship in a large range of chandeliers and decorative lighting designs



192

Commercial Indoor Lights

The latest options in LED lighting solutions for indoor spaces in offices, malls, and commercial areas



236

Commercial Outdoor Lights

The most comprehensive range of high-quality products for landscape and outdoor lighting



242

Landscape Lights Premium Series

World-class designs and technology combined in our Premium Landscape lighting products

Professional Lighting



274

Landscape Lights Choice Series

Affordable yet efficient
Landscape lighting products to
light up your spaces

Smart Lighting



310

Smart Lights

The world is getting smarter and so
are the Jaquar Lighting Products



Consumer Lighting



318

Consumer Lights

Cutting-edge, energy-efficient LED
lighting solutions for an array of
residential requirements



Professional Lighting

Discover the best of global lighting designs and craftsmanship in our comprehensive range of technologically advanced professional lighting products. Designed keeping your space in mind, our lighting solutions is essential in creating aesthetically pleasing urban & professional environments.

Our range of professional lighting includes:

- Chandeliers
- Decorative Lights
- Commercial Indoor Lights
- Commercial Outdoor Lights



Chandeliers

There are a few bigger statements of luxury in an indoor space than a sparkling chandelier. Discover a grand centrepiece for your indoor space in Jaquar's range of chandeliers.

- Our chandeliers, a fusion of class and quality, are made with lead-free Asfour Almaaza crystals of high-precision cut, clarity, colour, and shape, from some of the world's best crystal manufacturers.
- We use mainly brass in the frame of our chandeliers, which come with a 7 year to 10 year warranty on the plating – ranging from 24K Gold to Chrome, Antique Brass and Copper.
- With the fabrication and plating of chandeliers being done in-house, Jaquar is one of the leading brands of India with its own production facility for crystal chandeliers.
- Available in classic and contemporary styles, reflecting traditional grace or modern elegance, our chandeliers range from 3-head to 24-head designs, with suspended or ceiling-mounted options.
- In fact, apart from the extensive choice, Jaquar Lighting also offers a unique customisation option in Crystal chandeliers - you can redesign, mix and match, and even ask to increase or reduce the crystals used in the chandeliers you select.

But no matter which chandelier you choose from Jaquar, it'll definitely have the power to be the cynosure of all eyes in the room.

Content

CHANDELIERS WITH SHADES

| | |
|--------|-----|
| Octans | 030 |
| Ara | 031 |
| Carina | 032 |
| Ursa | 033 |

TIERED CANDLE CHANDELIERS

| | |
|-----------|-----|
| Pictor | 036 |
| Pollux | 037 |
| Mensa | 038 |
| Vela | 039 |
| Grandiose | 040 |
| Meridian | 041 |
| Gondola | 042 |
| Celeste | 043 |
| Orion | 044 |
| Celosia | 045 |
| Trillium | 046 |
| Centaurus | 047 |
| Circinus | 048 |
| Cassia | 049 |
| Wisteria | 050 |
| Pegasus | 051 |
| Bergenia | 052 |
| Phoenix | 053 |
| Selene | 054 |
| Lantana | 055 |

CONCEALED LIGHT CHANDELIERS

| | |
|------------|-----|
| Sirius | 058 |
| Nobella | 059 |
| Grapewine | 060 |
| Honey comb | 061 |
| Lancia | 062 |
| Lancia | 063 |
| Galaxy | 064 |
| Cosmos | 065 |
| Supernova | 066 |
| Digest | 067 |
| Cairn | 068 |
| Nimbus | 069 |
| Starling | 070 |
| Starling | 071 |

MODERN CHANDELIERS

| | |
|----------|-----|
| Lepus | 074 |
| Nebula | 075 |
| Arcturus | 076 |
| Nova | 077 |
| Umbra | 078 |
| Norma | 079 |
| Canis | 080 |
| Lynx | 081 |
| Auriga | 082 |

MINIMALISTIC CHANDELIERS

| | |
|---------|-----|
| Tortile | 086 |
| Saggita | 087 |

WALL LAMPS

| | |
|----------------|-----|
| Arena | 090 |
| Trident | 090 |
| Tulipz | 091 |
| Exalta | 091 |
| Trident Gold | 092 |
| Celestia Pearl | 092 |
| Volans | 093 |





Chandeliers with Shades

Perfect for making the light source in the room discrete, a chandelier with shades works even better when paired with drapery that matches the colour and texture of the shades in the chandelier.



Octans

Asfour Almaaza

Product code: CHL-ABR-ASOCT0095430C

| | |
|-------------------------------|-----------------------------|
| Color: | Bronze |
| Material: | Zinc alloy and fabric shade |
| No. of heads: | 5+10+15 |
| Cap type: | E14 |
| Wattage: | 30 x 4.5 W LED |
| Dimension (mm): | Ø 1500 x H 1850 |
| Weight (Kg): | 150 |
| No. of boxes for one product: | 6 |



Ara

Asfour Almaaza

Product code: CHL-ABR-CHL00954005

| | |
|-------------------------------|---------------------------|
| Color: | Bronze |
| Material: | Copper, bronze and fabric |
| No. of heads: | 4+8+12 |
| Cap type: | E14 |
| Wattage: | 24 x 4.5 W LED |
| Dimension (mm): | Ø 1260 x H 1400 |
| Weight (Kg): | 90 |
| No. of boxes for one product: | 6 |
| Premium fabric shade | |



Carina

Asfour Almaaza

Product code: CHL-SKG-ASCARL0095436C

| | |
|-------------------------------|-----------------------------|
| Color: | SK gold |
| Material: | Zinc alloy and fabric shade |
| No. of heads: | 6+12+18 |
| Cap type: | E14 |
| Wattage: | 36 x 4.5 W LED |
| Dimension (mm): | Ø 1530 x H 2300 |
| Weight (Kg): | 200 |
| No. of boxes for one product: | 9 |



Ursa

Product code: CHL-SKG-14844X15C

| | |
|-------------------------------|-----------------------------|
| Color: | Gold finish |
| Material: | Zinc alloy and fabric shade |
| No. of heads: | 15 |
| Cap type: | E14 |
| Wattage: | 15 x 4.5 W LED |
| Dimension (mm): | Ø 1000 x H 600 |
| Weight (Kg): | 20 |
| No. of boxes for one product: | 1 |



Tiered Candle Chandeliers

A tiered candle-chandelier like this one is the perfect way to accentuate a room's traditional elegance. Reminiscent of real candle chandeliers from many centuries ago, that were lowered, lit and then pulled up by rope, the unmasked light source allows the crystals underneath to sparkle with greater intensity.



Pictor

Asfour Almaaza

Product code: CHL-SKG-ASPIC0095430C

| | |
|-------------------------------|----------------------|
| Color: | SK gold |
| Material: | Zinc alloy with jade |
| No. of heads: | 5+10+15 |
| Cap type: | E14 |
| Wattage: | 30 x 4.5 W LED |
| Dimension (mm): | Ø 1450 x H 2100 |
| Weight (Kg): | 110 |
| No. of boxes for one product: | 13 |



Pollux

Asfour Almaaza

Product code: CHL-ABR-ASPOL0095443C

| | |
|-------------------------------|------------------------------|
| Color: | Bronze |
| Material: | Zinc alloy and bobèche glass |
| No. of heads: | 6+8+10+19+5 |
| Cap type: | E14 |
| Wattage: | 48 x 4.5 W LED |
| Dimension (mm): | Ø 1600 x H 2300 |
| Weight (Kg): | 150 |
| No. of boxes for one product: | 6 |



Mensa

Asfour Almaaza

Product code: CHL-GLD-ASMEN0095456C

| | |
|----------------------------------|-------------------------------|
| Color: | Gold |
| Material: | Copper with natural pink jade |
| No. of heads: | 8+12+16+20 |
| Cap type: | E14 |
| Wattage: | 56 x 4.5 W LED |
| Dimension (mm): | Ø 2260 x H 3000 |
| Weight (Kg): | 500 |
| No. of boxes for one product: | 13 |
| 24K gold used for perfect finish | |



Vela

Asfour Almaaza

Product code: CHL-SKG-ASVEL09540636C

| | |
|-------------------------------|-----------------------------------|
| Color: | SK gold |
| Material: | Zinc alloy with natural pink jade |
| No. of heads: | 6+12+18 |
| Cap type: | E14 |
| Wattage: | 36 x 4.5 W LED |
| Dimension (mm): | Ø 1550 x H 2110 |
| Weight (Kg): | 150 |
| No. of boxes for one product: | 8 |



Grandiose

Asfour Almaaza

Gold

Product code: CHL-GLD-AS110212

Chrome

Product code: CHL-CHR-AS110212

| | |
|-------------------------------|-----------------|
| Color: | Gold and chrome |
| Material: | Brass casting |
| No. of heads: | 12 |
| Cap type: | E14 |
| Wattage: | 12 x 4.5 W LED |
| Dimension (mm): | Ø 850 x H 560 |
| Weight (Kg): | 18 |
| No. of boxes for one product: | 1 |



Meridian

Asfour Almaaza

Gold

Product code: CHL-GLD-AS20918

Chrome

Product code: CHL-CHR-AS20918B

| | |
|-------------------------------|-----------------|
| Color: | Gold and chrome |
| Material: | Brass casting |
| No. of heads: | 18 |
| Cap type: | E14 |
| Wattage: | 18 x 4.5 W LED |
| Dimension (mm): | Ø 1050 x H 560 |
| Weight (Kg): | 20 |
| No. of boxes for one product: | 1 |



Gondola

Asfour Almaaza

Gold

Product code: CHL-GLD-AS2028A

Chrome

Product code: CHL-CHR-AS2028A

| | |
|-------------------------------|-----------------|
| Color: | Gold and chrome |
| Material: | Brass casting |
| No. of heads: | 8 |
| Cap type: | E14 |
| Wattage: | 8 x 4 W LED |
| Dimension (mm): | Ø 700 x H 430 |
| Weight (Kg): | 12 |
| No. of boxes for one product: | 1 |



Celeste

Asfour Almaaza

Gold

Product code: CHL-GLD-AS93112A

Chrome

Product code: CHL-CHR-AS93112A

| | |
|-------------------------------|-----------------|
| Color: | Gold and chrome |
| Material: | Brass |
| No. of heads: | 6+6 |
| Cap type: | E14 |
| Wattage: | 12 x 4.5 W LED |
| Dimension (mm): | Ø 630 x H 930 |
| Weight (Kg): | 21 |
| No. of boxes for one product: | 2 |



Orion

Asfour Almaaza

Product code: CHL-GLD-AS2038BCAG

| | |
|-------------------------------|-------------------------|
| Color: | Gold/Black powder |
| Material: | Brass/Asfour Crystal/MS |
| No. of heads: | 8 |
| Cap type: | E14 |
| Wattage: | 8 x 4.5 W LED |
| Dimension (mm): | D 660 x H 1200 |
| Weight (Kg): | 10 |
| No. of boxes for one product: | 2 |



Celosia

Asfour Almaaza

Product code: CHL-SLV-ASCEL716510C

| | |
|-------------------------------------|--------------------------|
| Color: | Silver (Real) |
| Material: | Copper and bobèche glass |
| No. of heads: | 10 |
| Cap type: | E14 |
| Wattage: | 10 x 4.5 W LED |
| Dimension (mm): | Ø 1000 x H 885 |
| Weight (Kg): | 40 |
| No. of boxes for one product: | 1 |
| Real silver used for perfect finish | |



Trillium

Asfour Almaaza

Product code: CHL-GLD-ASTRISYY15730C

| | |
|----------------------------------|--------------------------|
| Color: | Gold |
| Material: | Copper and bobèche glass |
| No. of heads: | 5+10+15 |
| Cap type: | E14 |
| Wattage: | 30 x 4.5 W LED |
| Dimension (mm): | Ø 1500 x H 2120 |
| Weight (Kg): | 200 |
| No. of boxes for one product: | 6 |
| 24K gold used for perfect finish | |



Centaurus

Asfour Almaaza

Product code: CHL-GLD-ASCEL1771230C

| | |
|-------------------------------|------------------------------|
| Colour: | Gold |
| Material: | Zinc alloy with natural jade |
| No. of heads: | 15+10+5 |
| Cap type: | E14 |
| Wattage: | 30 x 4.5 W LED |
| Dimension (mm): | Ø 1470 x H 1900 |
| Weight (Kg): | 110 |
| No. of boxes for one product: | 7 |



Circinus

Asfour Almaaza

Product code: CHL-GLD-ASCIR1780218C

| | |
|-------------------------------|------------------------------|
| Color: | Gold |
| Material: | Zinc alloy with natural jade |
| No. of heads: | 12+6 |
| Cap type: | E14 |
| Wattage: | 18 x 4.5 W LED |
| Dimension (mm): | Ø 1150 x H 1000 |
| Weight (Kg): | 70 |
| No. of boxes for one product: | 3 |



Cassia

Asfour Almaaza

Product code: CHL-GLD-ASCAS178027C

| | |
|-------------------------------|------------------------------|
| Color: | Gold |
| Material: | Zinc alloy with natural jade |
| No. of heads: | 70 |
| Cap type: | E14 |
| Wattage: | 70 x 4.5 W LED |
| Dimension (mm): | Ø 2000 x H 3100 |
| Weight (Kg): | 400 |
| No. of boxes for one product: | 15 |



Wisteria

Asfour Almaaza

Product code: CHL-BRS-ASWISSYY0170C

| | |
|-------------------------------|-----------------------|
| Color: | Bronze |
| Material: | Zinc alloy and marble |
| No. of heads: | 6+12+18+12+24+8 |
| Cap type: | E14 |
| Wattage: | 80 x 4.5 W LED |
| Dimension (mm): | Ø 2330 x H 3300 |
| Weight (Kg): | 550 |
| No. of boxes for one product: | 17 |



Pegasus

Asfour Almaaza

Product code: CHL-GLD-ASPEG173918C

| | |
|-------------------------------|------------------------------|
| Color: | Gold |
| Material: | Zinc alloy with natural jade |
| No. of heads: | 12+6 |
| Cap type: | E14 |
| Wattage: | 18 x 4.5 W LED |
| Dimension (mm): | Ø 1160 x H 690 |
| Weight (Kg): | 55 |
| No. of boxes for one product: | 3 |



Bergenia

Asfour Almaaza

Product code: CHL-GLD-ASBER1739536C

| | |
|-------------------------------|----------------------|
| Color: | Gold |
| Material: | Zinc alloy and glass |
| No. of heads: | 6+15+10+5 |
| Cap type: | E14 |
| Wattage: | 36 x 4.5 W LED |
| Dimension (mm): | Ø 1500 x H 2350 |
| Weight (Kg): | 110 |
| No. of boxes for one product: | 6 |



Phoenix

Asfour Almaaza

Product code: CHL-GLD-ASPHOSYA65032C

| | |
|----------------------------------|--------------------------|
| Color: | Gold |
| Material: | Copper with natural jade |
| No. of heads: | 6+10+16 |
| Cap type: | E14 |
| Wattage: | 32 x 4.5 W LED |
| Dimension (mm): | Ø 1550 x H 1920 |
| Weight (Kg): | 200 |
| No. of boxes for one product: | 9 |
| 18K gold used for perfect finish | |



Selene

Asfour Almaaza

Product code: CHL-SLV-ASSEL716530C

| | |
|-------------------------------------|--------------------------|
| Color: | Silver (Real) |
| Material: | Copper and bobèche glass |
| No. of heads: | 5+10+15 |
| Cap type: | E14 |
| Wattage: | 30 x 4.5 W LED |
| Dimension (mm): | Ø 1460 x H 1900 |
| Weight (Kg): | 150 |
| No. of boxes for one product: | 4 |
| Real silver used for perfect finish | |



Lantana

Asfour Almaaza

Product code: CHL-GLD-ASLANSY66031C

| | |
|----------------------------------|--------------------------|
| Color: | Gold |
| Material: | Copper with natural jade |
| No. of heads: | 15+10+6 |
| Cap type: | E14 |
| Wattage: | 31 x 4.5 W LED |
| Dimension (mm): | Ø 1460 x H 2290 |
| Weight (Kg): | 170 |
| No. of boxes for one product: | 7 |
| 18K gold used for perfect finish | |



Concealed Light Chandeliers

A complete creation in crystal, the opulence of chandeliers like these demand décor that's no less magnificent. Concealing the light source within allows the crystals to appear as if they are the light source themselves – a multitude of little suns scattering beautiful rays around the room.



Sirius

Asfour Almaaza

Gold

Product code: CHL-GLD-AS11063XB

Chrome

Product code: CHL-CHR-AS11063XB

| | |
|-------------------------------|-----------------|
| Color: | Gold and chrome |
| Material: | Brass |
| No. of heads: | 27 |
| Cap type: | E14 |
| Wattage: | 27 x 4.5 W LED |
| Dimension (mm): | Ø 1066 x H 2743 |
| Weight (Kg): | 55 |
| No. of boxes for one product: | 2 |



Nobella

Asfour Almaaza

Gold

Product code: CHL-GLD-AS1009

Chrome

Product code: CHL-CHR-AS1009

| | |
|-------------------------------|-----------------|
| Color: | Gold and chrome |
| Material: | Brass |
| No. of heads: | 12 |
| Cap type: | E14 |
| Wattage: | 12 x 4.5 W LED |
| Dimension (mm): | Ø 610 x H 920 |
| Weight (Kg): | 20.5 |
| No. of boxes for one product: | 2 |



Grapewine

Asfour Almaaza

Gold

Product code: CHL-GLD-AS4032

Chrome

Product code: CHL-CHR-AS4032

| | |
|-------------------------------|-----------------|
| Color: | Gold and chrome |
| Material: | Brass |
| No. of heads: | 8 |
| Cap type: | E14 |
| Wattage: | 8 x 4.5 W LED |
| Dimension (mm): | Ø 600 x H 380 |
| Weight (Kg): | 16 |
| No. of boxes for one product: | 1 |



Honey Comb

Asfour Almaaza

Gold

Product code: CHL-GLD-AS4031A

Chrome

Product code: CHL-CHR-AS4031A

| | |
|-------------------------------|-----------------|
| Color: | Gold and chrome |
| Material: | Brass |
| No. of heads: | 6 |
| Cap type: | E14 |
| Wattage: | 6 x 4.5 W LED |
| Dimension (mm): | Ø 550 x H 510 |
| Weight (Kg): | 17 |
| No. of boxes for one product: | 1 |



Lancia

Asfour Almaaza

Gold

Product code: CHL-GLD-AS8051B

Chrome

Product code: CHL-CHR-AS8051B

| | |
|-------------------------------|-----------------|
| Color: | Gold and chrome |
| Material: | Brass casting |
| No. of heads: | 4 |
| Cap type: | E14 |
| Wattage: | 4 x 4.5 W LED |
| Dimension (mm): | Ø 400 x H 180 |
| Weight (Kg): | 4.5 |
| No. of boxes for one product: | 1 |



Lancia

Asfour Almaaza

Gold

Product code: CHL-GLD-AS8051D25

Chrome

Product code: CHL-CHR-AS8051D25

| | |
|-------------------------------|-----------------|
| Color: | Gold and chrome |
| Material: | Brass casting |
| No. of heads: | 3 |
| Cap type: | E14 |
| Wattage: | 3 x 4.5 W LED |
| Dimension (mm): | Ø 250 x H 200 |
| Weight (Kg): | 2 |
| No. of boxes for one product: | 1 |



Galaxy

Asfour Almaaza

Gold

Product code: CHL-GLD-AS11025

Chrome

Product code: CHL-CHR-AS11025

| | |
|-------------------------------|-----------------|
| Color: | Chrome and gold |
| Material: | Brass |
| No. of heads: | NA |
| Cap type: | NA |
| Wattage: | 120 W LED |
| Dimension (mm): | Ø 914 x H 330 |
| Weight (Kg): | 25 |
| No. of boxes for one product: | 1 |



Cosmos

Asfour Almaaza

Gold

Product code: CHL-GLD-AS11021

Chrome

Product code: CHL-CHR-AS11021

| | |
|-------------------------------|-----------------|
| Color: | Chrome and gold |
| Material: | Brass |
| No. of heads: | NA |
| Cap type: | NA |
| Wattage: | 60 W LED |
| Dimension (mm): | Ø 600 x H 90 |
| Weight (Kg): | 12 |
| No. of boxes for one product: | 1 |



Supernova

Asfour Almaaza

Gold

Product code: CHL-GLD-AS11028

Chrome

Product code: CHL-CHR-AS11028

| | |
|-------------------------------|-----------------------|
| Color: | Chrome and gold |
| Material: | Brass |
| No. of heads: | NA |
| Cap type: | NA |
| Wattage: | 105 W LED |
| Dimension (mm): | L 533 x W 533 x H 450 |
| Weight (Kg): | 18 |
| No. of boxes for one product: | 1 |



Digest

Asfour Almaaza

Gold

Product code: CHL-GLD-AS11015

Chrome

Product code: CHL-CHR-AS11015

| | |
|-------------------------------|-----------------|
| Color: | Chrome and gold |
| Material: | Brass/SS |
| No. of heads: | 12 |
| Cap type: | E14 |
| Wattage: | 12 x 4.5 W LED |
| Dimension (mm): | Ø 750 x H 300 |
| Weight (Kg): | 35 |
| No. of boxes for one product: | 1 |



Cairn

Asfour Almaaza

Gold

Product code: CHL-GLD-AS11060

Chrome

Product code: CHL-CHR-AS11060

| | |
|-------------------------------|-----------------|
| Color: | Chrome and gold |
| Material: | Brass |
| No. of heads: | 14 |
| Cap type: | E14 |
| Wattage: | 14 x 4.5 W LED |
| Dimension (mm): | Ø 600 x H 1220 |
| Weight (Kg): | 35 |
| No. of boxes for one product: | 1 |



Nimbus

Asfour Almaaza

Gold

Product code: CHL-GLD-AS689

Chrome

Product code: CHL-CHR-AS689

| | |
|-------------------------------|-----------------|
| Color: | Gold and chrome |
| Material: | Brass |
| No. of heads: | 6 |
| Cap type: | E14 |
| Wattage: | 6 x 4.5 W LED |
| Dimension (mm): | Ø 400 x H 900 |
| Weight (Kg): | 8 |
| No. of boxes for one product: | 1 |



Starling

Asfour Almaaza

Gold

Product code: CHL-GLD-AS80881B

Chrome

Product code: CHL-CHR-AS80881B

| | |
|-------------------------------|-----------------|
| Color: | Gold and chrome |
| Material: | Brass casting |
| No. of heads: | 4 |
| Cap type: | E14 |
| Wattage: | 4 x 4.5 W LED |
| Dimension (mm): | Ø 500 x H 180 |
| Weight (Kg): | 6 |
| No. of boxes for one product: | 1 |



Starling

Asfour Almaaza

Gold

Product code: CHL-GLD-AS8088B

Chrome

Product code: CHL-CHR-AS8088B

| | |
|-------------------------------|-----------------|
| Color: | Gold and chrome |
| Material: | Brass casting |
| No. of heads: | 3 |
| Cap type: | E14 |
| Wattage: | 3 x 4.5 W LED |
| Dimension (mm): | Ø 330 x H 140 |
| Weight (Kg): | 4.5 |
| No. of boxes for one product: | 1 |



Modern Chandeliers

Representing the evolution of chandeliers, rectilinear and curved forms of chandeliers question traditional outlines and pay tribute to the more functional forms seen in architecture of the 20th century. Ideal for interiors where modern lines and newer, man-made materials are chosen.



Lepus

Asfour Almaaza

Gold

Product code: CHL-GLD-AS40510X2

Chrome

Product code: CHL-CHR-AS40510X2

| | |
|-------------------------------|------------------------|
| Color: | Gold and chrome |
| Material: | SS |
| No. of heads: | 8 |
| Cap type: | G9 |
| Wattage: | 8 x 5 W LED |
| Dimension (mm): | L 1066 x W 381 x H 304 |
| Weight (Kg): | 20 |
| No. of boxes for one product: | 1 |



Nebula

Asfour Almaaza

Gold

Product code: CHL-GLD-AS11058/3

Chrome

Product code: CHL-CHR-AS11058/3

| | |
|-------------------------------|------------------------|
| Color: | Gold and chrome |
| Material: | Brass |
| No. of heads: | NA |
| Cap type: | NA |
| Wattage: | 225 W LED |
| Dimension (mm): | L 1500 x W 457 x H 457 |
| Weight (Kg): | 30 |
| No. of boxes for one product: | 1 |



Arcturus

Asfour Almaaza

Gold

Product code: CHL-GLD-AS11065

Chrome

Product code: CHL-CHR-AS11065

| | |
|-------------------------------|------------------------|
| Color: | Gold and chrome |
| Material: | Brass |
| No. of heads: | NA |
| Cap type: | NA |
| Wattage: | 150 W LED |
| Dimension (mm): | L 1053 x W 600 x H 600 |
| Weight (Kg): | 28 |
| No. of boxes for one product: | 1 |



Nova

Gold

Product code: CHL-GLD-DROP11066

Chrome

Product code: CHL-CHR-DROP11066

| | |
|--|------------------------|
| Color: | Gold and chrome |
| Material: | SS and glass |
| No. of heads: | 8 |
| Cap type: | E14 |
| Wattage: | 8 x 4.5 W LED |
| Dimension (mm): | L 1210 x W 457 x H 395 |
| Weight (Kg): | 20 |
| No. of boxes for one product: | 1 |
| Available in mouth blown drop glass only | |



Umbra

Asfour Almaaza

Gold

Product code: CHL-GLD-AS9111

Chrome

Product code: CHL-CHR-AS9111

| | |
|-------------------------------|-----------------|
| Color: | Gold and chrome |
| Material: | Brass |
| No. of heads: | 1 |
| Cap type: | E14 |
| Wattage: | 1 x 4.5 W LED |
| Dimension (mm): | Ø 250 x H 260 |
| Weight (Kg): | 1.5 |
| No. of boxes for one product: | 1 |



Norma

Product code: CHL-GLD-MD177218009

| | |
|-------------------------------|---------------|
| Color: | Gold |
| Material: | SS/Brass |
| No. of heads: | 9 |
| Cap type: | E14 |
| Wattage: | 9 x 4.5 W LED |
| Dimension (mm): | Ø 800 x H 375 |
| Weight (Kg): | 30 |
| No. of boxes for one product: | 1 |
| Available in K9 crystals only | |



Canis

Asfour Almaaza

Gold

Product code: CHL-GLD-AS11003

Chrome

Product code: CHL-CHR-AS11003

Color:

Chrome and gold

Material:

Brass

No. of heads:

7

Cap type:

G9

Wattage:

7 x 5 W LED

Dimension (mm):


Ø 457 x H 225

Weight (Kg):

8

No. of boxes for one product:

1



Lynx

Asfour Almaaza

Product code: CHL-BLK-GLS11042X70CM

| | |
|-------------------------------|------------------|
| Color: | Black chrome |
| Material: | Brass/Rock glass |
| No. of heads: | N/A |
| Cap type: | N/A |
| Wattage: | 15 W LED |
| Dimension (mm): | Ø 700 x H 195 |
| Weight (Kg): | 12 |
| No. of boxes for one product: | 1 |



Auriga

Asfour Almaaza

Product code: CHL-BLK-K9CUBE10X10

| | |
|-------------------------------|-----------------------|
| Color: | Black nickel finished |
| Material: | Brass and K9 crystals |
| No. of heads: | N/A |
| Cap type: | N/A |
| Wattage: | 45 W LED |
| Dimension (mm): | L 360 x H 450 |
| Weight (Kg): | 13.800 |
| No. of boxes for one product: | 1 |





Minimalistic Chandeliers

Pushing the boundaries of the definition of chandeliers, iconic pieces like these are carefully designed to achieve the maximum effect with a minimum of elements. Accepting the challenge of today's minimalistic design aesthetic, pieces like this embody the concept of 'less is more'



Tortile

Asfour Almaaza

Gold

Product code: CHL-GLD-AS11037

Chrome

Product code: CHL-CHR-AS11037

| | |
|-------------------------------|-----------------|
| Color: | Chrome and gold |
| Material: | Brass |
| No. of heads: | 5 |
| Cap type: | Spot light |
| Wattage: | 5 x 2 W LED |
| Dimension (mm): | Ø 360 x H 800 |
| Weight (Kg): | 8 |
| No. of boxes for one product: | 1 |



Saggita

Asfour Almaaza

Product code: CHL-CHR-AS600X335X2

| | |
|-------------------------------|----------------------|
| Color: | Chrome |
| Material: | Brass/Asfour crystal |
| No. of heads: | N/A |
| Cap type: | N/A |
| Wattage: | 60 W LED |
| Dimension (mm): | D 600 x H 600 |
| Weight (Kg): | 18 |
| No. of boxes for one product: | 1 |



Wall Lamps

Take a look at the brilliant new ideas from Jaquar for ambient room illumination. From timeless elegance to quirky design and artful expression, there's wall light for every need here.



Arena

Asfour Almaaza

Gold

Product code: WBR-GLD-AS20SW

Chrome

Product code: WBR-CHR-AS20SW

| | |
|-------------------------------|-------------------------|
| Color: | Chrome and gold |
| Material: | Brass and bobèche glass |
| No. of heads: | 2 |
| Cap type: | E14 |
| Wattage: | 2 x 4.5 W LED |
| Dimension (mm): | L 270 x W 190 x H 250 |
| Weight (Kg): | 1.3 |
| No. of boxes for one product: | 1 |



Trident

Asfour Almaaza

Gold

Product code: WBR-GLD-AS9118

Chrome

Product code: WBR-CHR-AS9118

| | |
|-------------------------------|-------------------------|
| Color: | Chrome and gold |
| Material: | Brass and bobèche glass |
| No. of heads: | 2 |
| Cap type: | E14 |
| Wattage: | 2 x 4.5 W LED |
| Dimension (mm): | L 250 x W 160 x H 270 |
| Weight (Kg): | 1.5 |
| No. of boxes for one product: | 1 |



Tulipz

Asfour Almaaza

Gold

Product code: WBR-GLD-AS7771

Chrome

Product code: WBR-CHR-AS7771

| | |
|-------------------------------|-----------------------|
| Color: | Chrome and gold |
| Material: | Brass |
| No. of heads: | 1 |
| Cap type: | LED |
| Wattage: | 3 W |
| Dimension (mm): | L 130 x W 140 x H 500 |
| Weight (Kg): | 1.5 |
| No. of boxes for one product: | 1 |



Exalta

Asfour Almaaza

Gold

Product code: WBR-GLD-AS98181

Chrome

Product code: WBR-CHR-AS98181

| | |
|-------------------------------|-------------------------|
| Color: | Chrome and gold |
| Material: | Brass and bobèche glass |
| No. of heads: | 1 |
| Cap type: | E14 |
| Wattage: | 1 x 4.5 W LED |
| Dimension (mm): | L 100 x W 180 x H 280 |
| Weight (Kg): | 1 |
| No. of boxes for one product: | 1 |



Trident Gold

Asfour Almaaza

Gold

Product code: WBR-GLD-AS98182

Chrome

Product code: WBR-CHR-AS98182

| | |
|-------------------------------|-----------------------|
| Color: | Gold and chrome |
| Material: | Brass |
| No. of heads: | 2 |
| Cap type: | E14 |
| Wattage: | 2 x 4.5 W LED |
| Dimension (mm): | L 280 x W 180 x H 300 |
| Weight (Kg): | 1.5 |
| No. of boxes for one product: | 1 |



Celestia Pearl

Asfour Almaaza

Gold

Product code: WBR-GLD-AS96069

Chrome

Product code: WBR-CHR-AS96069

| | |
|-------------------------------|-----------------------|
| Color: | Gold and chrome |
| Material: | Brass |
| No. of heads: | 2 |
| Cap type: | E 14 |
| Wattage: | 2 x 4.5 W LED |
| Dimension (mm): | L 260 x W 130 x H 240 |
| Weight (Kg): | 1.5 |
| No. of boxes for one product: | 1 |



Volans

Gold
Product code: WBR-GLD-5057

Chrome
Product code: WBR-CHR-5057

| | |
|-------------------------------|----------------------|
| Color: | Chome and gold |
| Material: | Brass |
| No. of heads: | NA |
| Cap type: | LED strip |
| Wattage: | 9 W |
| Dimension (mm): | L 110 x W 75 x H 290 |
| Weight (Kg): | 2.5 |
| No. of boxes for one product: | 1 |
| Available in twist glass tube | |



Decorative Lights

Jaquar decorative lighting collection combines the very best of global design and craftsmanship in an impressively large range of designs and shapes. Jaquar range of products in the Decorative category includes Chandeliers, Pendant lights, Wall and Ceiling mounted lights, Table lamps and Floor lamps, and even Aqua lights for use in bathrooms.

Within each type of light too, there's one for every preference. Pendant lights are available in single or multiple heads with suspended or ceiling mounted options. Ceiling lights are available in standalone, single tier, 2 tier and 3 tier variants with Chrome, White, or Rose Gold finishes with Metal and Glass options. Our innovative range of LED wall lights are available in standalone, single head, 2 head and 3 head variants with matching chandeliers.

For enhancing the ambience of interiors, choose from our trendsetting table lamps that are available in Chrome, Glass, Wood and Metallic finishes with fabric or PVC shades. Similar options are available in our Floor lamps too, which are distinctive and contemporary.

For use in moist environments like bathrooms, Jaquar Aqua lights feature Chrome finish and Ingress Protection (IP) 44 rating.

Unless otherwise specified, all Jaquar lighting products are built with the flexibility to be compatible with not just LED lamps but CFL and GLS lamps too.

Content

DECORATIVE LIGHTS


| | |
|--------------------|-----|
| Ceiling Lights | 096 |
| Floor Lamps | 140 |
| Table Lamps | 146 |
| Wall Lights | 162 |
| Bath (Aqua) Lights | 184 |





Ceiling Lights

To meet the sophisticated design requirements of ceiling lighting, Jaquar offers a vast repertoire to choose from. Discover some of the most alluring models from our latest collection.



JES-CHR-MD400500618C

Description: 1 Tier metal string with chrome finish ceiling light

Fixture Height: 1500

Standard Packaging Box: 1

Net Weight (Kg): 18

Lamp: G9 LED 4 W x 8

| L | W | D | H |
|-----|------|---|---|
| 680 | 1500 | | |



JES-CHR-MD400500654C

Description: 3 Tier metal string with chrome finish ceiling light

Fixture Height: 2500

Standard Packaging Box: 1

Net Weight (Kg): 38

Lamp: G9 LED 4 W x 24

| L | W | D | H |
|-----|------|---|---|
| 680 | 2500 | | |



JES-CHR-MD400500636C

Description: 2 Tier metal string with chrome finish ceiling light

Fixture Height: 1700

Standard Packaging Box: 1

Net Weight (Kg): 32

Lamp: G9 LED 4 W x 16

| L | W | D | H |
|-----|------|---|---|
| 680 | 1700 | | |



JES-RDG-MD400500654C

Description: 3 Tier metal string with rose gold finish ceiling light


Fixture Height: 2500

Standard Packaging Box: 1

Net Weight (Kg): 38

Lamp: G9 LED 4 W x 24

| L | W | D | H |
|-----|------|---|---|
| 680 | 2500 | | |



JES-RDG-MD400500636C

Description: 2 Tier metal string with rose gold finish ceiling light

Fixture Height: 1700

Standard Packaging Box: 1

Net Weight (Kg): 32

Lamp: G9 LED 4 W x 16

| L | W | D | H |
|-----|------|---|---|
| 680 | 1700 | | |



JES-RDG-MD400500618C

Description: 1 Tier metal string with rose gold finish ceiling light

Fixture Height: 1500

Standard Packaging Box: 1

Net Weight (Kg): 18

Lamp: G9 LED 4 W x 8

| L | W | D | H |
|-----|------|---|---|
| 680 | 1500 | | |



KCH-CHR-MD80473A

Description: 3 Light cone shaped with chrome finish ceiling light

Fixture Height: 1000

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 3

| L | W | D | H |
|-----|---|---|------|
| 600 | | | 1000 |

KCH-CHR-MD80476A

Description: 6 Light cone shaped with chrome finish ceiling light

Fixture Height: 1000

Standard Packaging Box: 1

Net Weight (Kg): 2.6

Lamp: E14 LED 4.5 W x 6

| L | W | D | H |
|-----|---|---|------|
| 650 | | | 1000 |





DCL-CHR-MX81364B

Description: 4 Light star shape glass tube with chrome finish ceiling light

Fixture Height: 225

Standard Packaging Box: 1

Net Weight (Kg): 5.5

Lamp: G9 LED 5 W x 4

| L | W | D | H |
|-----|-----|---|---|
| 350 | 225 | | |



DCL-CHR-MX81366B

Description: 6 Light star shape glass tube with chrome finish ceiling light

Fixture Height: 225

Standard Packaging Box: 1

Net Weight (Kg): 9.2

Lamp: G9 LED 5 W x 6

| L | W | D | H |
|-----|-----|---|---|
| 450 | 225 | | |



DCL-CHR-MX81364A

Description: 4 Light star shape glass tube with chrome finish ceiling light

Fixture Height: 225

Standard Packaging Box: 1

Net Weight (Kg): 7

Lamp: G9 LED 5 W x 4

| L | W | D | H |
|-----|-----|-----|---|
| 330 | 330 | 225 | |



DCL-CHR-MX81368A

Description: 8 Light star shape glass tube with chrome finish ceiling light

Fixture Height: 225

Standard Packaging Box: 1

Net Weight (Kg): 11

Lamp: G9 LED 5 W x 8

| L | W | D | H |
|-----|-----|-----|---|
| 430 | 430 | 225 | |

Height Adjustable

KCH-COP-MD501001512C

Description: 12 Light aluminium curved strips with copper finish pendant


Fixture Height: 560

Standard Packaging Box: 1

Net Weight (Kg): 5.2

Lamp: G9 LED 5 W x 12

| | | | |
|---|---|-----|------|
| L | W | D | H |
| | | 560 | 1200 |



Height Adjustable



KCH-RDG-MD501001512C

Description: 12 Light aluminium curved strips with rose gold finish pendant

Fixture Height: 560

Standard Packaging Box: 1

Net Weight (Kg): 5.2

Lamp: G9 LED 5 W x 12

| | | | |
|---|---|-----|------|
| L | W | D | H |
| | | 560 | 1200 |

Height Adjustable



KCH-STC-MD501001512B

Description: 12 Light aluminium curved strips with silver finish pendant

Fixture Height: 650

Standard Packaging Box: 1

Net Weight (Kg): 6.5

Lamp: G9 Bulb 5 W x 12

| | | | |
|---|---|-----|------|
| L | W | D | H |
| | | 650 | 1300 |

Height Adjustable



KCH-BCH-MD501001512B

Description: 12 Light aluminium curved strips with black finish pendant

Fixture Height: 650

Standard Packaging Box: 1

Net Weight (Kg): 6.5

Lamp: G9 LED 5 W x 12

| | | | |
|---|---|-----|------|
| L | W | D | H |
| | | 650 | 1300 |



JIG-CHR-MD809824A

Description: 24 Light meta swan with chrome finish ceiling light

Available in: Black / Matt Gold / Chrome

Fixture Height: 1500

Standard Packaging Box: 1

Net Weight (Kg): 21.5

Lamp: G4 Bulb 5 W x 24

| L | W | D | H |
|---|---|---|-----------|
| | | | 1100 1500 |

JIG-GLD-MX809818A

Description: 18 Light meta swan with gold finish ceiling light

Available in: Black / Red / White / Matt Gold / Chrome

Fixture Height: 780

Standard Packaging Box: 1

Net Weight (Kg): 18

Lamp: G4 Bulb 5 W x 18

| L | W | D | H |
|---|---|---|---------|
| | | | 860 780 |



JIG-BLC-MX809812A

Description: 12 Light meta swan with black finish ceiling light

Available in: Black / Red / White / Matt Gold / Chrome

Fixture Height: 620

Standard Packaging Box: 1

Net Weight (Kg): 9.5

Lamp: G4 Bulb 5 W x 12

| L | W | D | H |
|---|---|---|---------|
| | | | 710 620 |



JIG-WHT-MX809818A

Description: 18 Light meta swan with white finish ceiling light

Available in: Black / Red / White / Matt Gold / Chrome

Fixture Height: 780

Standard Packaging Box: 1

Net Weight (Kg): 18

Lamp: G4 Bulb 5 W x 18

| L | W | D | H |
|---|---|-----|-----|
| | | 860 | 780 |



STL-BLK-SL1027S400

Description: 1 Light black hemp rope ball pendant

Fixture Height: 400

Available in: Black / White

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|---|---|-----|------|
| | | 400 | 1200 |



STL-BLK-SL1027S600

Description: 1 Light black hemp rope ball pendant

Fixture Height: 600

Available in: Black / White

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|---|---|-----|------|
| | | 600 | 1200 |



STL-BLK-SL1027S800

Description: 1 Light black hemp rope ball pendant

Fixture Height: 800

Available in: Black / White

Standard Packaging Box: 1

Net Weight (Kg): 4.2

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|---|---|-----|------|
| | | 800 | 1300 |



STL-CHR-SL1128S

Description: 9 Light black fabric shade with chrome finish pendant

Fixture Height: 970

Standard Packaging Box: 1

Net Weight (Kg): 23

Lamp: E27 LED 7 W x 9

| L | W | D | H |
|------|------|---|---|
| 1030 | 1750 | | |



KCH-CHR-MD150330026A

Description: 6 Light champagne opal glass with chrome finish chandelier

Fixture Height: 620

Standard Packaging Box: 1

Net Weight (Kg): 7

Lamp: E14 LED 4.5 W x 6

| L | W | D | H |
|-----|------|---|---|
| 600 | 1200 | | |



KCH-CHR-MD1503300212

Description: 12 Light champagne opal glass with chrome finish chandelier

Fixture Height: 620

Standard Packaging Box: 1

Net Weight (Kg): 15

Lamp: E14 LED 4.5 W x 12

| L | W | D | H |
|-----|------|---|---|
| 830 | 1200 | | |



KCH-WTC-MX150300086A

Description: 6 Light white pitcher glass with white finish chandelier

Fixture Height: 380

Standard Packaging Box: 1

Net Weight (Kg): 5

Lamp: E14 LED 4.5 W x 6

| L | W | D | H |
|---|---|-----|-----|
| | | 430 | 600 |



KCH-WTC-MD150300088A

Description: 8 Light white pitcher glass with white finish chandelier

Fixture Height: 380

Standard Packaging Box: 1

Net Weight (Kg): 6

Lamp: E14 LED 4.5 W x 8

| L | W | D | H |
|---|---|-----|------|
| | | 760 | 1200 |



KCH-WTC-MX1503000812

Description: 12 Light white pitcher glass with white finish chandelier

Fixture Height: 380

Standard Packaging Box: 1

Net Weight (Kg): 10

Lamp: E14 LED 4.5 W x 12

| L | W | D | H |
|---|---|-----|-----|
| | | 870 | 490 |



KCH-WTC-MD1503000818

Description: 18 Light white pitcher glass with white finish chandelier

Fixture Height: 380

Standard Packaging Box: 1

Net Weight (Kg): 18

Lamp: E14 LED 4.5 W x 18

| L | W | D | H |
|---|---|------|------|
| | | 1050 | 1200 |

Ceiling Lights



JNL-CHR-MD160275216A

Description: 6 Light frosted glass with chrome finish chandelier

Fixture Height: 320

Standard Packaging Box: 1

Net Weight (Kg): 5

Lamp: E27 LED 7 W x 6

| L | W | D | H |
|-----|------|---|---|
| 800 | 1000 | | |



JNL-CHR-MD160275218A

Description: 8 Light frosted glass with chrome finish chandelier

Fixture Height: 540

Standard Packaging Box: 1

Net Weight (Kg): 6.5

Lamp: E27 LED 7 W x 8

| L | W | D | H |
|-----|------|---|---|
| 800 | 1000 | | |



JES-BLK-SL1174S

Description: 3 Light frosted glass, aluminium with black and gold finish pendant

Fixture Height: 50

Standard Packaging Box: 1

Net Weight (Kg): 4.02

Lamp: E14 LED 4.5 W x 3

| L | W | D | H |
|-----|------|---|---|
| 350 | 1100 | | |

Ceiling Lights



JNL-COP-MD150031251C

Description: 1 Light copper glass with copper finish pendant

Fixture Height: 270

Standard Packaging Box: 8

Net Weight (Kg): 0.9

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|------|---|---|
| 100 | 1200 | | |



JNL-CHR-MD160020053B

Description: 3 Light clear glass, rose gold mesh with chrome finish pendant

Fixture Height: 260-750

Standard Packaging Box: 1

Net Weight (Kg): 3.5

Lamp: G9 LED 5 W x 3

| L | W | D | H |
|-----|------|---|---|
| 375 | 1200 | | |



JNL-CHR-MD160020051C

Description: 1 Light clear glass, rose gold mesh with chrome finish pendant

Fixture Height: 160

Standard Packaging Box: 1

Net Weight (Kg): 1

Lamp: G9 LED 5 W x 1

| L | W | D | H |
|-----|------|---|---|
| 190 | 1200 | | |



KCH-RDG-MD140030571C

Description: 1 Light PC globe diffuser with rose gold finish pendant

Available in: Nickel / Chrome / Antique brass

Fixture Height: 250

Standard Packaging Box: 1

Net Weight (Kg): 1.4

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|------|---|---|
| 200 | 1500 | | |



KCH-CHR-MD150031291A

Description: 1 Light smoky glass with chrome finish pendant

Fixture Height: 225

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|---|------|---|
| 280 | | 1200 | |



KCH-CHR-MD150031291B

Description: 1 Light smoky glass with chrome finish pendant


Fixture Height: 220

Standard Packaging Box: 8

Net Weight (Kg): 1

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|---|------|---|
| 200 | | 1200 | |



JNL-COP-MD150031251B

Description: 1 Light copper glass with copper finish pendant


Fixture Height: 280

Standard Packaging Box: 1

Net Weight (Kg): 0.8

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|---|------|---|
| 130 | | 1200 | |



JNL-COP-MD150031251A

Description: 1 Light copper glass with copper finish pendant

Fixture Height: 220

Standard Packaging Box: 8

Net Weight (Kg): 0.6

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|---|------|---|
| 170 | | 1200 | |

Ceiling Lights



STL-GRY-SL966S1

Description: 2 Light dark grey carbon steel pendant

Available in: Grey / Gold

Fixture Height: 620

Standard Packaging Box: 1

Net Weight (Kg): 9.5

Lamp: E27 LED 7 W x 2

| L | W | D | H |
|---|---|-----|-----|
| | | 510 | 615 |



STL-GLD-SL966S3

Description: 2 Light dark gold carbon steel pendant

Available in: Gold / Grey

Fixture Height: 820

Standard Packaging Box: 1

Net Weight (Kg): 12.5

Lamp: E27 LED 7 W x 2

| L | W | D | H |
|---|---|-----|-----|
| | | 750 | 810 |



JIG-ABS-SL1204S3

Description: 3 Light aluminium hexagon style with antique copper finish pendant

Fixture Height: 200

Standard Packaging Box: 1

Net Weight (Kg): 4.5

Lamp: E14 LED 4.5 W x 3

| L | W | D | H |
|---|---|-----|----------|
| | | 500 | 210-2000 |



STL-ABS-SL1204S14

Description: 14 Light aluminium hexagon style with antique copper finish pendant

Fixture Height: 200

Standard Packaging Box: 1

Net Weight (Kg): 21

Lamp: E14 LED 4.5 W x 14

| L | W | D | H |
|------|-----|---|------|
| 1475 | 410 | | 2000 |

KCH-CHR-MD160030111A

Description: 1 Light clear globe glass with chrome finish pendant

Fixture Height: 210

Standard Packaging Box: 1

Net Weight (Kg): 0.6

Lamp: G9 LED 5 W x 1

| L | W | D | H |
|-----|---|---|------|
| 130 | | | 1200 |



KCH-RDG-MD160030111A

Description: 1 Light clear globe glass with rose gold finish pendant

Fixture Height: 210

Standard Packaging Box: 1

Net Weight (Kg): 0.6

Lamp: G9 LED 5 W x 1

| L | W | D | H |
|-----|---|---|------|
| 130 | | | 1200 |



JNL-CHR-MD150031271A

Description: 1 Light smoky glass with chrome finish pendant

Fixture Height: 436

Standard Packaging Box: 1

Net Weight (Kg): 1.3

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|------|---|---|
| 150 | 1200 | | |



JDM-CHR-MD150031271B

Description: 1 Light smoky glass with chrome finish pendant

Fixture Height: 180

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|------|---|---|
| 220 | 1200 | | |



JNL-BLK-SL00WCNIE27

Description: 1 Light bar with black finish conical pendant

Fixture Height: 380

Standard Packaging Box: 4

Net Weight (Kg): 1.3

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|-----|---|---|
| 300 | 120 | | |



JNL-BLK-SL00WCYIE27

Description: 1 Light bar with black finish cylindrical pendant

Fixture Height: 275

Standard Packaging Box: 4

Net Weight (Kg): 2.4

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|------|---|---|
| 195 | 1200 | | |

JNL-RDG-SL00FRD3E27

Description: 3 Light frosted glass with rose gold finish pendant

Fixture Height: 340

Standard Packaging Box: 4

Net Weight (Kg): 2.9

Lamp: E27 LED 7 W x 3

| L | W | D | H |
|-----|------|---|---|
| 300 | 1200 | | |



JNL-RDG-SL00FRD1E27

Description: 1 Light frosted glass with rose gold finish pendant

Fixture Height: 260

Standard Packaging Box: 8

Net Weight (Kg): 0.9

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|------|---|---|
| 120 | 1200 | | |



JNL-BRN-SL880861

Description: 1 Light rebars, mesh with dark brown finish pendant


Fixture Height: 245

Standard Packaging Box: 1

Net Weight (Kg): 7

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|------|---|---|
| 180 | 1200 | | |



JNL-GRY-CL92931

Description: 1 Light cage type, antique green marble with antique finish ceiling light

Fixture Height: 280

Standard Packaging Box: 2

Net Weight (Kg): 2.4

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|-----|---|---|
| 130 | 280 | | |





JNL-COP-SL180461A

Description: 1 Light mesh shade with copper finish pendant

Fixture Height: 235

Standard Packaging Box: 4

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|------|---|---|
| 100 | 1200 | | |



STL-GLD-SL1133S

Description: 24 Light trumpet style with gold finish pendant

Fixture Height: 730

Standard Packaging Box: 1

Net Weight (Kg): 20

Lamp: E14 LED 4.5 W x 24

| L | W | D | H |
|------|-----------|---|---|
| 1500 | 1400-2000 | | |



STL-GLD-SL1133S1

Description: 24 Light trumpet style with gold finish pendant

Fixture Height: 730

Standard Packaging Box: 1

Net Weight (Kg): 12.5

Lamp: E14 LED 4.5 W x 24

| L | W | D | H |
|------|-----------|---|---|
| 1080 | 1400-2000 | | |

JDM-BRS-MD150273871B

Description: 1 Light clear glass with brass finish pendant

Fixture Height: 270

Standard Packaging Box: 1

Net Weight (Kg): 1.3

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|------|---|---|
| 200 | 1200 | | |





STL-COP-SL1162S1

Description: 12 Light aluminium pipe with copper finish pendant


Fixture Height: 320

Standard Packaging Box: 1

Net Weight (Kg): 26

Lamp: E14 LED 4.5 W x 12

| L | W | D | H |
|-----|------|---|---|
| 950 | 2000 | | |



STL-COP-SL1162S2

Description: 14 Light aluminium pipe with copper finish pendant

Fixture Height: 320

Standard Packaging Box: 1

Net Weight (Kg): 33.2

Lamp: E14 LED 4.5 W x 14

| L | W | D | H |
|------|-----|------|---|
| 1720 | 300 | 2000 | |



STL-COP-SL1162S3

Description: 37 Light aluminium pipe with copper finish pendant

Fixture Height: 750

Standard Packaging Box: 1

Net Weight (Kg): 44

Lamp: E14 LED 4.5 W x 37

| L | W | D | H |
|------|-----------|---|---|
| 1050 | 2000-3000 | | |



STL-COP-SL1162S7

Description: 89 Light aluminium pipe with copper finish pendant

Fixture Height: 1250

Standard Packaging Box: 1

Net Weight (Kg): 164

Lamp: E14 LED 4.5 W x 89

| L | W | D | H |
|------|-----------|---|---|
| 1950 | 2000-3000 | | |

STL-GLD-SL1153S6

Description: 6 Light frosted glass with matt gold finish pendant

Fixture Height: 300-600

Standard Packaging Box: 1

Net Weight (Kg): 4.5

Lamp: G9 LED 5 W x 6

| L | W | D | H |
|------|------|---|---|
| 1100 | 1400 | | |



STL-GLD-SL1153S10

Description: 10 Light frosted glass with matt gold finish pendant

Fixture Height: 300-600

Standard Packaging Box: 1

Net Weight (Kg): 8.8

Lamp: G9 LED 5 W x 10

| L | W | D | H |
|------|------|---|---|
| 1100 | 1400 | | |



JIG-BRS-SL1260S200

Description: 1 Light clear glass with brushed brass finish pendant

Fixture Height: 420

Standard Packaging Box: 1

Net Weight (Kg): 0.9

Lamp: G4 LED 5 W x 1

| L | W | D | H |
|-----|-----|------|---|
| 200 | 420 | 2000 | |



JIG-BRS-SL1260S250

Description: 1 Light clear glass with brushed brass finish pendant

Fixture Height: 500

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: G4 LED 5 W x 1

| L | W | D | H |
|-----|-----|------|---|
| 250 | 520 | 2000 | |



JIG-BRS-SL1260SX3

Description: 3 Light clear glass with brushed brass finish pendant

Fixture Height: 600

Standard Packaging Box: 1

Net Weight (Kg): 4.5

Lamp: G4 LED 5 W x 3

| L | W | D | H |
|-----|-----|------|---|
| 780 | 700 | 2000 | |



JIG-BRS-SL1260S1

Description: 6 Light clear glass with brushed brass finish pendant

Fixture Height: 600

Standard Packaging Box: 1

Net Weight (Kg): 6.43

Lamp: G4 LED 5 W x 6

| L | W | D | H |
|-----|-----|---|----------|
| 960 | 650 | | 900-1800 |



JIG-BRS-SL1260S3

Description: 8 Light clear glass with brushed brass finish pendant

Fixture Height: 1000

Standard Packaging Box: 1

Net Weight (Kg): 11.40

Lamp: G4 LED 5 W x 8

| L | W | D | H |
|------|------|---|----------|
| 2000 | 1140 | | 950-1900 |



JHL-ABS-SLSF9001S1

Description: 1 Light diamond cut style glass with antique brass finish pendant

Fixture Height: 500

Standard Packaging Box: 1

Net Weight (Kg): 1

Lamp: G4 LED 5 W x 1

| L | W | D | H |
|-----|-----|---|------|
| 100 | 100 | | 1200 |



JHL-COG-SL1216S

Description: 1 Light cognac glass with copper finish pendant

Fixture Height: 460

Standard Packaging Box: 1

Net Weight (Kg): 0.9

Lamp: E14 LED 4.5 W x 1

| | | | |
|---|---|-----|------|
| L | W | D | H |
| | | 130 | 2000 |

Ceiling Lights



STL-GRY-SLSM2329S

Description: 1 Light smoked glass with chrome finish pendant

Fixture Height: 250

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: G9 LED 5 W x 1

| L | W | D | H |
|----|---|---|------|
| 80 | | | 1200 |



JDM-ABS-SL1217S2

Description: 1 Light glass with antique brass finish pendant

Fixture Height: 520

Standard Packaging Box: 1

Net Weight (Kg): 3.5

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|---|---|------|
| 350 | | | 2000 |



STL-COP-SL1217S

Description: 1 Light copper plated glass with copper finish pendant

Fixture Height: 280

Standard Packaging Box: 1

Net Weight (Kg): 1.6

Lamp: E27 LED 9 W x 1

| L | W | D | H |
|-----|---|---|------|
| 190 | | | 2000 |



JNL-COP-SLPEA089AE27

Description: 1 Light aluminium globe shape with copper finish pendant

Available in: Copper / Black

Fixture Height: 400

Standard Packaging Box: 1

Net Weight (Kg): 1.7

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|---|---|------|
| 400 | | | 1200 |



JNL-COP-SLPEA031BE27

Description: 1 Light aluminium, white wood with copper finish pendant

Fixture Height: 310

Standard Packaging Box: 1

Net Weight (Kg): 0.8

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|---|---|------|
| 300 | | | 1200 |



JES-ANT-SL1137S1

Description: 1 Light aluminium with antique finish pendant

Fixture Height: 150

Standard Packaging Box: 1

Net Weight (Kg): 0.5

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|---|---|------|
| 125 | | | 2000 |



JES-ANT-SL1131S1

Description: 1 Light aluminium with antique finish pendant

Fixture Height: 300

Standard Packaging Box: 1

Net Weight (Kg): 0.45

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|---|---|------|
| 138 | | | 2000 |

**CHL-BLK-11086X3**

Description: 3 Light black powder coated pendant

Fixture Height: 305

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: LED 3 W x 3 (In-built)

| L | W | D | H |
|-----|----|---|------|
| 510 | 65 | | 1200 |



CHL-BLK-11086

Description: 1 Light black powder coated pendant
Fixture Height: 300
Standard Packaging Box: 12
Net Weight (Kg): 0.6
Lamp: LED 3 W x 1 (In-built)

| L | W | D | H |
|----|---|---|------|
| 25 | | | 1200 |



STL-GLD-SLKS2450S

Description: 1 Light clear glass with gold finish pendant
Fixture Height: 425
Standard Packaging Box: 1
Net Weight (Kg): 6.5
Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|---|---|------|
| 450 | | | 1200 |



STL-GLD-SLKS2450S1

Description: 1 Light clear glass with gold finish pendant
Fixture Height: 290
Standard Packaging Box: 1
Net Weight (Kg): 4.6
Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|---|---|------|
| 300 | | | 1200 |



JNL-BRS-SLPEA020BE27

Description: 1 Light aluminium with shiny brass paint finish pendant

Fixture Height: 400

Standard Packaging Box: 1

Net Weight (Kg): 0.8

Lamp: E27 LED 7 W x 1

| | | | |
|---|---|-----|------|
| L | W | D | H |
| | | 250 | 1200 |

JDM-BLK-SLHPP0414E27

Description: 1 Light aluminium industrial style with sanded black finish pendant

Fixture Height: 380

Standard Packaging Box: 1

Net Weight (Kg): 2.8

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|------|---|---|
| 380 | 1200 | | |



JDM-BRN-SLPEA299E27

Description: 1 Light aluminum with coffee paint finish pendant

Fixture Height: 310

Standard Packaging Box: 1

Net Weight (Kg): 1

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|------|---|---|
| 320 | 1200 | | |



JDM-BLK-SLPEA138E27

Description: 1 Light aluminum with sanded black paint finish pendant

Fixture Height: 370

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|------|---|---|
| 350 | 1200 | | |

JDM-NKL-SLPEAW15833E27

Description: 1 Light aluminum, brown wood with satin nickel finish pendant

Fixture Height: 400

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|------|---|---|
| 330 | 1200 | | |



DPN-COP-SLHPPA0414DE27

Description: 1 Light aluminium industrial style, frosted glass with copper finish pendant

Fixture Height: 430

Standard Packaging Box: 1

Net Weight (Kg): 2.4

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|------|---|---|
| 400 | 1200 | | |



**JNL-WHT-SLPEA034AE27**

Description: 1 Light aluminium with white powder finish pendant

Fixture Height: 260

Standard Packaging Box: 1

Net Weight (Kg): 0.8

Lamp: E27 LED 7 W x 1

| | | | |
|---|---|-----|------|
| L | W | D | H |
| | | 350 | 1200 |



WHT-SLWAVEGLS200E27

Description: 1 Light globe shaped SS finish ceiling light

Fixture Height: 200

Standard Packaging Box: 2

Net Weight (Kg): 0.85

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|------|---|---|
| 200 | 1200 | | |



YEL-SLWAVEGLS200E27

Description: 1 Light globe shaped SS finish ceiling light

Fixture Height: 200

Standard Packaging Box: 2

Net Weight (Kg): 0.85

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|------|---|---|
| 200 | 1200 | | |



JHL-AMB-SLGLS250E27

Description: 1 Light apple shape amber glass pendant with nickel finish

Fixture Height: 300

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|---|---|------|
| 250 | | | 1200 |



GLD-SLCONE200E27

Description: 1 Light bell shaped aluminium finish ceiling light

Fixture Height: 285

Standard Packaging Box: 2

Net Weight (Kg): 0.6

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|---|---|------|
| 200 | | | 1200 |



GRY-SL275GLWCE27

Description: 1 Light bell shaped aluminium finish ceiling light

Fixture Height: 220

Standard Packaging Box: 4

Net Weight (Kg): 0.75

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|------|---|---|
| 170 | 1200 | | |



GRN-SLCONE300E27

Description: 1 Light bell shaped aluminium finish ceiling light

Fixture Height: 215

Standard Packaging Box: 1

Net Weight (Kg): 0.7

Lamp: E14 LED 4.5 W x 6

| L | W | D | H |
|-----|------|---|---|
| 300 | 1200 | | |

Ceiling Lights



WNE-SLHALFRDL305E27

Description: 1 Light bell shaped aluminium finish ceiling light

Fixture Height: 280

Standard Packaging Box: 1

Net Weight (Kg): 1.1

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|------|---|---|
| 290 | 1200 | | |



WNE-SLDL200E27

Description: 1 Light bell shaped aluminium/ MS finish ceiling light

Fixture Height: 260

Standard Packaging Box: 2

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|------|---|---|
| 200 | 1200 | | |



GRY-SL270GLWCE27

Description: 1 Light bell shaped aluminium finish ceiling light

Fixture Height: 275

Standard Packaging Box: 1

Net Weight (Kg): 1.25

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|------|---|---|
| 260 | 1200 | | |



WHT-SLCON107E27

Description: 1 Light cone shaped aluminium finish ceiling light


Fixture Height: 330

Standard Packaging Box: 4

Net Weight (Kg): 0.75

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|------|---|---|
| 105 | 1200 | | |



CHL-CHR-SL11086X3

Description: 3 Light chrome finish pendant

Fixture Height: 865

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: LED 3 W x 3 (In-built)

| L | W | D | H |
|---|---|-----|-----|
| | | 260 | 865 |



GRY-SLCON107X3E27

Description: 3 Light cone shaped aluminium finish ceiling light

Fixture Height: 330

Standard Packaging Box: 1

Net Weight (Kg): 2.5

Lamp: E27 LED 7 W x 3

| L | W | D | H |
|-----|-----|---|------|
| 550 | 105 | | 1200 |



JHL-ACR-SL11086X6W

Description: 1 Light cylindrical brass finish ceiling light

Fixture Height: 305

Standard Packaging Box: 1

Net Weight (Kg): 0.5

Lamp: LED 6 W (In-built)

| L | W | D | H |
|----|---|---|------|
| 42 | | | 1200 |



JFO-NAW-SLPEW00735E27

Description: 1 Light bamboo wood with natural wood finish pendant

Fixture Height: 340

Standard Packaging Box: 1

Net Weight (Kg): 1

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|---|---|------|
| 350 | | | 1200 |



JFO-NAW-SLPEW00445E27

Description: 1 Light bamboo wood with natural wood finish pendant

Fixture Height: 530

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|---|---|------|
| 450 | | | 1200 |



JES-BLK-CHL0006PRE14

Description: 6 Light black glass with black crystal chandelier

Fixture Height: 900

Standard Packaging Box: 1

Net Weight (Kg): 6.1

Lamp: E14 LED 4.5 W x 6

| L | W | D | H |
|-----|---|------|---|
| 580 | | 1200 | |



JES-AMB-CHL0006SYE14

Description: 6 Light honey glass with gold finish chandelier

Fixture Height: 900

Standard Packaging Box: 1

Net Weight (Kg): 5

Lamp: E14 LED 4.5 W x 6

| L | W | D | H |
|-----|---|------|---|
| 770 | | 1200 | |



JES-WHT-CHL0006TAE14

Description: 6 Light clear glass
with gold finish chandelier

Fixture Height: 1100

Standard Packaging Box: 1

Net Weight (Kg): 10.5

Lamp: E27 LED 7 W x 6

| L | W | D | H |
|-----|------|---|---|
| 755 | 1400 | | |



Floor Lamps

Add a unique touch to your décor with our exciting range of floor lights that not only add functional elegance to the room, but also become conversation pieces for your visitors.

Floor Lamps



JDM-WNT-FLWD400E27

Description: 1 Light wooden tripod with black fabric shade floor lamp

Fixture Height: 945

Standard Packaging Box: 2

Net Weight (Kg): 9

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|---|---|-----|------|
| | | 400 | 1500 |



STL-CHR-FL1128F

Description: 3 Light black fabric shade with chrome finish floor lamp

Fixture Height: 1750

Standard Packaging Box: 1

Net Weight (Kg): 19

Lamp: E27 LED 7 W x 3

| L | W | D | H |
|---|---|-----|------|
| | | 490 | 1750 |



JES-WHT-FL306F

Description: 1 Light aluminium shade with white paint finish floor lamp

Fixture Height: 1765

Standard Packaging Box: 1

Net Weight (Kg): 12.5

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|---|---|-----|------|
| | | 500 | 1765 |



JES-BLK-FL306F

Description: 1 Light aluminium shade with black paint finish floor lamp

Fixture Height: 1765

Standard Packaging Box: 1

Net Weight (Kg): 12.5

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|---|---|-----|------|
| | | 500 | 1765 |

Floor Lamps



STL-BLK-FL737F

Description: 1 Light black fabric shade with black powder coated finish floor lamp

Fixture Height: 1900-2400

Standard Packaging Box: 1

Net Weight (Kg): 14

Height: Adjustable

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|-----|---|-----------|
| 935 | 860 | | 1900-2400 |



JES-BLK-FL1174F

Description: 3 Light frosted glass with black and gold finish floor lamp

Fixture Height: 1400

Standard Packaging Box: 1

Net Weight (Kg): 16.2

Lamp: E14 LED 4.5 W x 3

| L | W | D | H |
|-----|-----|---|------|
| 610 | 350 | | 1400 |



KPT-CHR-ML49061A

Description: 1 Light opal glass shade with marble base and chrome finish floor lamp

Fixture Height: 1900

Standard Packaging Box: 1

Net Weight (Kg): 20

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|------|---|-----|------|
| 1250 | | 300 | 1900 |



JIG-BRS-FL1260F

Description: 2 Light clear glass with brushed brass finish floor lamp

Fixture Height: 1220-1880

Standard Packaging Box: 1

Net Weight (Kg): 8

Lamp: G4 LED 5 W x 2

| L | W | D | H |
|------|-----|---|-----------|
| 1100 | 250 | | 1220-1880 |

STL-WNG-FL1092FB

Description: 1 Light fabric shade with wood, alloy zinc floor lamp

Fixture Height: 1850

Standard Packaging Box: 1

Net Weight (Kg): 16

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|-----|---|------|
| 850 | 800 | | 1850 |



STL-WHT-FL1213F

Description: 3 Light metal half dome with antique white finish floor lamp

Fixture Height: 1680

Standard Packaging Box: 1

Net Weight (Kg): 30

Lamp: G9 LED 4 W x 3

| L | W | D | H |
|---|---|-----|------|
| | | 455 | 1680 |



STL-WNG-FL1092FA

Description: 1 Light diffuser glass with wood, alloy zinc floor lamp

Fixture Height: 1850

Standard Packaging Box: 1

Net Weight (Kg): 35

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|-----|---|------|
| 850 | 800 | | 1850 |





STL-BLK-FL1029F

Description: 1 Light PVC shade cheval with black finish floor lamp

Fixture Height: 2550

Standard Packaging Box: 1

Net Weight (Kg): 52

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|------|-----|---|------|
| 2400 | 550 | | 2550 |



Table Lamps

For the demanding needs of task lighting around your work spaces and your bedside, Jaquar Lighting's table lamps span a wide range of design influences – from the classic to the ultra contemporary.



STL-CHR-TL1018T2

Description: 1 Light PVC shade
with chrome finish table lamp

Fixture Height: 750

Standard Packaging Box: 1

Net Weight (Kg): 3.26

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|---|---|-----|-----|
| | | 230 | 750 |

STL-WHT-TL765T

Description: 1 Light strip fabric shade with chrome finish table lamp

Fixture Height: 850

Standard Packaging Box: 1

Net Weight (Kg): 4.5

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|---|---|-----|
| 370 | | | 850 |



JIG-BLK-TL1018T2

Description: 1 Light black fabric shade with black finish table lamp

Fixture Height: 750

Standard Packaging Box: 1

Net Weight (Kg): 3.26

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|---|---|-----|
| 230 | | | 750 |



STL-COG-TL1149T

Description: 1 Light cognac
glass table lamp

Fixture Height: 835

Standard Packaging Box: 1

Net Weight (Kg): 6.4

Lamp: G9 LED 5 W x 1

| L | W | D | H |
|---|---|-----|-----|
| | | 380 | 835 |

JES-BLK-TL1174T

Description: 3 Light frosted glass, aluminium with black and gold finish table lamp

Fixture Height: 430

Standard Packaging Box: 1

Net Weight (Kg): 3.18

Lamp: E14 LED 4.5 W x 3

| | | | |
|---|---|-----|-----|
| L | W | D | H |
| | | 350 | 430 |



STL-BLK-TL306T

Description: 1 Light aluminium shade with black paint finish table lamp

Fixture Height: 575

Standard Packaging Box: 1

Net Weight (Kg): 3.1

Lamp: E27 LED 7 W x 1

| | | | |
|---|---|-----|-----|
| L | W | D | H |
| | | 390 | 575 |





STL-CHR-TL1128T

Description: 3 Light black fabric shade with chrome finish table lamp

Fixture Height: 875

Standard Packaging Box: 1

Net Weight (Kg): 13

Lamp: E27 LED 7 W x 3

| L | W | D | H |
|---|---|-----|-----|
| | | 490 | 875 |

Table Lamps



KTL-CHR-MT49061A

Description: 1 Light opal glass, marble base with chrome finish frame table lamp

Fixture Height: 520

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E14 LED 4.5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 425 | 130 | | 520 |



STL-COP-TLKS6308T

Description: 1 Light opal glass with copper finish base table lamp

Fixture Height: 250

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: G9 LED 5 W x 1

| L | W | D | H |
|---|---|-----|-----|
| | | 180 | 250 |



JNL-BRS-TL1300H

Description: 1 Light fabric shade with hammered pattern base with brass finish table lamp

Fixture Height: 460

Standard Packaging Box: 4

Net Weight (Kg): 0.9

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|---|---|-----|-----|
| | | 350 | 460 |



JNL-WNT-TLVPWODE27

Description: 1 Light fabric shade with wooden vertical pyramid base table lamp

Fixture Height: 650

Standard Packaging Box: 4

Net Weight (Kg): 1.3

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|---|---|-----|-----|
| | | 300 | 650 |



JNL-NKL-TL400WOS

Description: 1 Light fabric shade with nickel finish base table lamp

Fixture Height: 470

Standard Packaging Box: 4

Net Weight (Kg): 0.75

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|---|---|-----|-----|
| | | 300 | 470 |



KCH-CHR-MT160275451B

Description: 1 Light fabric shade with chrome finish base table lamp

Fixture Height: 610

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|---|---|-----|-----|
| | | 350 | 610 |

Table Lamps



KCH-CHR-MT160275451A

Description: 1 Light fabric shade with chrome finish base table lamp

Fixture Height: 680

Standard Packaging Box: 1

Net Weight (Kg): 2.65

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|---|---|-----|-----|
| | | 380 | 680 |



KCH-CHR-MT170275021L

Description: 1 Light fabric shade, red leather with chrome finish base table lamp

Fixture Height: 950

Standard Packaging Box: 1

Net Weight (Kg): 2.6

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|---|---|-----|-----|
| | | 355 | 950 |



KCH-CHR-MT170275041C

Description: 1 Light PVC shade, red leather with chrome finish base table lamp

Fixture Height: 880

Standard Packaging Box: 1

Net Weight (Kg): 3.2

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|---|---|-----|-----|
| | | 355 | 880 |



KCH-CHR-MT170275071I

Description: 1 Light fabric shade, crystal with chrome finish base table lamp

Fixture Height: 670

Standard Packaging Box: 1

Net Weight (Kg): 4.2

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|---|---|-----|-----|
| | | 410 | 670 |

**JCN-WHT-TBL00954001**

Description: 1 Light fabric shade with crystal base table lamp

Fixture Height: 760

Standard Packaging Box: 1

Net Weight (Kg): 7

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|---|---|-----|-----|
| | | 380 | 760 |



KCH-ABR-MT170275071J

Description: 1 Light fabric shade, crystal with antique brass finish base table lamp

Fixture Height: 710

Standard Packaging Box: 1

Net Weight (Kg): 4.2

Lamp: E27 LED 7 W x 1

| | | | |
|---|---|-----|-----|
| L | W | D | H |
| | | 380 | 710 |



KCH-CHR-MT170275071J

Description: 1 Light fabric shade, crystal with chrome finish base table lamp

Fixture Height: 670

Standard Packaging Box: 1

Net Weight (Kg): 2.75

Lamp: E27 LED 7 W x 1

| | | | |
|---|---|-----|-----|
| L | W | D | H |
| | | 410 | 670 |



STL-WHT-TL1213T

Description: 3 Light metal half dome with antique white finish table lamp

Fixture Height: 600

Standard Packaging Box: 1

Net Weight (Kg): 9.9

Lamp: G9 LED 5 W x 3

| L | W | D | H |
|---|---|-----|-----|
| | | 305 | 600 |



STL-GRY-TL1187T1

Description: 1 Light smoky grey glass with chrome finish table lamp

Fixture Height: 400

Standard Packaging Box: 1

Net Weight (Kg): 3.25

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|---|---|-----|-----|
| | | 285 | 400 |



STL-RED-TL1187T2

Description: 1 Light smoky grey glass with chrome finish table lamp

Fixture Height: 850

Standard Packaging Box: 1

Net Weight (Kg): 8.5

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|---|---|-----|-----|
| | | 509 | 850 |



JIG-BRS-TL1260T

Description: 2 Light clear glass
with brushed brass finish base
table lamp

Fixture Height: 510

Standard Packaging Box: 1

Net Weight (Kg): 3

Lamp: G4 LED 5 W x 2

| L | W | D | H |
|-----|-----|---|---------|
| 400 | 200 | | 360-510 |



GLD-TLCYLND260E27

Description: 1 Light fabric shade
gold finish table lamp

Fixture Height: 450

Standard Packaging Box: 1

Net Weight (Kg): 2.4

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|---|---|-----|-----|
| | | 280 | 450 |



GLD-TLWAVE550E27

Description: 1 Light fabric shade
gold finish table lamp

Fixture Height: 520

Standard Packaging Box: 1

Net Weight (Kg): 2.5

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|---|---|-----|-----|
| | | 280 | 520 |





Wall Lights

Take a look at the brilliant new ideas from Jaquar for ambient room illumination. From timeless elegance to quirky design and artful expression, there's a wall light for every need here.



KWB-CHR-MB80473A

Description: 3 Light cone shape with chrome finish wall lamp

Fixture Height: 310

Standard Packaging Box: 1

Net Weight (Kg): 1.4

Lamp: E14 LED 4.5 W x 3

| L | W | D | H |
|-----|-----|---|-----|
| 390 | 440 | | 310 |



KWB-CHR-MB80471A

Description: 1 Light cone shape with chrome finish wall lamp

Fixture Height: 310

Standard Packaging Box: 6

Net Weight (Kg): 0.8

Lamp: E14 LED 4.5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 280 | 110 | | 310 |



JIG-NKL-MB80985A

Description: 5 Light meta swan shape with chrome finish wall lamp

Available in: White / Black / Gold / Nickel / Red

Fixture Height: 850

Standard Packaging Box: 1

Net Weight (Kg): 3

Lamp: G4 Bulb 5 W x 5

| L | W | D | H |
|-----|-----|---|-----|
| 230 | 460 | | 850 |



JIG-RDG-MB80983A

Description: 3 Light meta swan shape with red finish wall lamp

Available in: White / Black / Gold / Nickel / Red

Fixture Height: 470

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: G4 Bulb 5 W x 3

| L | W | D | H |
|-----|-----|---|-----|
| 228 | 425 | | 470 |



WBR-CHR-MB12021201A

Description: 1 Light ivory fabric shade with chrome finish base wall lamp


Fixture Height: 205

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E14 LED 4.5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 155 | 280 | | 205 |



WBR-CHR-MB11002351B

Description: 1 Light aluminium mesh with clear glass and chrome finish base wall lamp

Fixture Height: 160

Standard Packaging Box: 1

Net Weight (Kg): 1

Lamp: G9 Bulb 5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 150 | 160 | | 160 |



JIG-BRS-WL1260W

Description: 1 Light clear glass with brushed brass base wall lamp

Fixture Height: 370

Standard Packaging Box: 1

Net Weight (Kg): 0.9

Lamp: G4 LED 5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 150 | 215 | | 370 |



KWB-WTC-MB150300081A

Description: 1 Light white pitcher glass with white finish base wall lamp

Fixture Height: 300

Standard Packaging Box: 1

Net Weight (Kg): 0.9

Lamp: E14 LED 4.5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 150 | 305 | | 290 |



KWB-WTC-MB150300082A

Description: 2 Light white pitcher glass with white finish base wall lamp

Fixture Height: 250

Standard Packaging Box: 1

Net Weight (Kg): 2.5

Lamp: E14 LED 4.5 W x 2

| L | W | D | H |
|-----|-----|---|-----|
| 440 | 250 | | 290 |



STL-WHT-WL688W1

Description: 1 Light fabric shade with aluminium finish base wall lamp


Fixture Height: 355

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 240 | 374 | | 355 |



JES-COP-WL1162W

Description: 1 Light aluminium pipe with copper finish wall lamp

Fixture Height: 300

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E14 LED 4.5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 145 | 120 | | 300 |



JES-COP-WL1162W3

Description: 5 Light aluminium pipe with copper finish wall lamp

Fixture Height: 600

Standard Packaging Box: 1

Net Weight (Kg): 4

Lamp: E14 LED 4.5 W x 5

| L | W | D | H |
|-----|-----|---|-----|
| 420 | 210 | | 600 |



STL-CHR-WL1128W

Description: 2 Light black fabric shade with chrome finish base wall lamp

Fixture Height: 785

Standard Packaging Box: 1

Net Weight (Kg): 4.2

Lamp: E27 LED 7 W x 2

| L | W | D | H |
|-----|-----|---|-----|
| 470 | 360 | | 785 |



JNL-CHR-MB140048C1E

Description: 1 Light opal glass with nickel finish base wall lamp

Fixture Height: 310

Standard Packaging Box: 8

Net Weight (Kg): 0.8

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 120 | 150 | | 310 |



JNL-CHR-MB14048T1E27

Description: 1 Light opal glass with chrome finish SS wall lamp

Fixture Height: 310

Standard Packaging Box: 8

Net Weight (Kg): 0.8

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 165 | 130 | | 310 |



JES-BLK-WL1174W

Description: 3 Light frosted glass, aluminium with black and gold finish wall lamp


Fixture Height: 360

Standard Packaging Box: 1

Net Weight (Kg): 3.9

Lamp: E14 LED 4.5 W x 3

| L | W | D | H |
|-----|-----|---|-----|
| 590 | 350 | | 360 |



WBR-GLD-WL1153W2

Description: 2 Light frosted glass with matt gold finish base wall lamp

Fixture Height: 860

Standard Packaging Box: 1

Net Weight (Kg): 1.8

Lamp: G9 LED 5 W x 2

| L | W | D | H |
|-----|-----|---|----|
| 760 | 160 | | 95 |



WBR-GLD-WL1153W4

Description: 4 Light frosted glass with matt gold finish base wall lamp

Fixture Height: 300

Standard Packaging Box: 1

Net Weight (Kg): 3.9

Lamp: G9 LED 5 W x 4

| L | W | D | H |
|-----|-----|---|-----|
| 870 | 760 | | 300 |



JNL-GRY-WL92931

Description: 1 Light cage type, antique green marble with antique finish wall lamp

Fixture Height: 310

Standard Packaging Box: 4

Net Weight (Kg): 2.3

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 130 | 170 | | 310 |



JNL-GRY-WL92932

Description: 2 Light cage type, antique green marble with antique finish base wall lamp

Fixture Height: 310

Standard Packaging Box: 1

Net Weight (Kg): 4.5

Lamp: E27 LED 7 W x 2

| L | W | D | H |
|-----|-----|---|-----|
| 340 | 160 | | 310 |



JNL-CHR-MB160275211A

Description: 1 Light frosted glass with chrome finish base wall lamp

Fixture Height: 200

Standard Packaging Box: 8

Net Weight (Kg): 0.9

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 130 | 180 | | 200 |



JNL-CHR-MB160275212A

Description: 2 Light frosted glass with chrome finish base wall lamp

Fixture Height: 195

Standard Packaging Box: 4

Net Weight (Kg): 2

Lamp: E27 LED 7 W x 2

| L | W | D | H |
|-----|-----|---|-----|
| 300 | 180 | | 195 |



KCH-CHR-MB150330021A

Description: 1 Light champagne opal glass with chrome finish wall lamp

Fixture Height: 355

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 210 | 330 | | 355 |



KCH-CHR-MB150330022A

Description: 2 Light champagne opal glass with chrome finish wall lamp

Fixture Height: 355

Standard Packaging Box: 1

Net Weight (Kg): 2.2

Lamp: E14 LED 4.5 W x 2

| L | W | D | H |
|-----|-----|---|-----|
| 480 | 260 | | 355 |



JHL-CHR-MB160275531B

Description: 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 215

Standard Packaging Box: 1

Net Weight (Kg): 0.6

Lamp: E14 LED 4.5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 120 | 130 | | 215 |



JHL-CHR-MB160275532B

Description: 2 Light opal glass with chrome finish base wall lamp

Fixture Height: 215

Standard Packaging Box: 1

Net Weight (Kg): 1

Lamp: E14 LED 4.5 W x 2

| L | W | D | H |
|-----|-----|---|-----|
| 270 | 130 | | 215 |



JNL-AGR-WL89872

Description: 2 Light tap style with antique green finish base wall lamp

Fixture Height: 200

Standard Packaging Box: 4

Net Weight (Kg): 1.6

Lamp: E27 LED 7 W x 2

| L | W | D | H |
|-----|-----|---|-----|
| 310 | 150 | | 200 |



JNL-AGR-WL89871

Description: 1 Light tap style with antique green finish base wall lamp

Fixture Height: 200

Standard Packaging Box: 8

Net Weight (Kg): 0.6

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 130 | 150 | | 200 |



JNL-GRY-WL91301

Description: 1 Light mesh/ ceramic with rust finish wall lamp

Fixture Height: 340

Standard Packaging Box: 1

Net Weight (Kg): 3.5

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 210 | 150 | | 340 |



JNL-CHR-MB160275542A

Description: 2 Light opal glass with chrome finish wall lamp

Fixture Height: 230

Standard Packaging Box: 4

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 2

| L | W | D | H |
|-----|-----|---|-----|
| 270 | 150 | | 230 |



JNL-CHR-MB160275541A

Description: 1 Light frosted glass with chrome finish wall lamp

Fixture Height: 230

Standard Packaging Box: 8

Net Weight (Kg): 0.65

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 120 | 150 | | 230 |



JNL-NKL-WLRB0480SE27

Description: 1 Light opal glass with nickel finish base wall lamp

Fixture Height: 235

Standard Packaging Box: 8

Net Weight (Kg): 0.58

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 100 | 140 | | 235 |



JNL-NKL-WLSL55004E27

Description: 1 Light opal glass with nickel finish base wall lamp

Fixture Height: 295

Standard Packaging Box: 8

Net Weight (Kg): 0.65

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 125 | 220 | | 295 |



JNL-NKL-WLBPGG001E27

Description: 1 Light opal globe glass with nickel finish base wall lamp

Fixture Height: 315

Standard Packaging Box: 8

Net Weight (Kg): 0.7

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 120 | 225 | | 315 |



JNL-NKL-WLBPGG002E27

Description: 2 Light opal globe glass with nickel finish base wall lamp

Fixture Height: 315

Standard Packaging Box: 4

Net Weight (Kg): 1.45

Lamp: E27 LED 7 W x 2

| L | W | D | H |
|-----|-----|---|-----|
| 275 | 225 | | 315 |



JNL-COP-WL180461B

Description: 1 Light mesh with rust finish base wall lamp


Fixture Height: 350

Standard Packaging Box: 8

Net Weight (Kg): 1.5

Lamp: E27 LED 7 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 120 | 140 | | 350 |



JIG-ABS-WL1204W1

Description: 1 Light aluminium hexagon style with antique copper finish wall lamp

Fixture Height: 160

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: E14 LED 4.5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 230 | 160 | | 160 |



JNL-BRG-WLCONESIE14

Description: 1 Light cone opal glass wall lamp

Fixture Height: 280

Standard Packaging Box: 8

Net Weight (Kg): 0.7

Lamp: E14 LED 4.5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 100 | 140 | | 300 |



JNL-BRG-WLCYLNDSE14

Description: 1 Light cylindrical opal glass wall lamp

Fixture Height: 300

Standard Packaging Box: 8

Net Weight (Kg): 0.6

Lamp: E14 LED 4.5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 100 | 140 | | 300 |



WBR-CHR-MB12021191B

Description: 1 Light black fabric shade with chrome finish base wall lamp

Fixture Height: 205

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 240 | 280 | | 205 |



WBR-CHR-MB12021192B

Description: 1 Light black fabric shade with chrome finish base wall lamp with 3 W reading lamp

Fixture Height: 405

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 1 and LED 3 W (In-built)

| L | W | D | H |
|-----|-----|---|-----|
| 240 | 280 | | 405 |



WBR-CHR-MB12021192A

Description: 1 Light ivory fabric shade with chrome finish base wall lamp (bulb included)


Fixture Height: 405

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E14 LED 4.5 W x 1 and LED 3 W (In-built)

| L | W | D | H |
|-----|-----|---|-----|
| 155 | 280 | | 405 |



JES-AMB-WL00002SYE14

Description: 2 Light honey glass wall lamp

Fixture Height: 225

Standard Packaging Box: 4

Net Weight (Kg): 1.9

Lamp: E14 LED 4.5 W x 2

| L | W | D | H |
|-----|-----|---|-----|
| 590 | 200 | | 225 |



WBR-SNS-5048X2

Description: 2 Light SS finish with double neck wall lamp

Fixture Height: 80

Standard Packaging Box: 1

Net Weight (Kg): 1

Lamp: LED 3 W x 2 (In-built)

| L | W | D | H |
|-----|-----|---|-----|
| 228 | 100 | | 110 |



WBR-SNS-5048

Description: 1 Light SS finish with single neck wall lamp

Fixture Height: 125

Standard Packaging Box: 1

Net Weight (Kg): 0.6

Lamp: LED 3 W x 1 (In-built)

| L | W | D | H |
|----|-----|---|-----|
| 77 | 100 | | 125 |



WBR-CHR-WL5007X315

Description: 1 Light flute with chrome finish wall lamp

Fixture Height: 345

Standard Packaging Box: 4

Net Weight (Kg): 2.5

Lamp: E14 LED 4.5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 110 | 100 | | 345 |



WBR-CHR-WLLED5006

Description: 2 Light strip with chrome finish wall lamp

Fixture Height: 195

Standard Packaging Box: 1

Net Weight (Kg): 2.5

Lamp: E14 LED 4.5 W x 2

| L | W | D | H |
|-----|----|---|-----|
| 185 | 95 | | 195 |



WBR-CHR-MB12021182A

Description: 1 Light ivory fabric shade with chrome finish base wall lamp

Fixture Height: 480

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 1 and LED 3 W (In-built)

| L | W | D | H |
|-----|-----|---|-----|
| 240 | 180 | | 480 |



JHL-COG-WL1216W

Description: 1 Light copper glass with cognac finish wall lamp

Fixture Height: 550

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 130 | 210 | | 550 |



WBR-ABR-FBCRYS155

Description: 1 Light fabric shade with crystal plate base wall lamp

Fixture Height: 310

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E14 LED 4.5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 230 | 160 | | 310 |



WBR-BRS-WL5009

Description: 1 Light with brass finish wall lamp

Fixture Height: 350

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 120 | 110 | | 350 |



WBR-CHR-WLRDFAB150

Description: 1 Light fabric shade with chrome finish base wall lamp

Available in: Antique brass

Fixture Height: 310

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E14 LED 4.5 W x 1 and LED 3 W (In-built)

| L | W | D | H |
|-----|-----|---|-----|
| 210 | 160 | | 310 |



WBR-ABR-BELLFAB255

Description: 1 Light bell shape fabric shade with antique brass finish base wall lamp

Available in: Chrome

Fixture Height: 315

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E14 LED 4.5 W x 1 and LED 3 W (In-built)

| L | W | D | H |
|-----|-----|---|-----|
| 260 | 220 | | 315 |



WBR-BCH-5048XBC

Description: 1 Light spot light with black chrome finish wall lamp

Fixture Height: 100

Standard Packaging Box: 1

Net Weight (Kg): 0.6

Lamp: LED 3 W x 1 (In-built)

| L | W | D | H |
|----|----|---|-----|
| 80 | 90 | | 100 |



WBR-CHR-LBED01R003XW

Description: 1 Light with chrome finish wall lamp

Fixture Height: 220

Standard Packaging Box: 1

Net Weight (Kg): 0.30

Lamp: LED 3 W x 1 (In-built)

| L | W | D | H |
|-----|----|---|-----|
| 200 | 80 | | 220 |



CHR-WL160020051C

Description: 1 Light bell shaped aluminium finish wall light

Fixture Height: 210

Standard Packaging Box: 2

Net Weight (Kg): 0.8

Lamp: G9 LED 5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 140 | 240 | | 210 |



CHR-MB14048T2E27

Description: 2 Light opal glass aluminium finish wall light

Fixture Height: 265

Standard Packaging Box: 4

Net Weight (Kg): 1.5

Lamp: E27 LED 7 W x 2

| L | W | D | H |
|-----|-----|---|-----|
| 275 | 165 | | 265 |



JHL-CHR-WL5048X6W

Description: 1 Light cylindrical shaped brass finish wall light

Fixture Height: 120

Standard Packaging Box: 1

Net Weight (Kg): 0.4

Lamp: LED 6 W (In-built)

| L | W | D | H |
|----|-----|---|-----|
| 42 | 140 | | 120 |



WBR-ACR-WLG5012

Description: 1 Light bell shaped brass finish wall light

Fixture Height: 325

Standard Packaging Box: 1

Net Weight (Kg): 0.85

Lamp: E14 LED 4 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 125 | 220 | | 325 |



WBR-ABR-WL9601G9

Description: 1 Light clear glass
brass finish wall light

Fixture Height: 230

Standard Packaging Box: 1

Net Weight (Kg): 0.65

Lamp: G9 LED 5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 120 | 190 | | 230 |



WBR-ACR-WLC9602XK9

Description: 1 Light clear glass
brass finish wall light

Fixture Height: 260

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: G9 LED 5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 190 | 255 | | 260 |



WBR-ABR-WLC9603XK9

Description: 1 Light clear glass
brass finish wall light

Fixture Height: 220

Standard Packaging Box: 1

Net Weight (Kg): 1.6

Lamp: E14 LED 4 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 165 | 255 | | 220 |



JES-BLK-WL00002PRE14

Description: 2 Light black base with black crystal wall lamp

Fixture Height: 300

Standard Packaging Box: 4

Net Weight (Kg): 2.9

Lamp: E14 LED 4.5 W x 2

| L | W | D | H |
|-----|-----|---|-----|
| 500 | 170 | | 300 |



JES-GLD-WL00002TAE27

Description: 2 Light clear glass with crystal wall lamp

Fixture Height: 360

Standard Packaging Box: 4

Net Weight (Kg): 2.1

Lamp: E27 LED 7 W x 2

| L | W | D | H |
|-----|-----|---|-----|
| 440 | 160 | | 360 |





Bath (Aqua) Lights

Take bath décor beyond the ordinary with Jaquar's Aqualite range. Created specially for the bathroom, these are the perfect choice for withstanding the rigours of the bath environment.



KWB-CHR-MB12021341A

Description: 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 181

Standard Packaging Box: 12

Net Weight (Kg): 1.5

Lamp: G9 LED 5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 130 | 156 | | 181 |



KWB-CHR-MB12021151A

Description: 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 166

Standard Packaging Box: 12

Net Weight (Kg): 0.9

Lamp: G9 LED 5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 120 | 160 | | 166 |



KWB-CHR-MB12021161A

Description: 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 156

Standard Packaging Box: 12

Net Weight (Kg): 0.6

Lamp: G9 LED 5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 110 | 145 | | 156 |



KWB-CHR-MB12021331A

Description: 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 190

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: G9 LED 5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 170 | 130 | | 190 |



KWB-CHR-MB12021321A

Description: 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 270

Standard Packaging Box: 12

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 1

| L | W | D | H |
|-----|----|---|-----|
| 107 | 80 | | 270 |



KWB-CHR-MB12021131A

Description: 1 Light opal glass
with chrome finish base wall lamp

Fixture Height: 206

Standard Packaging Box: 1

Net Weight (Kg): 0.5

Lamp: G9 LED 5 W x 1

| L | W | D | H |
|-----|-----|---|-----|
| 150 | 100 | | 206 |



KWB-CHR-MB48011A

Description: 1 Light opal glass with nickel finish base wall lamp

Fixture Height: 212

Standard Packaging Box: 12

Net Weight (Kg): 0.8

Lamp: G9 LED 5 W x 1

| L | W | D | H |
|----|----|---|-----|
| 74 | 95 | | 212 |

KWB-CHR-MB48021A

Description: 1 Light matt opal glass with nickel finish base wall lamp

Fixture Height: 290

Standard Packaging Box: 12

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 1

| L | W | D | H |
|----|-----|---|-----|
| 74 | 100 | | 290 |



KWB-CHR-MB12021121A

Description: 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 290

Standard Packaging Box: 12

Net Weight (Kg): 0.6

Lamp: G9 LED 5 W x 1

| L | W | D | H |
|----|-----|---|-----|
| 70 | 137 | | 290 |



KWB-CHR-MB48022A

Description: 2 Light opal glass with nickel finish base wall lamp


Fixture Height: 74

Standard Packaging Box: 12

Net Weight (Kg): 1

Lamp: E14 LED 4.5 W x 2

| L | W | D | H |
|-----|-----|---|----|
| 500 | 100 | | 74 |



KWB-CHR-MB12021172A

Description: 2 Light opal glass with chrome finish base wall lamp

Fixture Height: 80

Standard Packaging Box: 12

Net Weight (Kg): 1.3

Lamp: E14 LED 4.5 W x 2

| L | W | D | H |
|-----|----|---|----|
| 485 | 85 | | 80 |



KWB-CHR-MB48012D

Description: 2 Light clear glass with chrome finish base wall lamp and inside frosted glass

Fixture Height: 130

Standard Packaging Box: 12

Net Weight (Kg): 1.3

Lamp: G9 LED 5 W x 2

| L | W | D | H |
|-----|-----|---|-----|
| 400 | 100 | | 130 |



KWB-CHR-MB12021262A

Description: 2 Light opal glass with chrome finish base wall lamp

Fixture Height: 60

Standard Packaging Box: 12

Net Weight (Kg): 0.6

Lamp: G9 LED 5 W x 2

| L | W | D | H |
|-----|----|---|----|
| 330 | 55 | | 60 |





50 000 hrs



FREE
Mercury

IP20

Commercial Lights

Jaquar Lighting pushes the boundaries of commercial lighting to provide you with some of the most advanced, high performance, energy-saving lighting systems for the workplace. Choose from a wide variety of products to suit every application and meet the lighting needs of all kinds of commercial spaces, from workstations to conference rooms, reception areas to cabins, and small and large showrooms, workshops and factories.

APPLICATIONS



OFFICE



HOTEL AND
RESTAURANT



RESIDENCE



STAIRCASE



AUDITORIUM



CORRIDOR



RETAIL



HOSPITAL



ROHS COMPLIANT



ECAS



UL



CE

Applicable to select products only

Content

COMMERCIAL INDOOR LIGHTS

DOWNLIGHTS

| | |
|-----------------------|-----|
| Neve Plus (Round) | 197 |
| Neve Plus (Square) | 197 |
| Lucent | 198 |
| Areva Prime | 198 |
| Nero Surface (Round) | 199 |
| Nero Surface (Square) | 199 |
| Ensava Plus | 200 |
| Microwave Sensor | 200 |

COB-DOWNLIGHTS

| | |
|---------------------------------|-----|
| Teny | 201 |
| Eris (Low border deep-recessed) | 201 |
| Estus Swivel (Round) | 202 |
| Espot | 202 |
| Eris Swivel (Round) | 203 |
| Eris Reflecto | 203 |
| Eris Fixed | 204 |

DESIGNER LIGHTS

| | |
|-----------------------------|-----|
| Reflectorz | 208 |
| Eris Surface (Deep surface) | 208 |
| Scintillio Slim | 209 |

RETAIL LIGHTS

| | |
|---------------------|-----|
| Zoom Light | 212 |
| Multiple Zoom Light | 212 |
| Track Light | 213 |

Accessories for Track Light

| | |
|------------------------|-----|
| 3 Line Track | 213 |
| 3 Line Track Connector | 213 |

| | |
|---|-----|
| Epito | 214 |
| Cyno | 214 |
| Empha | 214 |
| Emina | 215 |
| Emina Tilttable | 215 |
| Rene | 215 |
| IP20 Strip Light (24 V DC) | 216 |
| IP65 Strip Light (24 V DC) | 216 |
| Power Supply for Indoor Strip Light (IP20) | 217 |
| Power Supply for Outdoor Strip Light (IP65 rated) | 217 |

MAGNETIC LIGHTS

| | |
|------------------------------------|-----|
| Orelli Slim | 220 |
| Instaray Slim Linear- with Lens | 220 |
| Instaray Slim Linear | 221 |
| Instaray Round Slim | 221 |
| Orelli Slim Hanging | 221 |
| Instaray Slim Linear Diffused | 222 |
| Instaray Slim Tilttable & diffused | 222 |
| Magnetic Track Light Accessories | 221 |

PANELS

| | |
|-----------------------------|-----|
| Ultima Slim (1'x1') | 226 |
| Ultima Slim (2'x2') | 226 |
| Accessories for Ultima Slim | 226 |
| Ultima Ultra Slim (1'x4') | 226 |
| Ultima Ultra (2'x2') | 227 |
| Ultima Multi-colour (2'x2') | 227 |

BATTENS

| | |
|-----------------------|-----|
| Glaze | 228 |
| Glaze Ultra (PC) | 228 |
| T8 Retro Tube | 228 |
| T8 Retro Accessories | 229 |
| Glaze Ultra Aluminium | 229 |

INDUSTRIAL LIGHTS

| | |
|----------------------------------|-----|
| Glaze | 232 |
| Pride (Weather-proof IP65 rated) | 232 |
| Bulk Head | 233 |
| Well Glass | 233 |
| Highbay | 234 |
| Ultralite Highbay | 234 |

COMMERCIAL OUTDOOR LIGHTS

| | |
|-------------------------------------|-----|
| PCR | 238 |
| Trump | 238 |
| Street Light (45 W) | 238 |
| Street Light (25 & 30 W) | 238 |
| Street Light (45, 60, 70 & 72 W) | 239 |
| Street Light (90, 120, 150 & 200 W) | 239 |
| Flood Light | 239 |
| Faro (Low wattage floodlight) | 240 |
| Ledstar | 240 |





Commercial Indoor Lights

Jaquar's lighting solutions for indoor commercial spaces include a wide range of high quality Downlights, COB Downlights, Battens and Panel lights. The choice makes it easy to find the perfect solution for every décor and lighting need.

- **Downlights**
Choose from as many as 10 different design ranges with sleek profiles, and multiple shapes and specifications.
- **COB Downlights**
Jaquar's recess-mounted COB downlights are available in 3 extensive design ranges with multiple choices of illumination power.
- **Designer Lights**
Jaquar's stunning offering in its Designer Lighting series brings state-of-the-art lighting solutions for commercial indoor spaces.
- **Retail Lights**
Jaquar offers a complete range of recess-mounted and surface-mounted spotlights, strip lights, and accessories for innovative and attractive commercial indoor spaces.
- **Panels**
Available in recess-mounted, surface-mounted or pendant applications, Jaquar's LED panels are first among the equals.
- **Battens and Tubes**
Jaquar offers Battens in 2 designs, a variety of outputs, and 3 different colour temperatures. Also available are a wide range of Tubes.
- **Industrial Lights**
Jaquar offers high-powered, long-lasting tube lights, bulk heads, and COB highbay lights for heavy-duty lighting requirements of industrial plants, factories and shop floors.



Downlights

Recess-mounted round panel with die cast aluminium housing.



Neve Plus (Round)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LNEP01R003XC | 3 | 6500 | 20 |
| LNEP01R003XN | 3 | 4000 | 20 |
| LNEP01R003XW | 3 | 3000 | 20 |
| LNEP01R006XC | 6 | 6500 | 20 |
| LNEP01R006XN | 6 | 4000 | 20 |
| LNEP01R006XW | 6 | 3000 | 20 |
| LNEP01R012XC | 12 | 6500 | 10 |
| LNEP01R012XN | 12 | 4000 | 10 |
| LNEP01R012XW | 12 | 3000 | 10 |
| LNEP01R015XC | 15 | 6500 | 10 |
| LNEP01R015XN | 15 | 4000 | 10 |
| LNEP01R015XW | 15 | 3000 | 10 |
| LNEP01R018XC | 18 | 6500 | 10 |
| LNEP01R018XN | 18 | 4000 | 10 |
| LNEP01R018XW | 18 | 3000 | 10 |
| LNEP01R024XC | 24 | 6500 | 10 |
| LNEP01R024XN | 24 | 4000 | 10 |
| LNEP01R024XW | 24 | 3000 | 10 |

3 W Cutout: Ø72 mm
Height: 20 mm

6 W Cutout: Ø107 mm
Height: 20 mm

12 W Cutout: Ø160 mm
Height: 20 mm

15 W Cutout: Ø180 mm
Height: 20 mm

18 W Cutout: Ø206 mm
Height: 20 mm

24 W Cutout: Ø275 mm
Height: 20 mm

*THD <10% for wattage ≥12 W.

Recess-mounted square panel with die cast aluminium housing.

Neve Plus (Square)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LNEP01S003XC | 3 | 6500 | 20 |
| LNEP01S003XN | 3 | 4000 | 20 |
| LNEP01S003XW | 3 | 3000 | 20 |
| LNEP01S006XC | 6 | 6500 | 20 |
| LNEP01S006XN | 6 | 4000 | 20 |
| LNEP01S006XW | 6 | 3000 | 20 |
| LNEP01S012XC | 12 | 6500 | 10 |
| LNEP01S012XN | 12 | 4000 | 10 |
| LNEP01S012XW | 12 | 3000 | 10 |
| LNEP01S015XC | 15 | 6500 | 10 |
| LNEP01S015XN | 15 | 4000 | 10 |
| LNEP01S015XW | 15 | 3000 | 10 |
| LNEP01S018XC | 18 | 6500 | 10 |
| LNEP01S018XN | 18 | 4000 | 10 |
| LNEP01S018XW | 18 | 3000 | 10 |
| LNEP01S024XC | 24 | 6500 | 10 |
| LNEP01S024XN | 24 | 4000 | 10 |
| LNEP01S024XW | 24 | 3000 | 10 |

3 W Length: 72 mm
Width: 72 mm
Height: 20 mm

6 W Length: 107 mm
Width: 107 mm
Height: 20 mm


12 W Length: 160 mm
Width: 160 mm
Height: 20 mm

15 W Length: 180 mm
Width: 180 mm
Height: 20 mm

18 W Length: 206 mm
Width: 206 mm
Height: 20 mm

24 W Length: 275 mm
Width: 275 mm
Height: 20 mm

*THD <10% for wattage ≥ 12 W.



Downlights

Recess-mounted, sleek, round downlight with die cast aluminium housing and polycarbonate diffuser for dazzle-free soft light.

Lucent



Efficacy 100Lm/W
in 6 W and above

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LLCN01R003XC | 3 | 6500 | 20 |
| LLCN01R003XN | 3 | 4000 | 20 |
| LLCN01R003XW | 3 | 3000 | 20 |
| LLCN01R006XC | 6 | 6500 | 20 |
| LLCN01R006XN | 6 | 4000 | 20 |
| LLCN01R006XW | 6 | 3000 | 20 |
| LLCN01R009XC | 9 | 6500 | 20 |
| LLCN01R009XN | 9 | 4000 | 20 |
| LLCN01R009XW | 9 | 3000 | 20 |
| LLCN01R012XC | 12 | 6500 | 10 |
| LLCN01R012XN | 12 | 4000 | 10 |
| LLCN01R012XW | 12 | 3000 | 10 |
| LLCN01R015XC | 15 | 6500 | 10 |
| LLCN01R015XN | 15 | 4000 | 10 |
| LLCN01R015XW | 15 | 3000 | 10 |
| LLCN01R018XC | 18 | 6500 | 10 |
| LLCN01R018XN | 18 | 4000 | 10 |
| LLCN01R018XW | 18 | 3000 | 10 |
| LLCN01R022XC | 22 | 6500 | 10 |
| LLCN01R022XN | 22 | 4000 | 10 |
| LLCN01R022XW | 22 | 3000 | 10 |

3 W Cutout: Ø70 mm
(DxH): Ø82x17 mm

6 W Cutout: Ø105 mm
(DxH): Ø116x17 mm

9 W Cutout: Ø105 mm
(DxH): Ø116x17 mm

12 W Cutout: Ø132 mm
(DxH): Ø144x17 mm

15 W Cutout: Ø155 mm
(DxH): Ø166x17 mm

18 W Cutout: Ø155 mm
(DxH): Ø166x17 mm

22 W Cutout: Ø175 mm
(DxH): Ø184x17 mm

Recess-mounted, maintenance-free, round downlight with die cast aluminium housing and sleek backlit design suitable for low height ceiling.

Areva Prime



| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LARP01R006XC | 6 | 6500 | 20 |
| LARP01R006XN | 6 | 4000 | 20 |
| LARP01R006XW | 6 | 3000 | 20 |
| LARP01R009XC | 9 | 6500 | 20 |
| LARP01R009XN | 9 | 4000 | 20 |
| LARP01R009XW | 9 | 3000 | 20 |
| LARP01R012XC | 12 | 6500 | 10 |
| LARP01R012XN | 12 | 4000 | 10 |
| LARP01R012XW | 12 | 3000 | 10 |
| LARP01R015XC | 15 | 6500 | 10 |
| LARP01R015XN | 15 | 4000 | 10 |
| LARP01R015XW | 15 | 3000 | 10 |
| LARP01R018XC | 18 | 6500 | 10 |
| LARP01R018XN | 18 | 4000 | 10 |
| LARP01R018XW | 18 | 3000 | 10 |
| LARP01R024XC | 24 | 6500 | 10 |
| LARP01R024XN | 24 | 4000 | 10 |
| LARP01R024XW | 24 | 3000 | 10 |

6 W Cutout: Ø80 mm
(DxH): Ø90x28 mm

9 W Cutout: Ø80 mm
(DxH): Ø90x28 mm

12 W Cutout: Ø105 mm
(DxH): Ø120x28 mm

15 W Cutout: Ø105 mm
(DxH): Ø120x28 mm


18 W Cutout: Ø152 mm
(DxH): Ø171x28 mm

24 W Cutout: Ø207 mm
(DxH): Ø225x28 mm

*Also available in black housing

Downlights

Surface-mounted round panel with die cast aluminium housing.



Nero Surface (Round)


| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LNRO02R006SC | 6 | 6500 | 20 |
| LNRO02R006SN | 6 | 4000 | 20 |
| LNRO02R006SW | 6 | 3000 | 20 |
| LNRO02R012SC | 12 | 6500 | 12 |
| LNRO02R012SN | 12 | 4000 | 12 |
| LNRO02R012SW | 12 | 3000 | 12 |
| LNRO02R018SC | 18 | 6500 | 12 |
| LNRO02R018SN | 18 | 4000 | 12 |
| LNRO02R018SW | 18 | 3000 | 12 |

6 W Dia: Ø125 mm
Height: 35 mm

12 W Dia: Ø175 mm
Height: 35 mm

18 W Dia: Ø225 mm
Height: 35 mm

Surface-mounted square panel with die cast aluminium housing.



Nero Surface (Square)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LNRO02S006SC | 6 | 6500 | 20 |
| LNRO02S006SN | 6 | 4000 | 20 |
| LNRO02S006SW | 6 | 3000 | 20 |
| LNRO02S012SC | 12 | 6500 | 12 |
| LNRO02S012SN | 12 | 4000 | 12 |
| LNRO02S012SW | 12 | 3000 | 12 |
| LNRO02S018SC | 18 | 6500 | 12 |
| LNRO02S018SN | 18 | 4000 | 12 |
| LNRO02S018SW | 18 | 3000 | 12 |


6 W Length: 125 mm
Width: 125 mm
Height: 35 mm

12 W Length: 175 mm
Width: 175 mm
Height: 35 mm

18 W Length: 225 mm
Width: 225 mm
Height: 35 mm

Downlights

Recess-mounted round downlight with die cast aluminium housing.



Ensave Plus

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LESP01R009XC | 9 | 6500 | 20 |
| LESP01R009XN | 9 | 4000 | 20 |
| LESP01R009XW | 9 | 3000 | 20 |
| LESP01R015XC | 15 | 6500 | 10 |
| LESP01R015XN | 15 | 4000 | 10 |
| LESP01R015XW | 15 | 3000 | 10 |
| LESP01R025XC | 25 | 6500 | 10 |
| LESP01R025XN | 25 | 4000 | 10 |
| LESP01R025XW | 25 | 3000 | 10 |

9 W Cutout: Ø100 mm
Height: 60 mm

15 W Cutout: Ø160 mm
Height: 85 mm

25 W Cutout: Ø160 mm
Height: 85 mm

Recess/ Surface mounted round microwave sensor with die cast aluminium housing.




Microwave Sensor

| Item Code | Cutout (MM) | Dimension (MM) | Case No. |
|--------------|-------------|----------------|----------|
| MOTSENMW2IN1 | Ø85 | Ø85 | 5 |

COB-Downlights

Recess-mounted spotlight with aluminium housing (white finish).




Teny

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LTNY01R002XW | 2 | 3000 | 50 |

Round: 2 W Cutout: Ø27 mm
Height: 27 mm

Deep recess-mounted, COB-based, round, fixed downlight with die cast aluminium housing and 24° beam angle.



Eris (Low border deep recess)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LERS02R005XC | 5 | 6500 | 20 |
| LERS02R005XN | 5 | 4000 | 20 |
| LERS02R005XW | 5 | 3000 | 20 |
| LERS02R010XC | 10 | 6500 | 20 |
| LERS02R010XN | 10 | 4000 | 20 |
| LERS02R010XW | 10 | 3000 | 20 |
| LERS02R015XC | 15 | 6500 | 10 |
| LERS02R015XN | 15 | 4000 | 10 |
| LERS02R015XW | 15 | 3000 | 10 |
| LERS02R020XC | 20 | 6500 | 10 |
| LERS02R020XN | 20 | 4000 | 10 |
| LERS02R020XW | 20 | 3000 | 10 |

5 W Cutout: Ø47 mm
Height: 100 mm

10 W Cutout: Ø69 mm
Height: 110 mm

15 W Cutout: Ø80 mm
Height: 120 mm

20 W Cutout: Ø115 mm
Height: 130 mm

*THD <10%, *CRI >90

*Also available in black housing in 10 & 15 W

COB-Downlights

Recess-mounted, COB-based, round, tiltable downlight with die cast aluminium housing and 36° beam angle.

Estus Swivel (Round)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LETS36R003XC | 3 | 6500 | 20 |
| LETS36R003XN | 3 | 4000 | 20 |
| LETS36R003XW | 3 | 3000 | 20 |
| LETS36R006XC | 6 | 6500 | 20 |
| LETS36R006XN | 6 | 4000 | 20 |
| LETS36R006XW | 6 | 3000 | 20 |
| LETS36R009XC | 9 | 6500 | 20 |
| LETS36R009XN | 9 | 4000 | 20 |
| LETS36R009XW | 9 | 3000 | 20 |
| LETS36R012XC | 12 | 6500 | 20 |
| LETS36R012XN | 12 | 4000 | 20 |
| LETS36R012XW | 12 | 3000 | 20 |
| LETS36R015XC | 15 | 6500 | 20 |
| LETS36R015XN | 15 | 4000 | 20 |
| LETS36R015XW | 15 | 3000 | 20 |
| LETS36R018XC | 18 | 6500 | 10 |
| LETS36R018XN | 18 | 4000 | 10 |
| LETS36R018XW | 18 | 3000 | 10 |
| LETS36R024XC | 24 | 6500 | 10 |
| LETS36R024XN | 24 | 4000 | 10 |
| LETS36R024XW | 24 | 3000 | 10 |
| LETS36R030XC | 30 | 6500 | 10 |
| LETS36R030XN | 30 | 4000 | 10 |
| LETS36R030XW | 30 | 3000 | 10 |

3 W Cutout: Ø58 mm
Height: 50 mm

6 W Cutout: Ø74 mm
Height: 65 mm

9 W Cutout: Ø74 mm
Height: 65 mm

12 W Cutout: Ø95 mm
Height: 85 mm

15 W Cutout: Ø95 mm
Height: 85 mm

18 W Cutout: Ø118 mm
Height: 85 mm

24 W Cutout: Ø118 mm
Height: 85 mm

30 W Cutout: Ø118 mm
Height: 100 mm


*THD <10% for wattage ≥6 W.
*Also available in black housing

Recess-mounted spotlight with aluminium housing and prismatic diffuser (white finish).

Espot

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LSPT06R002XC | 2 | 6000 | 20 |
| LSPT06R002XW | 2 | 3000 | 20 |

2 W Cutout: Ø32 mm
Height: 25 mm



COB-Downlights

Deep recess-mounted, COB-based swivel downlight with 38° beam angle.



Eris Swivel (Round)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---------------|-------------|---------|----------|
| LEERS03R007XC | 7 | 6500 | 20 |
| LEERS03R007XN | 7 | 4000 | 20 |
| LEERS03R007XW | 7 | 3000 | 20 |
| LEERS03R012XC | 12 | 6500 | 10 |
| LEERS03R012XN | 12 | 4000 | 10 |
| LEERS03R012XW | 12 | 3000 | 10 |
| LEERS03R020XC | 20 | 6500 | 20 |
| LEERS03R020XN | 20 | 4000 | 20 |
| LEERS03R020XW | 20 | 3000 | 20 |
| LEERS03R030XC | 30 | 6500 | 10 |
| LEERS03R030XN | 30 | 4000 | 10 |
| LEERS03R030XW | 30 | 3000 | 10 |

7 W Cutout: Ø78 mm

Height: 73 mm

12 W Cutout: Ø92 mm

Height: 90 mm

20 W Cutout: Ø117 mm

Height: 90 mm

30 W Cutout: Ø148 mm

Height: 98 mm

*THD <10%, CRI >90

*Also available in black housing

Recess-mounted, COB-based downlight with die cast aluminium housing and anodized reflector.



Eris Reflecto

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---------------|-------------|---------|----------|
| LEERS04R007XC | 7 | 6500 | 50 |
| LEERS04R007XN | 7 | 4000 | 50 |
| LEERS04R007XW | 7 | 3000 | 50 |
| LEERS04R012XC | 12 | 6500 | 10 |
| LEERS04R012XN | 12 | 4000 | 10 |
| LEERS04R012XW | 12 | 3000 | 10 |
| LEERS04R020XC | 20 | 6500 | 20 |
| LEERS04R020XN | 20 | 4000 | 20 |
| LEERS04R020XW | 20 | 3000 | 20 |
| LEERS04R030XC | 30 | 6500 | 20 |
| LEERS04R030XN | 30 | 4000 | 20 |
| LEERS04R030XW | 30 | 3000 | 20 |

7 W Cutout: Ø75 mm

Height: 43 mm

Beam angle: 38°

12 W Cutout: Ø97 mm

Height: 53 mm

Beam angle: 43°

20 W Cutout: Ø115 mm

Height: 65 mm

Beam angle: 52°


30 W Cutout: Ø140 mm

Height: 75 mm

Beam angle: 52°

COB-Downlights

Recess-mounted, COB-based downlight with die cast aluminium housing and clear glass.



Eris Fixed

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---------------|-------------|---------|----------|
| LEERS05R007XC | 7 | 6500 | 50 |
| LEERS05R007XN | 7 | 4000 | 50 |
| LEERS05R007XW | 7 | 3000 | 50 |
| LEERS05R012XC | 12 | 6500 | 40 |
| LEERS05R012XN | 12 | 4000 | 40 |
| LEERS05R012XW | 12 | 3000 | 40 |
| LEERS05R020XC | 20 | 6500 | 10 |
| LEERS05R020XN | 20 | 4000 | 10 |
| LEERS05R020XW | 20 | 3000 | 10 |
| LEERS05R035XC | 35 | 6500 | 10 |
| LEERS05R035XN | 35 | 4000 | 10 |
| LEERS05R035XW | 35 | 3000 | 10 |

7 W Cutout: Ø80 mm
Height: 60 mm
Beam angle: 33°

12 W Cutout: Ø100 mm
Height: 65 mm
Beam angle: 45°

20 W Cutout: Ø130 mm
Height: 75 mm
Beam angle: 45°

35 W Cutout: Ø185 mm
Height: 95 mm
Beam angle: 50°





Designer Lights

Jaquar has stunning offerings in its Designer Lighting series, with more on the way, that bring state-of-the-art lighting solutions to commercial spaces. Any space that uses the Trius or Lattice lights moves several notches up the scale in aesthetic appeal.

Deep recessed, anti-glare light with die cast aluminium housing, aluminium heat sink and tiltable arrangement.



Reflectorz

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LSYGRDR007XN | 7 | 4000 | 20 |
| LSYGRDR007XW | 7 | 3000 | 20 |
| LSYGRDR009XN | 9 | 4000 | 20 |
| LSYGRDR009XW | 9 | 3000 | 20 |
| LSYGRDR012XN | 12 | 4000 | 20 |
| LSYGRDR012XW | 12 | 3000 | 20 |


7, 9 & 12 W Cutout: Ø68 mm
Height: 93 mm

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LSYGOVR007XN | 7 | 4000 | 20 |
| LSYGOVR007XW | 7 | 3000 | 20 |
| LSYGOVR009XN | 9 | 4000 | 20 |
| LSYGOVR009XW | 9 | 3000 | 20 |
| LSYGOVR012XN | 12 | 4000 | 20 |
| LSYGOVR012XW | 12 | 3000 | 20 |

7, 9 & 12 W Cutout: Ø68 mm
Height: 93 mm

*THD <10%, CRI >90
2700K available on request

Surface-mounted COB downlight with die cast aluminium housing and gold finish reflector. 30° beam angle.



Eris Surface (Deep surface)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|-------------|-------------|---------|----------|
| LERSWG012SC | 12 | 6500 | 40 |
| LERSWG012SN | 12 | 4000 | 40 |
| LERSWG012SW | 12 | 3000 | 40 |
| LERSWG020SC | 20 | 6500 | 30 |
| LERSWG020SN | 20 | 4000 | 30 |
| LERSWG020SW | 20 | 3000 | 30 |
| LERSWG030SC | 30 | 6500 | 16 |
| LERSWG030SN | 30 | 4000 | 16 |
| LERSWG030SW | 30 | 3000 | 16 |

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LERSBGS012SC | 12 | 6500 | 40 |
| LERSBGS012SN | 12 | 4000 | 40 |
| LERSBGS012SW | 12 | 3000 | 40 |
| LERSBGS020SC | 20 | 6500 | 30 |
| LERSBGS020SN | 20 | 4000 | 30 |
| LERSBGS020SW | 20 | 3000 | 30 |
| LERSBGS030SC | 30 | 6500 | 16 |
| LERSBGS030SN | 30 | 4000 | 16 |
| LERSBGS030SW | 30 | 3000 | 16 |

12 W Length: 73 mm
Width: 73 mm
Height: 95 mm

20 W Length: 95 mm
Width: 95 mm
Height: 110 mm

30 W Length: 115 mm
Width: 115 mm
Height: 125 mm

Designer Lights

Decorative, energy-efficient, recess-mounted 2x2 decorative panel with white powder coated CRCA housing and full mounted acrylic diffuser, flicker-free low power consumption bulb.



Scintillio Slim

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LSNL01S045XC | 45 | 6500 | 2 |
| LSNL01S045XN | 45 | 4000 | 2 |
| LSNL01S045XW | 45 | 3000 | 2 |

45 W Length: 580 mm
Width: 580 mm
Height: 20 mm
*THD <10%



Retail Lights

For the specialised needs of the retail industry, Jaquar offers a complete range of recess-mounted and surface-mounted spot lights, strip lights and accessories, which make innovative and highly attractive product lighting possible.

Recess-mounted zoom light with powder coated die cast aluminium housing and anodized aluminium reflector. 38° beam angle.




Zoom Light

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LZOM01R015XC | 15 | 6500 | 1 |
| LZOM01R015XN | 15 | 4000 | 1 |
| LZOM01R015XW | 15 | 3000 | 1 |
| LZOM01R025XC | 25 | 6500 | 1 |
| LZOM01R025XN | 25 | 4000 | 1 |
| LZOM01R025XW | 25 | 3000 | 1 |


15 W Cutout: Ø85 mm
Height: 72 mm

25 W Cutout: Ø140 mm
Height: 121 mm

*THD <10%




Recess-mounted, COB based multiple zoom light with die cast aluminium housing, anodized reflector and tempered transparent glass diffuser. 40° beam angle.




Multiple Zoom Light

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LZOMMLR215XC | 2x15 | 6500 | 20 |
| LZOMMLR215XN | 2x15 | 4000 | 20 |
| LZOMMLR215XW | 2x15 | 3000 | 20 |

2 x 15 W Length: 192 mm
Width: 92 mm
Height: 86 mm



Track-mounted round focus light with moveable base. Fully adjustable with aluminium housing (including driver casing). 40° beam angle.



Track Light

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LTRLW1R010XC | 10 | 5000 | 1 |
| LTRLW1R010XN | 10 | 4000 | 1 |
| LTRLW1R010XW | 10 | 3000 | 1 |
| LTRLW1R020XC | 20 | 5000 | 1 |
| LTRLW1R020XN | 20 | 4000 | 1 |
| LTRLW1R020XW | 20 | 3000 | 1 |
| LTRLW1R030XC | 30 | 5000 | 1 |
| LTRLW1R030XN | 30 | 4000 | 1 |
| LTRLW1R030XW | 30 | 3000 | 1 |
| LTRLB1R010XC | 10 | 5000 | 1 |
| LTRLB1R010XN | 10 | 4000 | 1 |
| LTRLB1R010XW | 10 | 3000 | 1 |
| LTRLB1R020XC | 20 | 5000 | 1 |
| LTRLB1R020XN | 20 | 4000 | 1 |
| LTRLB1R020XW | 20 | 3000 | 1 |
| LTRLB1R030XC | 30 | 5000 | 1 |
| LTRLB1R030XN | 30 | 4000 | 1 |
| LTRLB1R030XW | 30 | 3000 | 1 |

10 W Dia: Ø78 mm
Length: 205 mm
Width: 192 mm
Height: 106 mm

20 W Dia: Ø110 mm
Length: 268 mm
Width: 240 mm
Height: 131 mm

30 W Dia: Ø110 mm
Length: 268 mm
Width: 240 mm
Height: 131 mm

Accessories for Track Light

3 Line Track

| Item Code | Length | Colour |
|--------------|---------|--------|
| LTRK3L1MTRBL | 1 Meter | Black |
| LTRK3L1MTRWH | 1 Meter | White |
| LTRK3L2MTRBL | 2 Meter | Black |
| LTRK3L2MTRWH | 2 Meter | White |

3 Line Track Connector

| Item Code | Shape | Colour |
|--------------|-------|--------|
| LTRCBL3LISHP | I | Black |
| LTRCWH3LISHP | I | White |
| LTRCBL3LLSHP | L | Black |
| LTRCWH3LLSHP | L | White |
| LTRCBL3LXSHP | X | Black |
| LTRCWH3LXSHP | X | White |
| LTRCBL3LTSHP | T | Black |
| LTRCWH3LTSHP | T | White |

Retail Lights

Recessed, directional COB downlight with die cast aluminium housing.




Epito

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LEPO01R012XC | 12 | 6500 | 10 |
| LEPO01R012XN | 12 | 4000 | 10 |
| LEPO01R012XW | 12 | 3000 | 10 |
| LEPO01R020XC | 20 | 6500 | 10 |
| LEPO01R020XN | 20 | 4000 | 10 |
| LEPO01R020XW | 20 | 3000 | 10 |

12 W Cutout: Ø75 mm
Dia: Ø85 mm
Height: 70 mm

20 W Cutout: Ø95 mm
Dia: Ø108 mm
Height: 85 mm

Deep recessed, surface mounted focus light with die cast aluminium housing.




Cyno

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LCYN01R010SC | 10 | 6500 | 20 |
| LCYN01R010SN | 10 | 4000 | 20 |
| LCYN01R010SW | 10 | 3000 | 20 |

10 W Dia: Ø50 mm
Height: 165 mm

Deep recessed, extended COB focus light with die cast aluminium housing.



Empha

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LEMP01R007XC | 7 | 6500 | 20 |
| LEMP01R007XN | 7 | 4000 | 20 |
| LEMP01R007XW | 7 | 3000 | 20 |
| LEMP01R015XC | 15 | 6500 | 10 |
| LEMP01R015XN | 15 | 4000 | 10 |
| LEMP01R015XW | 15 | 3000 | 10 |

7 W Cutout: Ø62 mm
Dia: Ø72 mm
Height: 98 mm

15 W Cutout: Ø90 mm
Dia: Ø103 mm
Height: 99 mm

Retail Lights

Deep recessed downlight with die cast aluminium housing.



Emina

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LEMA01R008XC | 8 | 6500 | 20 |
| LEMA01R008XN | 8 | 4000 | 20 |
| LEMA01R008XW | 8 | 3000 | 20 |
| LEMA01R015XC | 15 | 6500 | 20 |
| LEMA01R015XN | 15 | 4000 | 20 |
| LEMA01R015XW | 15 | 3000 | 20 |

8 W Cutout: Ø55 mm
Dia: Ø65 mm
Height: 65 mm

15 W Cutout: Ø75 mm
Dia: Ø85 mm
Height: 80 mm

*CRI >90, THD <10% | *Also available in black housing

Deep recessed downlight with die cast aluminium housing.



Emina Tilttable


| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LEMAT1R008XC | 8 | 6500 | 20 |
| LEMAT1R008XN | 8 | 4000 | 20 |
| LEMAT1R008XW | 8 | 3000 | 20 |
| LEMAT1R015XC | 15 | 6500 | 20 |
| LEMAT1R015XN | 15 | 4000 | 20 |
| LEMAT1R015XW | 15 | 3000 | 20 |

8 W Cutout: Ø55 mm
Dia: Ø65 mm
Height: 65 mm

15 W Cutout: Ø75 mm
Dia: Ø85 mm
Height: 80 mm

*CRI >90, THD <10%

Recess-mounted, COB based tilttable linear spot light with die cast aluminium housing and 30° beam angle.



Rene

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LRNE01S002XC | 2 | 6500 | 60 |
| LRNE01S002XN | 2 | 4000 | 60 |
| LRNE01S002XW | 2 | 3000 | 60 |
| LRNE01S006XC | 6 | 6500 | 48 |
| LRNE01S006XN | 6 | 4000 | 48 |
| LRNE01S006XW | 6 | 3000 | 48 |
| LRNE01S010XC | 10 | 6500 | 40 |
| LRNE01S010XN | 10 | 4000 | 40 |
| LRNE01S010XW | 10 | 3000 | 40 |
| LRNE01S020XC | 20 | 6500 | 25 |
| LRNE01S020XN | 20 | 4000 | 25 |
| LRNE01S020XW | 20 | 3000 | 25 |
| LRNE01S030XC | 30 | 6500 | 20 |
| LRNE01S030XN | 30 | 4000 | 20 |
| LRNE01S030XW | 30 | 3000 | 20 |

2 W Cutout: Ø50 x 47 mm
Length: 55 mm
Width: 55 mm
Height: 47 mm

6 W Cutout: Ø111 x 47 mm
Length: 116 mm
Width: 55 mm
Height: 47 mm

10 W Cutout: Ø153 x 47 mm
Length: 158 mm
Width: 55 mm
Height: 47 mm

20 W Cutout: Ø286 x 47 mm
Length: 290 mm
Width: 55 mm
Height: 47 mm

30 W Cutout: Ø419 x 47 mm
Length: 423 mm
Width: 55 mm
Height: 47 mm

*Also available in black housing

Retail Lights

This strip light is suitable for indoor applications with different colours and wattages. Standard 5.0 meter roll.



IP20 Strip Light (24 V DC)


| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LSTP03X005XC | 25 | 6000 | 5 |
| LSTP03X005XN | 25 | 4000 | 5 |
| LSTP03X005XW | 25 | 3000 | 5 |
| LSTP03X008XC | 40 | 6000 | 5 |
| LSTP03X008XW | 40 | 3000 | 5 |
| LSTP03X015XC | 75 | 6000 | 5 |
| LSTP03X015XW | 75 | 3000 | 5 |

25 W Width: 8 mm
Height: 2.5 mm

40 W Width: 8 mm
Height: 2.5 mm

75 W Width: 8 mm
Height: 2.5 mm

This strip light is suitable for outdoor applications with different colours and wattages. Standard 5.0 meter roll.




IP65 Strip Light (24 V DC)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LSTP04X005XC | 25 | 6000 | 5 |
| LSTP04X005XW | 25 | 3000 | 5 |
| LSTP04X008XC | 40 | 6000 | 5 |
| LSTP04X008XW | 40 | 3000 | 5 |
| LSTP04X015XC | 75 | 6000 | 5 |
| LSTP04X015XW | 75 | 3000 | 5 |

25 W Width: 10 mm
Height: 4.5 mm


40 W Width: 10 mm
Height: 4.5 mm

75 W Width: 10 mm
Height: 4.5 mm



Power Supply for Indoor Strip Light (IP20)

| Item Code | Wattage (W) |
|--------------|-------------|
| LDRV01S030XX | 30 |
| LDRV01S048XX | 48 |
| LDRV01S060XX | 60 |
| LDRV01S072XX | 72 |
| LDRV01S096XX | 96 |



Power Supply for Outdoor Strip Light (IP65 rated)

| Item Code | Wattage (W) |
|--------------|-------------|
| LDRV02S030XX | 30 |
| LDRV02S048XX | 48 |
| LDRV02S060XX | 60 |
| LDRV02S072XX | 72 |
| LDRV02S096XX | 96 |



Magnetic Lights

Adorn your space with modern, stylish, and innovative Magnetic Lights by Jaquar. Create vertical and horizontal styles to suit many creative lighting designs. These lights are perfect for accentuating a particular spot, object, painting or more – just stick them on and let your spaces shine!

Magnetic Lights

Slim magnetic track light with die cast aluminium housing, 48 V DC operated.



Orelli Slim

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LORLS24R07XC | 7 | 6500 | 24 |
| LORLS24R07XN | 7 | 4000 | 24 |
| LORLS24R07XW | 7 | 3000 | 24 |
| LORLS24R12XC | 12 | 6500 | 24 |
| LORLS24R12XN | 12 | 4000 | 24 |
| LORLS24R12XW | 12 | 3000 | 24 |
| LORLS24R18XC | 18 | 6500 | 24 |
| LORLS24R18XN | 18 | 4000 | 24 |
| LORLS24R18XW | 18 | 3000 | 24 |
| LORLS24R24XC | 24 | 6500 | 24 |
| LORLS24R24XN | 24 | 4000 | 24 |
| LORLS24R24XW | 24 | 3000 | 24 |

7 W Length: 118 mm
Width: 80 mm
Height: 125 mm

12 W Length: 118 mm
Width: 100 mm
Height: 135 mm

18 W Length: 118 mm
Width: 125 mm
Height: 150 mm

24 W Length: 118 mm
Width: 160 mm
Height: 185 mm

Slim magnetic linear track light with die cast aluminium housing, 48 V DC operated.



Instaray Slim Linear- with Lens

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LINRSL1F06XC | 6 | 6500 | 36 |
| LINRSL1F06XN | 6 | 4000 | 36 |
| LINRSL1F06XW | 6 | 3000 | 36 |
| LINRSL1F12XC | 12 | 6500 | 36 |
| LINRSL1F12XN | 12 | 4000 | 36 |
| LINRSL1F12XW | 12 | 3000 | 36 |
| LINRSL1F18XC | 18 | 6500 | 36 |
| LINRSL1F18XW | 18 | 4000 | 36 |
| LINRSL1F18XW | 18 | 3000 | 36 |
| LINRSL1F24XC | 24 | 6500 | 36 |
| LINRSL1F24XN | 24 | 4000 | 36 |
| LINRSL1F24XW | 24 | 3000 | 36 |
| LINRSL1F30XC | 30 | 6500 | 36 |
| LINRSL1F30XN | 30 | 4000 | 36 |
| LINRSL1F30XW | 30 | 3000 | 36 |

6 W Length: 112 mm
Width: 22 mm
Height: 45 mm

12 W Length: 220 mm
Width: 22 mm
Height: 45 mm

18 W Length: 328 mm
Width: 22 mm
Height: 45 mm

24 W Length: 436 mm
Width: 22 mm
Height: 45 mm

30 W Length: 544 mm
Width: 22 mm
Height: 45 mm

Magnetic Lights

Slim magnetic linear tiltable track light with die cast aluminium housing, 48 V DC operated.



Instaray Slim Linear

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LINRSL2T12XC | 12 | 6500 | 36 |
| LINRSL2T12XN | 12 | 4000 | 36 |
| LINRSL2T12XW | 12 | 3000 | 36 |
| LINRSL2T24XC | 24 | 6500 | 36 |
| LINRSL2T24XN | 24 | 4000 | 36 |
| LINRSL2T24XW | 24 | 3000 | 36 |

12 W Length: 135 mm
Width: 35 mm
Height: 150 mm

24 W Length: 270 mm
Width: 35 mm
Height: 150 mm

Slim magnetic round track light with die cast aluminium housing, 48 V DC operated.



Instaray Round Slim

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LINRSL2R09XC | 9 | 6500 | 24 |
| LINRSL2R09XN | 9 | 4000 | 24 |
| LINRSL2R09XW | 9 | 3000 | 24 |
| LINRSD2R12XC | 12 | 6500 | 120 |
| LINRSD2R12XN | 12 | 4000 | 120 |
| LINRSD2R12XW | 12 | 3000 | 120 |

9 W Length: 118 mm
Width: 30 mm
Height: 135 mm

12 W Length: 135 mm
Width: 35 mm
Height: 150 mm

Slim magnetic linear hanging light with die cast aluminium housing, 48 V DC operated.



Orelli Slim Hanging

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|----------------|----------|
| LORLS24R12HN | 12 | 6500/4000/3000 | 10 |

12 W Length: 36 mm | Width: 27.5 mm | Height: 38 mm

Magnetic Lights

Slim magnetic linear diffused light with die cast aluminium housing, 48 V DC operated.



Instaray Slim Linear Diffused

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LINRSD1F10XC | 10 | 6500 | 20 |
| LINRSD1F10XN | 10 | 4000 | 20 |
| LINRSD1F10XW | 10 | 3000 | 20 |
| LINRSD1F20XC | 20 | 6500 | 20 |
| LINRSD1F20XN | 20 | 4000 | 20 |
| LINRSD1F20XW | 20 | 3000 | 20 |
| LINRSD1F30XC | 30 | 6500 | 10 |
| LINRSD1F30XN | 30 | 4000 | 10 |
| LINRSD1F30XW | 30 | 3000 | 10 |
| LINRSD1F40XC | 40 | 6500 | 10 |
| LINRSD1F40XN | 40 | 4000 | 10 |
| LINRSD1F40XW | 40 | 3000 | 10 |

10 W Length: 300 mm
Width: 22 mm
Height: 45 mm

20 W Length: 600 mm
Width: 22 mm
Height: 45 mm

30 W Length: 900 mm
Width: 22 mm
Height: 45 mm

40 W Length: 1200 mm
Width: 22 mm
Height: 45 mm

Slim magnetic linear tiltable & diffused light with die cast aluminium housing, 48 V DC operated.



Instaray Slim Tiltable & diffused

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LINRSL1T06XC | 6 | 6500 | 20 |
| LINRSL1T06XN | 6 | 4000 | 20 |
| LINRSL1T06XW | 6 | 3000 | 20 |
| LINRSL1T12XC | 12 | 6500 | 10 |
| LINRSL1T12XN | 12 | 4000 | 10 |
| LINRSL1T12XW | 12 | 3000 | 10 |
| LINRSD1T06XC | 6 | 6500 | 20 |
| LINRSD1T06XN | 6 | 4000 | 20 |
| LINRSD1T06XW | 6 | 3000 | 20 |
| LINRSD1T12XC | 12 | 6500 | 10 |
| LINRSD1T12XN | 12 | 4000 | 10 |
| LINRSD1T12XW | 12 | 3000 | 10 |

6 W Length: 118 mm
Width: 35 mm
Height: 110 mm

12 W Length: 220 mm
Width: 35 mm
Height: 110 mm

Magnetic Track Light Accessories



| Item Code | Description |
|--------------|---|
| LTRKSM1MTRXX | Magnetic track slim 1 meter recess mounted |
| LTRKSM2MTRXX | Magnetic track slim 2 meter recess mounted |
| LTRKSM1MTRXS | Magnetic track slim 1 meter surface/ hanging mounted |
| LTRKSM2MTRXS | Magnetic track slim 2 meter surface/ hanging mounted |
| LTRCMLSHPVXS | Magnetic track connector L shape vertical surface mounted |
| LTRCMLSHPHXS | Magnetic track connector L shape horizontal surface mounted |
| LTRCMLSHPVXX | Magnetic track connector L shape vertical recess mounted |
| LTRCMLSHPHXX | Magnetic track connector L shape horizontal recess mounted |
| LTRCMFJOINTR | Magnetic track channel fixed jointer |



Magnetic Track Light Accessories

| Item Code | Description |
|--------------|---|
| LTRCMBINLINE | Magnetic track bendable input line connector |
| LTRCMBLOOPIN | Magnetic track bendable loop in jointer |
| LTRCMISHPXXX | Magnetic track I shape connector |
| LDRVM48V30W | LED magnetic track driver 48 V 30 W |
| LDRVM48V50W | LED magnetic track driver 48 V 50 W |
| LDRVM48V100W | LED magnetic track driver 48 V 100 W |
| LDRVM48V200W | LED magnetic track driver 48 V 200 W |
| HANGWIREMAGT | Hanging wire for surface mounted magnetic track |



Panels

Recess-mounted 1'x1' panel with white powder coated CRCA housing and full mounted acrylic diffuser.



Ultima Slim (1'x1')

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LULTSLS018XC | 18 | 6500 | 2 |
| LULTSLS018XN | 18 | 5000 | 2 |
| LULTSLS018XW | 18 | 4000 | 2 |

18 W Length: 294 mm
Width: 294 mm
Height: 35 mm

THD <15%, CRI >80,
Efficacy: 100 Lm/W
Beam angle: 120°

Recess-mounted 2'x2' panel with white powder coated CRCA housing and full mounted acrylic diffuser.



Ultima Slim (2'x2')

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---------------|-------------|---------|----------|
| LULTSLS036XC | 36 | 6500 | 2 |
| LULTSLS036XN | 36 | 4000 | 2 |
| LULTSLS036XW | 36 | 3000 | 2 |
| LULTSLSN36XC* | 36 | 6500 | 2 |


36 W Length: 580 mm
Width: 580 mm
Height: 30 mm

*With motion Sensor

Accessories for Ultima Slim

| Item Code | Description |
|--------------|---|
| L2X2SLCLIPXX | Recess-mounted clip for Ultima Slim 2'x2' and 1'x4' panel |
| LTMPULTS36SX | Surface-mount template for Ultima Slim 2'x2' panel |

Recess-mounted 1'x4' panel with white powder coated CRCA housing and full mounted acrylic diffuser.



Ultima Ultra Slim (1'x4')

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LULU4SL033XC | 33 | 6500 | 2 |
| LULU4SL033XN | 33 | 4000 | 2 |
| LULU4SL033XW | 33 | 3000 | 2 |

33 W Length: 1185 mm
Width: 285 mm
Height: 34 mm
Efficacy: 120 Lm/W (for 6500K)

Panels

High efficacy, recess-mounted panel with white powder coated CRCA housing and full mounted acrylic diffuser (2’x2’), 125 Lm / W. for 36 W and 120 Lm / W for 24 W.



Ultima Ultra (2’x2’)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LULTSLS024XC | 24 | 6500 | 2 |
| LULU2SL036XC | 36 | 6500 | 2 |

24 & 36 W Length: 595 mm
Width: 595 mm
Height: 35 mm

Multi-colour changeable recess-mounted panel with white powder coated CRCA housing and full mounted acrylic diffuser (2’x2’).




Ultima Multi-colour (2’x2’)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---------------|-------------|----------------|----------|
| LULTSLA032XM | 32 | 6500/4000/3000 | 5 |
| ULTSLAREMOTE* | | | |

32 W Length: 595 mm
Width: 595 mm
Height: 35 mm
THD <10%, CRI >80
Colour changes through switching
*Remote

Battens / Tubes

High quality batten with extruded aluminium housing and decorative end caps.



Glaze


| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LGLZ01X010XC | 10 | 6500 | 20 |
| LGLZ01X010XN | 10 | 4000 | 20 |
| LGLZ01X010XW | 10 | 3000 | 20 |
| LGLZ01X020XC | 20 | 6500 | 20 |
| LGLZ01X020XN | 20 | 4000 | 20 |
| LGLZ01X020XW | 20 | 3000 | 20 |
| LGLZ01X024XC | 24 | 6500 | 20 |
| LGLZ01X024XN | 24 | 4000 | 20 |
| LGLZ01X024XW | 24 | 3000 | 20 |

10 W Length: 570 mm
Width: 22 mm
Height: 37 mm

20 W Length: 1135 mm
Width: 22 mm
Height: 37 mm

24 W Length: 1185 mm
Width: 22 mm
Height: 37 mm

High quality batten with polycarbonate housing and decorative end caps.




Glaze Ultra (PC)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LGLZPCX022XC | 22 | 6500 | 20 |
| LGLZPCX022XW | 22 | 3000 | 20 |

22 W Length: 1145 mm
Width: 30 mm
Height: 40 mm

Indoor tubelight with aluminium housing and polycarbonate diffuser.



T8 Retro Tube

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LTBL01X020XC | 20 | 6000 | 10 |
| LTBL01X020XW | 20 | 3000 | 10 |

20 W Length: 1200 mm
Height: 30 mm




T8 Retro Accessories

| Item Code | Description |
|--------------|-------------------------------|
| LBOXFTG020XX | Box fitting for 4 FT T8 Retro |
| LBOXFTG040XX | Box fitting for 40 W T8 Retro |

High quality batten with extruded aluminium housing and decorative end caps.



*22 W - 2650 Lumen



Glaze Ultra Aluminium

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LGLZU1X022XC | 22 | 6500 | 20 |
| LGLZU1X022XN | 22 | 4000 | 20 |
| LGLZU1X022XW | 22 | 3000 | 20 |

22 W Length: 1135 mm
Width: 20 mm
Height: 35 mm




Industrial Lights

For the heavy-duty lighting requirements of industrial plants, factories and shop floors, Jaquar has high-powered, long-lasting solutions. Choose from weather-proof, corrosion-resistant lights, twin-tube lights, bulk heads, and suspended, industrial COB highbay lights in a wide range of options.

Industrial Lights

High quality batten with extruded aluminium housing and decorative end caps.




Glaze

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LGLZ01X040XC | 40 | 6500 | 10 |

40 W Length: 1185 mm
Width: 25 mm
Height: 45 mm

Corrosion and impact resistant batten with polycarbonate housing. Dust and water-proof.



Pride (Weather-proof IP65 rated)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---------------|-------------|---------|----------|
| LPRD01X020XC | 20 | 6000 | 1 |
| LPRD01X020XW | 20 | 3000 | 1 |
| LPRD01X040XC | 40 | 6000 | 1 |
| LPRD01X040XW | 40 | 3000 | 1 |
| LPRD01S040XC* | 40 | 6500 | 1 |

20 W Length: 590 mm
Width: 86 mm
Height: 67 mm

40 W Length: 1180 mm
Width: 86 mm
Height: 67 mm

*With motion sensor


Industrial Lights

Bulk head with pressure die cast aluminium housing and acrylic diffuser (IP65 protection).



02

03



Bulk Head

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LBLK02X010XC | 10 | 6500 | 1 |
| LBLK02X010XN | 10 | 4000 | 1 |
| LBLK02X010XW | 10 | 3000 | 1 |
| LBLK03X010XC | 10 | 6500 | 1 |
| LBLK03X010XN | 10 | 4000 | 1 |
| LBLK03X010XW | 10 | 3000 | 1 |

10 W Length: 216 mm
Width: 132 mm
Height: 58 mm
CRI >80

Well glass light with die cast aluminium housing and polycarbonate diffuser (IP65 rating).



Well Glass

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LWGL02X035XC | 35 | 6500 | 4 |
| LWGL02X040XC | 40 | 6500 | 4 |
| LWGL02X070XC | 70 | 5700 | 4 |

35 W Dia: Ø158 mm **40 W** Dia: Ø158 mm **70 W** Dia: Ø200 mm
Height: 215 mm Height: 215 mm Height: 195 mm

*THD <10%, CRI >70

Industrial Lights

Discrete highbay light with die cast aluminium housing offering lumen intensity ≥ 100 Lm / W. Excellent thermal management with compact heat sink (IP65 rating).



With external
SPD 10KV*

Highbay

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LHBLD1R070XC | 70 | 5700 | 1 |
| LHBLD1R100XC | 100 | 5700 | 1 |
| LHBLD1R120XC | 120 | 5700 | 1 |
| LHBLD1R150XC | 150 | 5700 | 1 |
| LHBLD1R200XC | 200 | 5700 | 1 |

70 W Dia: Ø244 mm
Height: 135 mm


100 W Dia: Ø244 mm
Height: 135 mm

120 W Dia: Ø244 mm
Height: 135 mm

150 W Dia: Ø276 mm
Height: 135 mm

200 W Dia: Ø276 mm
Height: 135 mm

*THD <10%, CRI >70



Discrete highbay light with die cast aluminium housing offering lumen intensity ≥ 130 Lm / W. Excellent thermal management with compact heat sink (IP65 rating).

Ultralite Highbay

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LHBLDUR070XC | 70 | 5700 | 1 |
| LHBLDUR100XC | 100 | 5700 | 1 |
| LHBLDUR120XC | 120 | 5700 | 1 |
| LHBLDUR150XC | 150 | 5700 | 1 |
| LHBLDUR200XC | 200 | 5700 | 1 |

70 W Dia: Ø244 mm
Height: 135 mm

100 W Dia: Ø244 mm
Height: 135 mm


120 W Dia: Ø244 mm
Height: 135 mm


150 W Dia: Ø276 mm
Height: 135 mm

200 W Dia: Ø276 mm
Height: 135 mm

*THD <10%, CRI >70

With external
SPD 10KV*








Commercial Outdoor Lights

Reducing energy consumption and increasing road safety can now go hand-in-hand with commercial outdoor lighting solutions from Jaquar. Choose from a wide range of durable and weather-resistant street light and flood light options in a choice of outputs to suit every road's requirement.

Roadway Lights

IP66 rated street light with pressure die cast aluminium housing, glass cover and lens**.

PCR



| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LPCRSRT25WLC | 25 | 5700 | 1 |
| LPCRSRT25WLW | 25 | 3000 | 1 |
| LPCRSRT30WXC | 30 | 5700 | 1 |
| LPCRSRT30WXW | 30 | 3000 | 1 |
| LPCRSRT36WXC | 36 | 5700 | 1 |
| LPCRSRT36WXW | 36 | 3000 | 1 |

25, 30 & 36 W Mounting dia: Ø42 mm

Length: 330 mm

Width: 117 mm

Height: 67 mm

**T&C apply

IP66 rated street light with pressure die cast aluminium housing and polycarbonate cover.

Trump



| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LTRUMP0025XC | 25 | 5700 | 1 |
| LTRUMP0025XW | 25 | 3000 | 1 |
| LTRUMP0030XC | 30 | 5700 | 1 |
| LTRUMP0030XW | 30 | 3000 | 1 |

25 & 30 W Mounting dia: Ø41 mm

Length: 365 mm

Width: 105 mm

Height: 75 mm

LED street light with pressure die cast aluminium housing with toughened glass cover.

Street Light



| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LSRT015045XC | 45 | 5700 | 10 |

45 W Mounting dia: Ø42 mm

Length: 330 mm

Width: 117 mm

Height: 67 mm

*THD <10%, CRI >70

LED street light with pressure die cast aluminium housing, top opening with separate driver compartment and polycarbonate cover.

Street Light



| Item Code | Wattage (W) | CCT (K) | Case No. |
|---------------|-------------|---------|----------|
| LSRT04S025XC | 25 | 5700 | 10 |
| LSRT04S025XW | 25 | 3000 | 10 |
| LSRTT0S025XC* | 25 | 5700 | 10 |
| LSRT015030XC | 30 | 5700 | 10 |
| LSRT015030XW | 30 | 3000 | 10 |
| LSRTT0S030XC* | 30 | 5700 | 10 |

25 & 30 W Mounting dia: Ø26 mm

Length: 180 mm

Width: 115 mm

Height: 60 mm

*System lumen efficacy 120 Lm / W

Roadway Lights

LED street light with pressure die cast aluminium housing, top opening with separate driver compartment and toughened glass.



Street Light

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---------------|-------------|---------|----------|
| LSRTTOS045XC* | 45 | 5700 | 1 |
| LSRT015060XC | 60 | 5700 | 1 |
| LSRT015060XW | 60 | 3000 | 1 |
| LSRTTOS060XC* | 60 | 5700 | 1 |
| LSRT015070XC | 70 | 5700 | 1 |
| LSRT015070XW | 70 | 3000 | 1 |
| LSRTTOS072XC* | 72 | 5700 | 1 |

45, 60, 70 & 72 W Mounting dia: Ø53 mm

Length: 320 mm

Width: 190 mm

Height: 80 mm

*System lumen efficacy 120 Lm / W

LED street light with pressure die cast aluminium housing, top opening with separate driver compartment and toughened glass.



Street Light

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---------------|-------------|---------|----------|
| LSRT015090XC | 90 | 5700 | 1 |
| LSRT015090XW | 90 | 3000 | 1 |
| LSRTTOS090XC* | 90 | 5700 | 1 |
| LSRT015120XC | 120 | 5700 | 1 |
| LSRT015120XW | 120 | 3000 | 1 |
| LSRTTOS120XC* | 120 | 5700 | 1 |
| LSRT015150XC | 150 | 5700 | 1 |
| LSRT015150XW | 150 | 3000 | 1 |
| LSRTTOS150XC* | 150 | 5700 | 1 |
| LSRT015200XC | 200 | 5700 | 1 |
| LSRT015200XW | 200 | 3000 | 1 |
| LSRTTOS200XC* | 200 | 5700 | 1 |

90 & 120 W Mounting dia: Ø62 mm

Length: 400 mm

Width: 200 mm

Height: 108 mm

*System lumen efficacy 120 Lm / W

150 & 200 W Mounting dia: Ø62 mm

Length: 520 mm

Width: 200 mm

Height: 75 mm

IP66 rated floodlight with high pressure die cast aluminium housing, toughened glass cover and lens.



With external
SPD 10KV*

Flood Light

| Item Code | Wattage (W) | CCT (K) | Case No. |
|-------------|-------------|---------|----------|
| FLD02S400XC | 400 | 5700 | 1 |
| FLD02S400XW | 400 | 3000 | 1 |

400 W Length: 700 mm

Width: 318 mm

Height: 200 mm

Roadway Lights

IP65 rated floodlight with high pressure die cast aluminium housing and impact resistant polycarbonate lens.



Faro (Low wattage floodlight)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|--------------|-------------|---------|----------|
| LFRO01S030XC | 30 | 5700 | 1 |
| LFRO01S050XC | 50 | 5700 | 1 |

30 W Length: 198 mm
Width: 188 mm
Height: 36 mm

50 W Length: 238 mm
Width: 228 mm
Height: 36 mm

*Efficacy is ≥ 100 Lm / W

IP66 rated floodlight with high pressure die cast aluminium housing, lens and toughened glass cover offering lumen intensity >110 Lm / W.

Ledstar

| Item Code | Wattage (W) | CCT (K) | Case No. |
|-------------|-------------|---------|----------|
| LFLDLS070XC | 70 | 5700 | 1 |
| LFLDLS070XW | 70 | 3000 | 1 |
| LFLDLS100XC | 100 | 5700 | 1 |
| LFLDLS100XW | 100 | 3000 | 1 |
| LFLDLS120XC | 120 | 5700 | 1 |
| LFLDLS120XW | 120 | 3000 | 1 |
| LFLDLS150XC | 150 | 5700 | 1 |
| LFLDLS150XW | 150 | 3000 | 1 |
| LFLDLS180XC | 180 | 5700 | 1 |
| LFLDLS180XW | 180 | 3000 | 1 |
| LFLDLS200XC | 200 | 5700 | 1 |
| LFLDLS200XW | 200 | 3000 | 1 |
| LFLDLS240XC | 240 | 5700 | 1 |
| LFLDLS240XW | 240 | 3000 | 1 |
| LFLDLS300XC | 300 | 5700 | 1 |
| LFLDLS300XW | 300 | 3000 | 1 |
| LFLDLS350XC | 350 | 5700 | 1 |

70 W Length: 230 mm
Width: 195 mm
Height: 53 mm

100 & 120 W Length: 290 mm
Width: 240 mm
Height: 60 mm

150 W Length: 360 mm
Width: 295 mm
Height: 74 mm

180 & 200 W Length: 387 mm
Width: 287 mm
Height: 50 mm

240 W Length: 332 mm
Width: 245 mm
Height: 120 mm

300 W Length: 383 mm
Width: 295 mm
Height: 125 mm

350 W Length: 485 mm
Width: 350 mm
Height: 135 mm





Landscape Lighting Premium Series

Jaquar Lighting, an amalgamation of the most admired and desired lighting products, presents the most comprehensive range of high quality outdoor lighting products. Unparalleled and beyond compare, Jaquar's lighting products are carefully monitored at each and every step, right from the manufacturing process to the final delivery of the products. That is because Jaquar seeks to fulfill customer needs as well as anticipate future market needs and trends, an effort which has enabled us to achieve constant growth in an increasingly competitive market.

Content

PROJECTOR LIGHTS

| | |
|-----------|-----|
| Lyras 65 | 246 |
| Lyras 160 | 246 |

GROUND BURIAL LIGHTS

| | |
|----------|-----|
| Mira 65 | 250 |
| Mira 65 | 251 |
| Mira 65 | 251 |
| Mira 65 | 251 |
| Mira 65 | 252 |
| Mira 150 | 252 |
| Mira 220 | 252 |

GATE TOP LIGHTS

| | |
|-----------|-----|
| Morphis | 256 |
| Monaco | 256 |
| Romantica | 257 |
| Neway | 257 |
| Firenze | 257 |

BOLLARD LIGHTS

| | |
|-----------|-----|
| Monaco | 260 |
| Romantica | 260 |
| Morphis | 261 |
| Neway | 261 |
| Orion | 262 |
| Kubs | 262 |
| Titano | 262 |

WALL LIGHTS

| | |
|-------------|-----|
| Pisa | 266 |
| Sirio | 267 |
| Firenze | 267 |
| Morphis | 267 |
| Neway | 267 |
| Kubs | 268 |
| Brick Light | 268 |
| Mira 65 | 268 |
| Dolby 2 | 269 |
| Cervinia | 269 |
| Lyras 130 | 269 |
| Acqua | 269 |

POLE LIGHTS

| | |
|-----------|-----|
| Monaco | 272 |
| Romantica | 272 |
| Morphis | 273 |
| Morphis | 273 |






Projector Lights

APPLICATIONS:

- Façade lighting
- Accent lighting
- Atriums and columns
- Architectural lighting
- Varied beam angle applications



Lyras 65

Features



Decorative fixture (3000 K)
Transparent glass diffuser
30° Narrow beam
IP67
IK08

Product Code

4699LL5H.BRZ

Wattage

5 W LED



Lyras 160

Features

Decorative fixture
Die cast aluminium housing
Transparent glass diffuser
Grey colour
60° beam angle
IP67

Product Code

4641LL10H.NHG
4641LL20H.NHG

Wattage

10 W / 20 W LED






Ground Burial Lights

APPLICATIONS:

- Outdoor façade lighting
- Landscape lighting
- Accent lighting



Mira 65

Features

- Decorative fixture (3000K)
- Extruded anodized aluminium housing
- Transparent glass diffuser
- 30° beam angle
- IP67
- IK08

Product Code

5351LL5H.INX

Wattage

5 W LED

Mira 65

Features



Decorative fixture (3000K)
Extruded anodized aluminium housing
Glass diffuser
30° beam angle
IP67
IK08

Product Code

5383LL5H.INX

Wattage

5 W LED



Mira 65

Features

Decorative fixture
Extruded anodized aluminium housing
Glass diffuser
IP67
IK08

Product Code

5382LL5H.INX

Wattage

5 W LED

Mira 65

Features


Decorative fixture
Extruded anodized aluminium housing
Glass diffuser
IP67
IK08


Product Code

5385LL5H.INX

Wattage

5 W LED





Mira 65

Features

Decorative fixture
Extruded anodized aluminium housing
Glass diffuser
IP67
IK08

Product Code

5386LL5H.INX

Wattage

5 W LED

Mira 150

Features



Decorative fixture (3000K)
Die cast aluminium housing
Stainless steel AISI 316L frame
Transparent glass diffuser
45° beam angle
IP67
IK10

Product Code

5121LL9H.INX

Wattage

12 W LED



Mira 220

Features

Decorative fixture (3000K)
Die cast aluminium housing
Stainless steel AISI 316L frame
Transparent glass diffuser
60° beam angle
IP67
IK10

Product Code

5521LL20H.INX

5521LL30H.INX

Wattage

20 W / 30 W LED






Gate Top Lights

APPLICATIONS:

- Bungalows
- Villas
- Pavement lighting
- Landscape lighting



Morphis

Features


Decorative fixture (3000K)
Die cast aluminium housing
Transparent glass diffuser
Grey colour
IP65

Product Code

177.33L24H.NHG
177.33.NHG

Base Cap / Wattage

E27 / 24 W LED



Monaco

Features

Decorative fixture (3000K)
Die cast aluminium housing
Transparent glass diffuser
Black colour
IP43

Product Code


340.33.NGG

Base Cap

E27



Romantica



Features

Decorative fixture (3000K)
Die cast aluminium housing
Polycarbonate frosted diffuser
Black colour
IP43

Product Code


350.33L10H.NGG

Base Cap

E27



Neway



Features

Decorative fixture (3000K)
Die cast aluminium housing
Polycarbonate diffuser
Grey colour
IP65

Product Code


405.03L10H.NHG

Wattage

10 W LED



Firenze



Features

Decorative fixture
Die cast aluminium housing
Glass diffuser
Black colour
IP43

Product Code

330.33.NGG

Base Cap


E27



Bollard Lights

APPLICATIONS:

- Landscape lighting
- Parks
- Lawns
- Colony streets
- Pathways
- Banquet Halls



Monaco

Features


Decorative fixture
Die cast aluminium housing
Glass diffuser
Black colour
IP43

Product Code

340.44.NGG

Base Cap

E27



Romantica

Features


Decorative fixture
Die cast aluminium housing
Polycarbonate frosted diffuser
Black colour
IP43

Product Code

350.44L10H.NGG

Wattage

10 W LED



Morphis

Features


Decorative fixture (3000K)
Die cast aluminium housing
Transparent diffuser
Grey colour
IP65

Product Code

177.095L24H.NHG

Wattage

24 W LED



Neway

Features

Decorative fixture (3000K)
Die cast aluminium housing
Polycarbonate diffuser
Grey colour / wood finish
IP65

Product Code


405.075L10H.NHG

405.K075L10H.NHG

Wattage

10 W LED

Bollard Lights



Features

Decorative fixture
Die cast aluminium housing
Glass diffuser
Black colour
IP44

Product Code

400.075.NHG

Base Cap

E27

Orion



Features

Decorative fixture (3000K)
Die cast aluminium housing
Transparent diffuser
Grey colour
IP65

Product Code

404.070L8X1H.NHG

404.070L4X2H.NHG

Wattage

8 / 2 x 4 W LED



Kubs




404.070L8X1H.NHG



404.070L4X2H.NHG



Titano



Features

Decorative fixture
Die cast extruded aluminium housing
Polycarbonate transparent diffuser
Grey colour / wood colour
IP65

Product Code


824.075L10H.NHG

824.K075L10H.NHG

Wattage

10 W LED






Wall Lights

APPLICATIONS:

- Residential
- Offices
- Hotels
- Banquet Halls
- Malls



Pisa

Features


Decorative fixture
Die cast aluminium housing
Glass diffuser
Black colour
IP43

Product Code

300.00.NGG

Base Cap

E27



Sirio

Features

Decorative fixture
Die cast aluminium housing
Opal polycarbonate diffuser
White / black colour
IP43

Product Code

150.01.BGG
150.01.NGG

Base Cap

E27



Morphis

Features




Decorative fixture (3000K)
Die cast aluminium housing
Transparent diffuser
Grey colour
IP65

Product Code

175L12H.NHG

Wattage

12 W LED



Firenze

Features

Decorative fixture
Die cast aluminium housing
Glass diffuser
Black colour
IP43

Product Code

330.00.NGG

Base Cap

E27



Neway

Features


Decorative fixture
Die cast aluminium housing
Polycarbonate diffuser
Grey colour
IP44



Product Code

405.NHG

Base Cap

E27





Narrow Beam 10°
404LS4X2H.NHG

Beam Angle 45°
404LL4X2H.NHG

Narrow Beam 10°
+ Wide Beam 45°
404LMA4X2H.NHG

Kubs

Features

Decorative fixture (3000K)
Die cast aluminium housing
Transparent diffuser
Grey colour
Narrow beam 10° (up and down)
Wide beam 45° (up and down)
Narrow beam 10° + wide beam 45° (up and down)
IP65

Product Code

404LS4X2H.NHG
404LL4X2H.NHG
404LMA4X2H.NHG

Wattage

2 x 4 W LED

Brick Light

Features



Decorative fixture (3000K)
Recess mounted
Die cast aluminium housing
Polycarbonate diffuser
Grey colour
IP54

Product Code

410L6HM.NGG
4100M.NGG

Base Cap / Wattage

E27 / 6 W



Mira 65

Features

Decorative fixture (3000K)
Recess mounted extruded
anodized aluminium housing
Opal glass diffuser
IP66
IK08


Product Code

4183LL5H.BRZ

Wattage

5 W LED

Wall Lights



Dolby 2

Features


Decorative fixture (3000K)
Die cast aluminium housing
Transparent diffuser
Grey colour
45° beam angle /
45° beam angle + 45° beam angle
(up and down light)
IP65

Product Code

457LL12X1H.NHG
457LL18X2H.NHG

Wattage

12 / 18 W LED



45° beam angle
457LL12X1H.NHG



45° beam angle
457LL18X2H.NHG



40° beam angle
465LL5X1H.NHG





40° beam angle
465LL5X2H.NHG



45° beam angle
460LL9X1H.NHG



45° beam angle
460LL9X2H.NHG



Lyras 130

Features


Decorative fixture (3000K)
Die cast aluminium housing
Transparent diffuser
Grey colour
40° medium beam angle /
40° medium beam angle (up and down light)
45° medium beam angle /
45° medium beam angle (up and down light)
IP66

Product Code

465LL5X1H.NHG / 465LL5X2H.NHG
460LL9X1H.NHG / 460LL9X2H.NHG

Wattage

1 x 5 / 2 x 5 / 1 x 12 / 2 x 12 W LED



Cervinia

Features

Decorative fixture
Die cast aluminium housing
Opal polycarbonate diffuser
Grey colour
Auto sensor with a range of
1-8 meter (adjustable)
IK07
IP54

Product Code


9008L12H.NHG
9008L12HSEN.NHG

Base Cap

E27



sensor



Acqua

Features

Decorative fixture
Stainless steel AISI 316L housing
Opal polycarbonate diffuser
Auto sensor with a range of
1-8 meter (adjustable)
IK07
IP54

Product Code

9100SEN.INX

Base Cap


E27



Pole Lights

APPLICATIONS:

- Landscape lighting
- Parks
- Lawns
- Colony streets
- Pathways
- Banquet Halls



Monaco

Features


Decorative fixture
Die cast aluminium housing
Glass diffuser
IP43

Product Code

340.PE8.NGG

Base Cap / Wattage

20 W LED



Romantica

Features


Decorative fixture (3000K)
Die cast aluminium housing
Glass diffuser
IP43

Product Code

350.PE8L10H.NGG

Wattage

10 W LED



Morphis

Features


Decorative fixture
Die cast aluminium housing
Glass diffuser
IP65

Product Code

177.300L24H.NHG - 24 W
177.300.NHG - E27 Cap

Wattage

24 W LED



Morphis

Features

Decorative fixture (3000K)
Die cast aluminium housing
Glass diffuser
IP65

Product Code

178L24H.P1.NHG

Wattage

24 W LED



Landscape Lighting Choice Series

Choose the best of Choice Landscape Lighting products for your spaces. Affordable yet classy, the Jaquar Choice Series offers a wide range of Projector Lights, Ground Burials, Gate Tops, Bollards, and Wall Lights to light up your spaces. Carefully crafted to perfection to illuminate your spaces, the Choice Landscape Lighting products are unparalleled and beyond comparison.

Content

PROJECTOR LIGHTS

| | |
|----------|-----|
| Luminz | 278 |
| Electra | 278 |
| Sparklz | 279 |
| Splash | 279 |
| Illumine | 280 |
| Rigel | 280 |
| Ossum | 281 |
| Garnet | 281 |

GROUND BURIAL LIGHTS

| | |
|---------|-----|
| Castor | 284 |
| Hydrus | 284 |
| Polaris | 285 |
| Ikon | 285 |

GATE TOP LIGHTS

| | |
|---------------|-----|
| Capella | 288 |
| Orbiss | 288 |
| Irena | 289 |
| Reneva | 289 |
| Avior | 290 |
| Turais | 290 |
| Lex | 291 |
| Vimio | 291 |
| Navis | 292 |
| Sentinel | 292 |
| Ring Post Top | 293 |

BOLLARD LIGHTS

| | |
|------------------|-----|
| Illumitz | 296 |
| Miram | 297 |
| Visio | 298 |
| Cone Bollard | 298 |
| Cylinder Bollard | 299 |
| Disc Bollard | 299 |
| Orbarix | 300 |
| Elumx | 300 |

WALL LIGHTS

| | |
|------------|-----|
| Brightex | 304 |
| Breva | 304 |
| Lupus | 305 |
| Carina | 305 |
| Xcellent | 305 |
| Octan | 306 |
| Alfie | 306 |
| Preston | 307 |
| Woody | 307 |
| Lima | 307 |
| Luke | 308 |
| Cooper | 308 |
| Casper | 308 |
| Kira | 309 |
| Foot Light | 309 |
| Robo Light | 309 |






Projector Lights

APPLICATIONS:

- Façade lighting
- Accent lighting
- Atriums and columns
- Architectural lighting
- Varied beam angle applications



Luminz

Features


Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP65

Product Code

LSPK03R104XW

Wattage

4 x 1 W LED



Electra

Features


Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP65

Product Code

LSPK04R108XW

Wattage

1 x 8 W COB LED



Sparklz

Features


Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP65

Product Code

LSPK04R112XW

Wattage

1 x 12 W COB LED



Splash

Features


Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

LSPK05R112SW

Wattage

1 x 12 W COB LED



Illumine

Features


Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

LSPK05R112XW

Wattage

1 x 12 W COB LED



Rigel

Features


Die cast aluminium housing
Clear glass diffuser
90 V - 260 V AC
Warm white
IP65

Product Code

LSPK06R103SW

Wattage

1 x 3 W LED



Ossum

Features

304 stainless steel housing
Tempered glass diffuser
12 V AC
Warm white
IP68


Product Code

LSPK68R103SW

Wattage

3 x 1 W LED

Note: Product has to be used with 12 V AC power supply at the site, not to be used under water



Garnet

Features

304 stainless steel housing
Tempered glass diffuser
12 V AC
Warm white
IP68

Product Code

LSPK68R108SW

Wattage

8 x 1 W LED


Note: Product has to be used with 12 V AC power supply at the site, not to be used under water



Ground Burial Lights

APPLICATIONS:

- Outdoor façade lighting
- Landscape lighting
- Accent lighting



Castor

Features


304 stainless steel ring
Transparent tempered glass diffuser
Stainless steel finish
90 V - 260 V AC
Warm white
IP67

Product Code

LGBL04R301XW

Wattage

3 x 1 W LED



Hydrus

Features


Die cast aluminium housing
304 stainless steel ring
Transparent tempered glass diffuser
90 V - 260 V AC
Warm white
IP67

Product Code

LGBL06R601XW

Wattage

6 x 1 W LED



Polaris

Features


Die cast aluminium housing
304 stainless steel ring
Transparent tempered glass diffuser
Stainless steel finish
90 V - 260 V AC
Warm white
IP67

Product Code

LGBL05R101XW

Wattage

10 x 1 W LED



Ikon

Features

Die cast aluminium housing
304 stainless steel ring
Transparent tempered glass diffuser
90 V - 260 V AC
Warm white
IP67

Product Code

LGBL07R181XW

Wattage

18 x 1 W LED



Gate Top Lights

APPLICATIONS:

- Bungalows
- Villas
- Pavement lighting
- Landscape lighting

Capella

Features


Die cast aluminium housing
Clear polycarbonate diffuser
Matt grey finish
140 V - 270 V AC
Warm white
IP66

Product Code

LGTP03X012XW

Wattage

1 x 12 W COB LED



Orbiss

Features


Die cast aluminium housing
Frosted polycarbonate diffuser
Matt grey finish
140 V - 270 V AC
Warm white
IP66


Product Code

LGTP01X012XW

Wattage

1 x 12 W





Irena

Features


Die cast aluminium housing
Opal polycarbonate diffuser
Matt grey finish
140 V - 270 V AC
Warm white
IP66

Product Code

LGTP02X006XW

Wattage

1 x 6 W LED



Reneva

Features

MS housing with PU paint
Top canopy made of spun aluminium
140 V - 270 V AC
IP65
IK10

Product Code

LGTP01X030XW

Wattage

30 W LED COB

Avior

Features


Die cast aluminium housing
Heat resistant toughened bell shaped acrylic diffuser
MS housing with PU paint
Top canopy made of spun aluminium
140 V - 270 V AC
IP65

Product Code

LGTP04X028XW

Wattage

28 W LED



Turais

Features

Die cast aluminium housing
Heat resistant toughened glass
(clear diffuser)
140 V - 270 V AC
IP65

Product Code

LGTP02X030XW

Wattage

30 W mid power LED



Lex

Features

Heavy spun aluminium housing
PU paint
Heavy duty heat resistance /
toughened acrylic diffuser
140 V - 270 V AC
IP65

Product Code

LWLL01X045XW

Wattage

45 W LED



Vimio

Features

Die cast aluminium housing
Heat resistant toughened glass diffuser
140 V - 270 V AC
IP65

Product Code

LGTP05X030XW

Wattage

30 W LED

Navis

Features



Die cast aluminium housing
Polycarbonate diffuser
Powder coated
IP65

Product Code

LGTP06R040XC
LGTP06R040XN
LGTP06R040XW

Wattage

40 W LED



Sentinel

Features


Die cast aluminium housing
Polycarbonate diffuser
Powder coated
IP65

Product Code

LGTP08X060XC / LGTP08X060XW
LGTP08X120XC / LGTP08X120XW
LGTP08X150XC / LGTP08X150XW

Wattage

60 W LED
120 W LED
150 W LED



Ring Post Top

Features

Die cast aluminium housing
Polycarbonate diffuser
Powder coated
IP65

Product Code

LGTP07X040XW
LGTP07X060XW

Wattage


40 W LED
60 W LED



Bollard Lights

APPLICATIONS:

- Landscape lighting
- Parks
- Lawns
- Colony streets
- Pathways
- Banquet Halls



Illumitz

Features


Die cast aluminium housing
Frosted polycarbonate diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP65

Product Code

LBLD03R108XW

Wattage

16 x 0.5 W LED



Miram

Features


Die cast aluminium housing
Opal white polycarbonate diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

LBLD01R305XW

Wattage

3 x 10 x 0.5 W LED



Visio

Features


Die cast aluminium housing
Tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

LBLD06R108XW

Wattage

8 W COB LED



Cone Bollard

Features


Die cast aluminium housing
Opal diffuser with in-built LED
140 V - 270 V AC
IP65

Product Code

LBLDCON010XW

Wattage

10 W LED



Cylinder Bollard

Features


Die cast aluminium housing
Opal diffuser with in-built LED
140 V - 270 V AC
IP65

Product Code

LBLDCYL010XW

Wattage

10 W LED



Disc Bollard

Features

Die cast aluminium housing
Opal diffuser with in-built LED
140 V - 270 V AC
IP65

Product Code

LBLDDSC010XW

Wattage

10 W LED



Orbarix

Features


Die cast aluminium housing
Tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

LBLD02R108XW

Wattage

8 W COB LED



Elumx

Features

Die cast aluminium housing
Opal white polycarbonate diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

LBLD05R601XW

Wattage

6 W LED





Wall Lights

APPLICATIONS:

- Residential
- Offices
- Hotels
- Banquet Halls
- Malls

Brightex

Features



Die cast aluminium housing
Transparent tempered glass diffuser
Grey finish
90 V - 260 V AC
Up and down light
Warm white
IP54

Product Code

LWWL01X208XW

Wattage

2 x 8 W COB LED



Brevia

Features



Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

LWWL01X108XW

Wattage

1 x 8 W COB LED



Lupus

Features

Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Up and down light
Warm white
IP54

Product Code

LWWL03X203XW

Wattage

2 x 3 W COB LED

Carina

Features



Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

LWWL03X103XW

Wattage

1 x 3 W COB LED



Xcellent

Features


Die cast aluminium housing
Opal polycarbonate diffuser
Matt grey finish
90 V - 260 V AC
Up and down light
Warm white
IP54

Product Code

LWWL02R206XW

Wattage

2 x 6 W COB LED



Octan

Features

Die cast aluminium housing
Opal polycarbonate diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

LWWL02R108XW

Wattage

1 x 8 W COB LED

Alfie

Features


Die cast aluminium housing
SUS304 ring
Frosted polycarbonate diffuser
Anti-glare
90 V - 260 V AC
Warm white
IP65


Product Code

LBRK01S105XW

Wattage

10 x 0.5 W LED





Preston

Features

Die cast aluminium housing
Tempered glass diffuser
Grey finish
90 V - 260 V AC
Up and down light
Warm white
IP54

Product Code

LWWL02X203XW

Wattage

2 x 3 W LED

Woody

Features




Die cast aluminium housing
Opal white polycarbonate diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

LWLL01X108XW

Wattage

1 x 8 W COB LED



Lima

Features


Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
170 V-260 V AC
Warm white
Wall washer light
IP54

Product Code

LWWL03X012XW

Wattage

1 x 12 W COB LED



Luke

Features

Die cast aluminium housing
Opal white polycarbonate diffuser
90 V - 260 V AC
Warm white
IP54

Product Code

LBRK02S105XW

Wattage

10 x 0.5 W LED

Cooper

Features


Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Up and down light
Warm white
IP54

Product Code

LWWL04X206XW

Wattage

2 x 6 W COB LED



Casper

Features


Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54


Product Code

LCEL02R112XW

Wattage

1 x 12 W COB LED





Kira

Features

Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
Wall washer light
IP54

Product Code

LWWL04X012XW

Wattage

1 x 12 W COB LED

Foot Light

Features

Die cast aluminium housing
Polycarbonate diffuser
White and grey finish
150 V - 300 V AC
IP54

Product Code



LFTL01S003XW*

LFTLW1S003XW#

Wattage

3 W LED

*Grey housing | #White housing



Robo Light

Features


Die cast aluminium housing
Black powder coated
Warm white
140V - 270 V AC
IP54

Product Code

LWWL05S401XW

Wattage

4x1 W



Smart Lights

The world of devices is getting smarter and so are Jaquar Lighting products.

For your daily lighting requirements, our in-house R&D has come up with several next generation products.

From a bulb which can be operated using Bluetooth and Wi-Fi, to an emergency bulb with in-built battery to stay lit during power cuts, and motion-sensing battens, downlights and panels which get switched on automatically as you approach.

All these products are designed to need minimal human touch to allow better hygiene, as well as provide ease of operation and save time, effort and energy.

Content

SMART LIGHTS

| | |
|------------------------------|-----|
| Smart Pole | 312 |
| Vivid (Bluetooth) & (Wi-Fi) | 313 |
| Strella Tri-color | 314 |
| Strella Smart | 315 |
| Kubik Smart | 315 |
| Starlite Alike (with remote) | 316 |
| Starlite | 316 |
| UV Lamp | 317 |





FUTURE PRODUCT

Smart Pole

Next generation street light LED pole with multiple applications, like:











- HI-DEF 360° camera for surveillance
- LED display board for traffic alert, public announcement, weather report and general advertising
- Electric vehicle charger
- Fully customized wi-fi
- Weather station, which can measure air temperature, noise, air humidity, pressure, wind speed and direction



VIVID



Bluetooth & Wi-fi Enabled
(Supported Devices: Android & iOS)

-  Single app can control 200 bulbs within Wi-Fi/ bluetooth range
-  Compatible with bluetooth version 4.0 and above
-  Can smoothly work up to 10 meter
-  3 million+ color options
-  Brightness adjustable from 100% to 0%
-  Create different groups to work together
-  Wireless Connection through Wi-Fi
-  Wi-Fi products compatible with Amazon Alexa/ Google Home
-  Suitable for decorative purposes
-  High efficiency


Vivid (Bluetooth) & (Wi-Fi)

| Product Code | Power (W) | Color | Dimension in MM (DXH) |
|--------------|-----------|----------|-----------------------|
| LWD07B22RGB | 7 W | RGB / CW | Φ 65 x 126 |
| LVDWF07B2RGB | 7 W | RGB / CW | Φ 65 x 120 |

Technical & Commercial Data:

- Input voltage range: 100 - 300 V AC
- Luminous efficacy: >80 Lm/W @6500K
- Power factor: >0.95
- Housing materials: Thermally conductive polycarbonate





Strella Tri-color

| Item Code | Wattage (W) | CCT (K) | Cutout Dimension in MM (MM) | |
|--------------|-------------|------------|-----------------------------|------------|
| LSTA3IN1R15X | 15 | CW/ NW/ WW | Φ 155 | Φ 162 x 35 |



Long life



CRI > 80



Beam angle
> 120°



*3-in-1
color option
CW-NW-WW

Technical & Commercial Data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm/W @6500K
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate

Light turns on
in presence
of motion and
will turn off
after 2 minutes
if there is
no motion



Strella

SMART SQUARE / ROUND

Motion sensor based downlights

| Item Code | Wattage (W) | CCT (K) | Cutout (MM) | Dimension in MM (LXWXH / DXH) |
|--------------|-------------|---------|-------------|-------------------------------|
| LSTS01S008XC | 8 | CW | 105 x 105 | 116 x 116 x 35 |
| LSTS01S015XC | 15 | CW | 155 x 155 | 162 x 162 x 35 |
| LSTS01S022XC | 22 | CW | 205 x 205 | 220 x 220 x 35 |
| LSTS01S015XW | 15 | WW | 155 x 155 | 162 x 162 x 35 |
| LSTS01S022XW | 22 | WW | 205 x 205 | 220 x 220 x 35 |
| LSTS01R008XC | 8 | CW | Φ 105 | 116 x 35 |
| LSTS01R015XC | 15 | CW | Φ 155 | 165 x 35 |
| LSTS01R022XC | 22 | CW | Φ 205 | 220 x 35 |
| LSTS01R008XW | 8 | WW | Φ 105 | 116 x 35 |
| LSTS01R015XW | 15 | WW | Φ 155 | 165 x 35 |
| LSTS01R022XW | 22 | WW | Φ 205 | 220 x 35 |



Long life



CRI>80



Beam angle
>120°

Technical Data:

- Input voltage range: 110 - 300 V AC
- Luminous efficacy: >80 Lm/W for 8 W
>90 Lm/W for 15 W & 22 W
- Power factor: >0.95
- Sensor coverage range: 5-7 meters
- Mounting height: Maximum up to 5 meter
- Housing materials: Thermally conductive polycarbonate



Kubik

SMART

Motion sensor based battens

| Item Code | Wattage (W) | CCT (K) | Dimension in MM (LXWXH) |
|--------------|-------------|---------|-------------------------|
| LKBS01S020XC | 20 | CW | 1135 x 22 x 37 |



Long life



CRI>80



Beam angle
>120°

Technical Data:

- Input voltage range: 100 - 300 V AC
- Luminous efficacy: >100 Lm/W
- Power factor: >0.95
- Sensor coverage range: 5-7 Metrs
- Mounting height: Maximum up to 5 meter
- Housing materials: Thermally conductive polycarbonate





Starlite Alike (with remote)

SMART

Remote control operated batten with tunable colors & dimming

| Item Code | Wattage (W) | CCT (K) | Dimension in MM (LXWXH) |
|---------------|-------------|------------|-------------------------|
| LSRA01S020DM* | 20 | CW/ NW/ WW | 1170 x 20 x 40 |



Long life



CRI > 80



Beam angle > 120°



*3-in-1 color option
CW-NW-WW

BENEFITS:

- 80% energy saving
- Compact and sleek design
- 2000 Lm lumen output
- Single batten with tunable colors & dimming

*Single Remote can control 30 battens

Technical & Commercial Data:

- Input voltage range: 100 - 300 V AC
- Luminous efficacy: >100 Lm/W @6500K
- Power factor: >0.95
- Housing materials: Thermally conductive polycarbonate



*Remote control operation



*Dimmable (100% - 20%)

Starlite

SMART

Single batten with tunable colours

| Item Code | Wattage (W) | CCT (K) | Dimension in MM (LXWXH) |
|-------------|-------------|------------|-------------------------|
| LSRE01S020X | 20 | CW/ NW/ WW | 1170 x 20 x 40 |



Long life



CRI > 80



Beam angle > 120°



*3-in-1 color option
CW-NW-WW

Changing tri-color from CW to NW to WW in manual switching

Technical & Commercial Data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm/W
- Power factor: >0.95
- Housing materials: Thermally conductive polycarbonate





UVL

(Ultra Violet Light)

The light that disinfects

UV Light with anti-microbial properties that can kill up to 99.9% bacteria and viruses in the air as well as on surfaces.

UV Lamp


| Product Code | Wattage (W) |
|--------------|-------------|
| LUVL01TL040X | 40 |

USP:

- Life detection- safely suspends operation on detection of living beings
- Wireless remote control
- Long service life
- Total safety and comfort with intelligent controls
- Suitable for green field applications
- Easy integration with specialised controls
- Impeccable design
- Emanates a distinct, unique smell to indicate that disinfection is in process

Precaution: Take everyone, including pets, outside the room while the disinfection process goes on as UV light is harmful for skin and eyes.





Consumer Lights

Reflect your story to the world and let your spaces shine at its best with the right lighting solutions from Jaquar Lighting.

Choose from an array of options in varied sizes, shapes, and budgets, and enhance the indoor and outdoor spaces that will uplift the ambience invariably.

Our range of lighting includes: Smart Lights

- Downlights
- Spot Lights
- Battens
- Lamps
- Strip Lights
- Street Lights

BENEFITS:



ENERGY SAVINGS
UP TO 90 %



LONG LIFE



NO UV / IR
RADIATION



SLEEK AND COMPACT
DESIGN



GREEN LIGHTING
SOLUTIONS



MAINTENANCE-
FREE



UNIFORM
ILLUMINATION



GLARE-FREE
LIGHTING

Content

DOWNLIGHTS

| | |
|---------------------|-----|
| Skylite | 322 |
| Lumax Plus | 322 |
| Strella HD | 323 |
| Strella Accessories | 323 |
| Volga Prime Smart | 324 |
| Scintilio | 324 |
| Pearl Plus | 325 |
| Striker | 325 |
| Eris Surface Round | 326 |
| Microwave Sensor | 326 |
| Lucent | 327 |
| Gem Surface | 327 |

SPOTLIGHTS

| | |
|--------------|-----|
| Gem Plus | 330 |
| Jasper Prime | 330 |

BATTERNS

| | |
|----------------|-----|
| Kubik Ultra | 334 |
| Kubik Plus | 334 |
| Kriza Inverter | 335 |

LAMPS

| | |
|----------------------|-----|
| Kriza Emergency Bulb | 338 |
| Illuminator | 338 |
| Spark HD | 338 |
| Prima HD | 339 |
| Night Lamps (0.5 W) | 339 |

STRIP LIGHTS

| | |
|--------------|-----|
| Janus | 342 |
| Strip Driver | 342 |
| Rope Light | 342 |

STREET LIGHTS

| | |
|-----------------|-----|
| Hummer | 346 |
| Kriza Emergency | 346 |
| PCR | 346 |
| Street Light | 347 |

FLOOD LIGHTS

| | |
|------------------|-----|
| Faro Flood Light | 350 |
|------------------|-----|





Downlights

Create an enchanting ambience with Jaquar's high-performance LED downlights in different wattages. Not only these downlights uplift the entire mood & the ambience of the place, but they also make a great addition to your entire home décor.

- Recessed Downlights
- Surface Mounted Downlights
- Fixed Downlights
- Trimless Downlights
- Round Downlights
- Square Downlights

APPLICATIONS



Living rooms



Kitchens




Lobbies



Staircases



Corridors



Skylite

| Item Code | Wattage (W) | CCT (K) | Dimension in MM (L X W X H) |
|--------------|-------------|---------|-----------------------------|
| LSKL01S036XC | 36 | CW | 595 x 595 x 36 |
| LSKL01S036XN | 36 | NW | 595 x 595 x 36 |
| LSKL01S036XW | 36 | WW | 595 x 595 x 36 |



Long life



CRI > 80



Beam angle > 120°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >105 Lm/W
- Power factor: >0.95
- Housing material: CRCA



Lumax Plus

| Item Code | Wattage (W) | CCT (K) | Cutout (MM) | Dimension in MM (L X W X H / DXH) |
|--------------|-------------|---------|-------------|-----------------------------------|
| LLMP01S003XC | 3 | CW | 74 x 74 | 85 x 85 x 20 |
| LLMP01S003XN | 3 | NW | 74 x 74 | 85 x 85 x 20 |
| LLMP01S003XW | 3 | WW | 74 x 74 | 85 x 85 x 20 |
| LLMP01S006XC | 6 | CW | 105 x 105 | 121 x 121 x 20 |
| LLMP01S006XN | 6 | NW | 105 x 105 | 121 x 121 x 20 |
| LLMP01S006XW | 6 | WW | 105 x 105 | 121 x 121 x 20 |
| LLMP01S012XC | 12 | CW | 155 x 155 | 171 x 171 x 20 |
| LLMP01S012XN | 12 | NW | 155 x 155 | 171 x 171 x 20 |
| LLMP01S012XW | 12 | WW | 155 x 155 | 171 x 171 x 20 |
| LLMP01S015XC | 15 | CW | 155 x 155 | 171 x 171 x 20 |
| LLMP01S015XN | 15 | NW | 155 x 155 | 171 x 171 x 20 |
| LLMP01S015XW | 15 | WW | 155 x 155 | 171 x 171 x 20 |
| LLMP01S018XC | 18 | CW | 175 x 175 | 190 x 190 x 20 |
| LLMP01S018XN | 18 | NW | 175 x 175 | 190 x 190 x 20 |
| LLMP01S018XW | 18 | WW | 175 x 175 | 190 x 190 x 20 |
| LLMP01S022XC | 22 | CW | 206 x 206 | 225 x 225 x 20 |
| LLMP01S022XN | 22 | NW | 206 x 206 | 225 x 225 x 20 |
| LLMP01S022XW | 22 | WW | 206 x 206 | 225 x 225 x 20 |



Long life



CRI > 75



Beam angle > 120°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >75 Lm/W
- Power factor: >0.95
- Housing material: Die cast aluminium



Long life



CRI>80


Beam angle
>120°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >90 Lm/W
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate

Strella HD

| Item Code | Wattage (W) | CCT (K) | Cutout (MM) | Dimension in MM (L X W X H / DXH) |
|--------------|-------------|---------|-------------|-----------------------------------|
| LSTA4KVR05XC | 5 | CW | Ø 70 | Ø 80 x 35 |
| LSTA4KVR05XN | 5 | NW | Ø 70 | Ø 80 x 35 |
| LSTA4KVR05XW | 5 | WW | Ø 70 | Ø 80 x 35 |
| LSTA4KVS08XC | 8 | CW | 105 x 105 | 116 x 116 x 35 |
| LSTA4KVS08XN | 8 | NW | 105 x 105 | 116 x 116 x 35 |
| LSTA4KVS08XW | 8 | WW | 105 x 105 | 116 x 116 x 35 |
| LSTA4KVR08XC | 8 | CW | Ø 105 | Ø 116 x 35 |
| LSTA4KVR08XN | 8 | NW | Ø 105 | Ø 116 x 35 |
| LSTA4KVR08XN | 8 | WW | Ø 105 | Ø 116 x 35 |
| LSTA4KVS12XC | 12 | CW | 125 x 125 | 132 x 132 x 35 |
| LSTA4KVS12XN | 12 | NW | 125 x 125 | 132 x 132 x 35 |
| LSTA4KVS12XW | 12 | WW | 125 x 125 | 132 x 132 x 35 |
| LSTA4KVR12XC | 12 | CW | Ø 155 | Ø 162 x 35 |
| LSTA4KVR12XN | 12 | NW | Ø 155 | Ø 162 x 35 |
| LSTA4KVR12XW | 12 | WW | Ø 155 | Ø 162 x 35 |
| LSTA01S015XC | 15 | CW | 155 x 155 | 162 x 162 x 35 |
| LSTA01S015XN | 15 | NW | 155 x 155 | 162 x 162 x 35 |
| LSTA01S015XW | 15 | WW | 155 x 155 | 162 x 162 x 35 |
| LSTA01R015XC | 15 | CW | Ø 155 | Ø 162 x 35 |
| LSTA01R015XN | 15 | NW | Ø 155 | Ø 162 x 35 |
| LSTA01R015XW | 15 | WW | Ø 155 | Ø 162 x 35 |
| LSTA01S022XC | 22 | CW | 205 x 205 | 220 x 220 x 35 |
| LSTA01S022XN | 22 | NW | 205 x 205 | 220 x 220 x 35 |
| LSTA01S022XW | 22 | WW | 205 x 205 | 220 x 220 x 35 |
| LSTA01R022XC | 22 | CW | Ø 205 | Ø 220 x 35 |
| LSTA01R022XN | 22 | NW | Ø 205 | Ø 220 x 35 |
| LSTA01R022XW | 22 | WW | Ø 205 | Ø 220 x 35 |



Strella Accessories

| Item Code | Wattage (W) | Dimension in MM (L X W X H / DXH) |
|--------------|-------------|-----------------------------------|
| LSTA01SMS008 | 8 | 105 x 105 |
| LSTA01SMR008 | 8 | Ø 105 |
| LSTA01SMS015 | 15 | 155 x 155 |
| LSTA01SMR015 | 15 | Ø 155 |
| LSTA01SMS022 | 22 | 205 x 205 |
| LSTA01SMR022 | 22 | Ø 205 |



Long life



CRI>80



Beam angle
>120°

Technical data:

- Input voltage range: 220 V - 240 V AC
- Luminous efficacy: 55 Lm/W
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate
- Dazzle free soft light & no dark patches
- IP65- Protected against dust & splashing water
- PC diffuser - Uniform distribution of light



Volga Prime Smart

| Item Code | Wattage (W) | CCT (K) | Dimension in MM (DXH) |
|--------------|-------------|---------|-----------------------|
| LVOLPS2R18SC | 18 | CW | 280 x 70 |
| LVOLPS2R18SN | 18 | NW | 280 x 70 |
| LVOLPS2R18SW | 18 | WW | 280 x 70 |



Long life



CRI>80



Beam angle
>120°

Scintilio

| Item Code | Wattage (W) | CCT (K) | Cutout (MM) | Dimension in MM (DXH) |
|--------------|-------------|---------|-------------|-----------------------|
| LSNL01S045XC | 45 | 6500 | 580 x 580 | 595 x 595 x 20 |
| LSNL01S045XN | 45 | 6500 | 580 x 580 | 595 x 595 x 20 |
| LSNL01S045XW | 45 | 6500 | 580 x 580 | 595 x 595 x 20 |

Technical data:

- Input voltage range-100-300V
- High efficacy: 100 Lm/W
- Power factor: >0.9
- PF: ≥0.95
- THD: <10%
- Housing material: CRCA white powder coated housing
- PC Lens & PS Diffuser: Uniform distribution of light

Pearl Plus



Long life



CRI > 80


Beam angle
> 120°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >70 Lm/W for 3 W, >80 Lm/W for 6 W, >90 Lm/W for 15 W
- Power factor: >0.9
- Housing material: Thermally conductive polycarbonate
- Suitable for junction box fitment

| Item Code | Wattage (W) | CCT (K) | Cutout (MM) | Dimension in MM (DXH) |
|--------------|-------------|-----------------|-------------|-----------------------|
| LPPS01R003XC | 3 | CW | Ø 45 | Ø 80 x 45 |
| LPPS01R003XN | 3 | NW | Ø 45 | Ø 80 x 45 |
| LPPS01R003XW | 3 | WW | Ø 45 | Ø 80 x 45 |
| LPPS01R003XR | 3 | RED | Ø 45 | Ø 80 x 45 |
| LPPS01R003XG | 3 | GREEN | Ø 45 | Ø 80 x 45 |
| LPPS01R003XB | 3 | BLUE | Ø 45 | Ø 80 x 45 |
| LPPS01R003XP | 3 | PINK | Ø 45 | Ø 80 x 45 |
| LPPS01R003XV | 3 | VIOLET / PURPLE | Ø 45 | Ø 80 x 45 |
| LPPS02R006XC | 6 | CW | Ø 45 | Ø 80 x 45 |
| LPPS02R006XN | 6 | NW | Ø 45 | Ø 80 x 45 |
| LPPS02R006XW | 6 | WW | Ø 45 | Ø 80 x 45 |
| LPPS02R006XR | 6 | RED | Ø 45 | Ø 80 x 45 |
| LPPS02R006XG | 6 | GREEN | Ø 45 | Ø 80 x 45 |
| LPPS02R006XB | 6 | BLUE | Ø 45 | Ø 80 x 45 |
| LPPS02R006XP | 6 | PINK | Ø 45 | Ø 80 x 45 |
| LPPS02R006XV | 6 | VIOLET / PURPLE | Ø 45 | Ø 80 x 45 |
| LPPS01R015XC | 15 | CW | Ø 45 | Ø 80 x 45 |
| LPPS01R015XN | 15 | NW | Ø 45 | Ø 140 x 65 |
| LPPS01R015XW | 15 | WW | Ø 45 | Ø 140 x 65 |
| LPPS01R015XR | 15 | RED | Ø 45 | Ø 140 x 65 |
| LPPS01R015XG | 15 | GREEN | Ø 45 | Ø 140 x 65 |
| LPPS01R015XB | 15 | BLUE | Ø 45 | Ø 140 x 65 |
| LPPS01R015XP | 15 | PINK | Ø 45 | Ø 140 x 65 |
| LPPS01R015XV | 15 | VIOLET / PURPLE | Ø 45 | Ø 140 x 65 |



Striker



Long life



CRI > 80


Beam angle
> 120°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >75 Lm/W
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate with aluminium heat sink
- Suitable for junction box fitment

| Item Code | Wattage (W) | CCT (K) | Cutout (MM) | Dimension in MM (DXH) |
|--------------|-------------|-----------------|-------------|-----------------------|
| LSTK01R006XC | 6 | CW | Ø 83 | Ø 108 x 62 |
| LSTK01R006XN | 6 | NW | Ø 83 | Ø 108 x 62 |
| LSTK01R006XW | 6 | WW | Ø 83 | Ø 108 x 62 |
| LSTK01R006XR | 6 | RED | Ø 83 | Ø 108 x 62 |
| LSTK01R006XG | 6 | GREEN | Ø 83 | Ø 108 x 62 |
| LSTK01R006XB | 6 | BLUE | Ø 83 | Ø 108 x 62 |
| LSTK01R006XP | 6 | PINK | Ø 83 | Ø 108 x 62 |
| LSTK01R006XV | 6 | VIOLET / PURPLE | Ø 83 | Ø 108 x 62 |



Long life



CRI > 80



Beam angle
> 24°

Technical data:

- Input voltage range: 220-240 V AC
- Luminous efficacy: > 70 Lm/W
- Power factor: > 0.90
- Housing material: Die cast aluminium housing with black powder coating

Eris Surface Round

| Item Code | Wattage (W) | CCT (K) | Cutout (MM) | Dimension in MM (DXH) |
|--------------|-------------|---------|-------------|-----------------------|
| LERSBRGR05SC | 5 | CW | 53 | 53 x 70 |
| LERSBRGR05SN | 5 | NW | 53 | 53 x 70 |
| LERSBRGR05SW | 5 | WW | 53 | 53 x 70 |
| LERSBRGR10SC | 10 | CW | 72 | 72 x 90 |
| LERSBRGR10SN | 10 | NW | 72 | 72 x 90 |
| LERSBRGR10SW | 10 | WW | 72 | 72 x 90 |
| LERSBRGR15SC | 15 | CW | 95 | 95 x 95 |
| LERSBRGR15SN | 15 | NW | 95 | 95 x 95 |
| LERSBRGR15SW | 15 | WW | 95 | 95 x 95 |

2-in-1
Microwave Sensor



Technical data:

- Input voltage: 220 to 240 V/AC
- Input frequency: 50/60 Hz.
- Wiring input: 2 Wire/single phase
- Power consumption: < 1W
- Power on delay: 0-5 sec
- Size diameter (mm): 93 mm +/- 2 mm
- Type of mounting: Surface/recessed

Microwave Sensor

| Item Code | Cutout (MM) | Dimension in MM (D) |
|--------------|-------------|---------------------|
| MOTSENMW2IN1 | Φ 85 | Φ 93 |



Long life



CRI>80


Beam angle
>120°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >70 Lm/W for 6 W, >95 Lm/W for 22 W
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate

Lucent

| Item Code | Wattage (W) | CCT (K) | Cutout (MM) | Dimension in MM (DXH) |
|--------------|-------------|---------|-------------|-----------------------|
| LLCN01R003XC | 3 | 6500 | Ø 70 | Ø 82 x 17 |
| LLCN01R003XN | 3 | 4000 | Ø 70 | Ø 82 x 17 |
| LLCN01R003XW | 3 | 3000 | Ø 70 | Ø 82 x 17 |
| LLCN01R006XC | 6 | 6500 | Ø 105 | Ø 116 x 17 |
| LLCN01R006XN | 6 | 4000 | Ø 105 | Ø 116 x 17 |
| LLCN01R006XW | 6 | 3000 | Ø 105 | Ø 116 x 17 |
| LLCN01R009XC | 9 | 6500 | Ø 105 | Ø 116 x 17 |
| LLCN01R009XN | 9 | 4000 | Ø 105 | Ø 116 x 17 |
| LLCN01R009XW | 9 | 3000 | Ø 105 | Ø 116 x 17 |
| LLCN01R012XC | 12 | 6500 | Ø 132 | Ø 144 x 17 |
| LLCN01R012XN | 12 | 4000 | Ø 132 | Ø 144 x 17 |
| LLCN01R012XW | 12 | 3000 | Ø 132 | Ø 144 x 17 |
| LLCN01R015XC | 15 | 6500 | Ø 155 | Ø 166 x 17 |
| LLCN01R015XN | 15 | 4000 | Ø 155 | Ø 166 x 17 |
| LLCN01R015XW | 15 | 3000 | Ø 155 | Ø 166 x 17 |
| LLCN01R018XC | 18 | 6500 | Ø 155 | Ø 166 x 17 |
| LLCN01R018XN | 18 | 4000 | Ø 155 | Ø 166 x 17 |
| LLCN01R018XW | 18 | 3000 | Ø 155 | Ø 166 x 17 |
| LLCN01R022XC | 22 | 6500 | Ø 175 | Ø 184 x 17 |
| LLCN01R022XN | 22 | 4000 | Ø 175 | Ø 184 x 17 |
| LLCN01R022XW | 22 | 3000 | Ø 175 | Ø 184 x 17 |



Long life



CRI>80


Beam angle
>120°

Gem Surface

| Item Code | Wattage (W) | CCT (K) | Cutout (MM) | Dimension in MM (WXH) |
|--------------|-------------|---------|-------------|-----------------------|
| LGEM01R006SC | 6 | 6500 | Ø90 | 90 x 27 |
| LGEM01R006SW | 6 | 4000 | Ø90 | 90 x 27 |
| LGEM01R006SN | 6 | 3000 | Ø90 | 90 x 27 |
| LGEM01R012SC | 12 | 6500 | Ø121 | 121 x 27 |
| LGEM01R012SW | 12 | 4000 | Ø121 | 121 x 27 |
| LGEM01R012SN | 12 | 3000 | Ø121 | 121 x 27 |
| LGEM01R018SC | 18 | 6500 | Ø156 | 156 x 27 |
| LGEM01R018SW | 18 | 4000 | Ø156 | 156 x 27 |
| LGEM01R018SN | 18 | 3000 | Ø156 | 156 x 27 |

Technical data:

- Input voltage range: 100 V - 230 V AC
- Luminous efficacy: For 6 & 12 W (65 Lm/W) For 18 W (60 Lm/W)
- Power factor: >0.9
- Housing material: PC body & diffuser with metal mounting plate



Spotlights

Highlight the little details when you bring home Jaquar's energy-efficient LED spotlights. The different colour temperatures lend your home décor a vibrant and new look every time.

APPLICATIONS



Living rooms



Kitchens



Decorations



Shelves



Focus



Cabinets



Gem Plus



Long life



CRI>80

Beam angle
>40°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >90 Lm/W
- Power factor: >0.95
- Housing material: Die cast aluminium

| Item Code | Wattage (W) | CCT (K) | Cutout (MM) | Dimension in MM (DXH) |
|--------------|-------------|---------|-------------|-----------------------|
| LGMP01R005XC | 5 | CW | Φ 70 | Φ 85 x 55 |
| LGMP01R005XN | 5 | NW | Φ 70 | Φ 85 x 55 |
| LGMP01R005XW | 5 | WW | Φ 70 | Φ 85 x 55 |
| LGMP01R010XC | 10 | CW | Φ 70 | Φ 85 x 70 |
| LGMP01R010XN | 10 | NW | Φ 70 | Φ 85 x 70 |
| LGMP01R010XW | 10 | WW | Φ 70 | Φ 85 x 70 |
| LGMP01R015XC | 15 | CW | Φ 90 | Φ 110 x 85 |
| LGMP01R015XN | 15 | NW | Φ 90 | Φ 110 x 85 |
| LGMP01R015XW | 15 | WW | Φ 90 | Φ 110 x 85 |
| LGMP01R020XC | 20 | CW | Φ 110 | Φ 140 x 95 |
| LGMP01R020XN | 20 | NW | Φ 110 | Φ 140 x 95 |
| LGMP01R020XW | 20 | WW | Φ 110 | Φ 140 x 95 |



Long life




CRI>70

Beam angle
>30°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >50 Lm/W
- Housing material: Thermally conductive polycarbonate



Jasper Prime

| Item Code | Wattage (W) | CCT (K) | Cutout (MM) | Dimension in MM (DXH) |
|--------------|-------------|---------|-------------|-----------------------|
| LJPM01R002XC | 2 | CW | Φ 35 | Ø 43 x 105 |
| LJPM01R002XG | 2 | GW | Φ 35 | Ø 43 x 105 |
| LJPM01R002XW | 2 | WW | Φ 35 | Ø 43 x 105 |
| LJPM01R002XR | 2 | RW | Φ 35 | Ø 43 x 105 |
| LJPM01R002XB | 2 | BW | Φ 35 | Ø 43 x 105 |





Battens

Brighten up your space with Jaquar's range of environment-friendly LED battens. Available in different lumen intensity and colour temperatures, our battens are perfect for your home décor.

APPLICATIONS



Bedrooms



Living rooms



Kitchens



Study rooms



Terraces



Balconies



Pooja rooms



Kubik Ultra

| Item Code | Wattage (W) | CCT (K) | Dimension in MM (L X W X H) |
|--------------|-------------|---------|-----------------------------|
| LKBU4KVS22XC | 22 | CW | 1135 x 31 x 40 |
| LGLZU1X025XC | 25 | CW | 1135 x 31 x 40 |
| LKBU4KVS35XC | 35 | CW | 1135 x 22 x 37 |



Long life



CRI>80



Beam angle
>120° for 35 W
>180° for 25 W



117 Lm/W for 35 W
130 Lm/W for 25 W

Technical data:

- Input voltage range: 100 V - 300 V AC
- Power factor: >0.95
- Housing material: Extruded aluminium



Long life



CRI>80



Beam angle
>120° for 6 W - 20 W



100 Lm/W

Kubik Plus

| Item Code | Wattage (W) | CCT (K) | Dimension in MM (L X W X H) |
|--------------|-------------|---------|-----------------------------|
| LKBP01S006XC | 6 | CW | 300 x 22 x 37 |
| LKBP01S006XN | 6 | NW | 300 x 22 x 37 |
| LKBP01S006XW | 6 | WW | 300 x 22 x 37 |
| LKBP4KV010XC | 10 | CW | 575 x 22 x 37 |
| LKBP4KV010XN | 10 | NW | 575 x 22 x 37 |
| LKBP4KV010XW | 10 | WW | 575 x 22 x 37 |
| LKBP4KV020XC | 20 | CW | 1090 x 22 x 37 |
| LKBP4KV020XN | 20 | NW | 1090 x 22 x 37 |
| LKBP4KV020XW | 20 | WW | 1090 x 22 x 37 |

Technical data:

- Input voltage range: 100 V - 300 V AC
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate



BATTERY BACKUP



Long life



CRI > 80



Beam angle
> 120°

Technical data:

- Operating voltage: 100-300 V AC, 50 Hz
- Colour temperature: 3000-6500K
- IP rating: 20
- Operating temperature: -10° C to 50°C
- Battery: Li-ION battery
- Battery backup: Up to 2 hours
- Battery capacity: 2200 mAh
- Charging time: 9 hours
- Overcharge protection: Yes
- Cycle lifetime of battery: 300 times (Completely charged and discharged)

Kriza Inverter

| Item Code | Wattage (W) | CCT (K) | Dimension in MM (L X W X H) |
|--------------|-------------|---------|-----------------------------|
| LKRZ01BAT20C | 20 | CW | 1135 x 22 x 37 |
| LKRZ01BAT20N | 20 | NW | 1135 x 22 x 37 |
| LKRZ01BAT20W | 20 | WW | 1135 x 22 x 37 |



Lamps

Welcome home holistic lighting solutions from Jaquar. Want to light up a small space or illuminate an entire room? Here is our range of LED lamps from low wattage night bulbs to high wattage LED lamps for you. Enjoy the extra brightness of happiness that fits every budget and requirement.

APPLICATIONS



Bedrooms



Living rooms



Kitchens



Study rooms



Terraces



Balconies



Pooja rooms



| Item Code | Wattage (W) | CCT (K) | Dimension in MM (DXH) |
|--------------|-------------|---------|-----------------------|
| LKRZ009B22CW | 9 | 6500 K | Φ 70 x 146 |



Long life



CRI>80

Beam angle
>120°**Technical data:**

- Input voltage range: 100 - 300 V AC
- Luminous efficacy: >80 Lm/W @ Normal Supply
- Power factor: >0.95
- Charging time: Minimum 6 Hours
- Housing materials: Thermally conductive polycarbonate



Illuminator

| Item Code | Base Cap | Wattage (W) | CCT (K) | Dimension in MM (DXH) |
|--------------|----------|-------------|---------|-----------------------|
| LILM030B22CW | B22 | 30 | CW | Ø 100 x 180 |
| LILM040B22CW | B22 | 40 | CW | Ø 115 x 198 |
| LILM050B22CW | B22 | 50 | CW | Ø 125 x 220 |



Long life



CRI>80

Wide
beam angle
>180°**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: 100 Lm/W
- Power factor: >0.95
- Housing material: Die cast aluminium



Spark HD

| Item Code | Base Cap | Wattage (W) | CCT (K) | Dimension in MM (DXH) |
|--------------|----------|-------------|---------|-----------------------|
| LSAK4KV05B2C | B22 | 5 | CW | Φ 57 x 100 |
| LSAK4KV07B2C | B22 | 7 | CW | Φ 57 x 100 |
| LSAK4KV09B2C | B22 | 9 | CW | Φ 57 x 102 |



Long life



CRI>80

Beam angle
>140°**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: 105 Lm/W
- Power factor: >0.95
- Housing material: Overmoulded PC



Long life



CRI>80

Wide
beam angle
>240°**Technical data:**

- Full globe diffuser for wide distribution of light
- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: 105 Lm/W
- Power factor: >0.95
- Housing material: Overmoulded PC

Prima HD

| Item Code | Base Cap | Wattage (W) | CCT (K) | Dimension in MM (DXH) |
|---------------|----------|-------------|---------|-----------------------|
| LPRM4KV03B2C | B22 | 3 | CW | Φ 50 x 92 |
| LPRM4KV03B2W | B22 | 3 | WW | Φ 50 x 92 |
| LPRM4KV03E2C | E27 | 3 | CW | Φ 50 x 92 |
| LPRM4KV03E2W | E27 | 3 | WW | Φ 50 x 92 |
| LPRM4KV05B2C | B22 | 5 | CW | Φ 60 x 112 |
| LPRM4KV05B2W | B22 | 5 | WW | Φ 60 x 112 |
| LPRM4KV05E2C | E27 | 5 | CW | Φ 60 x 112 |
| LPRM4KV05E2W | E27 | 5 | WW | Φ 60 x 112 |
| LPRM4KV07B2C | B22 | 7 | CW | Φ 60 x 112 |
| LPRM4KV07B2W | B22 | 7 | WW | Φ 60 x 112 |
| LPRM4KV07E2C | E27 | 7 | CW | Φ 60 x 112 |
| LPRM4KV07E2W | E27 | 7 | WW | Φ 60 x 112 |
| LPRM5KV09B2C | B22 | 9 | CW | Φ 60 x 112 |
| LPRM5KV09B2W | B22 | 9 | WW | Φ 60 x 112 |
| LPRM5KV09E2C | E27 | 9 | CW | Φ 60 x 112 |
| LPRM5KV09E2W | E27 | 9 | WW | Φ 60 x 112 |
| LPRM012B22CW | B22 | 12 | CW | Φ 65 x 118 |
| LPRM012B22 WW | B22 | 12 | WW | Φ 65 x 118 |
| LPRM012E27CW | E27 | 12 | CW | Φ 65 x 118 |
| LPRM012E27WW | E27 | 12 | WW | Φ 65 x 118 |
| LPRM4KV14B2C | B22 | 14 | CW | Φ 65 x 126 |
| LPRM4KV14B2W | B22 | 14 | WW | Φ 65 x 126 |
| LPRM4KV14E2C | E27 | 14 | CW | Φ 65 x 126 |
| LPRM4KV14E2W | E27 | 14 | WW | Φ 65 x 126 |
| LPRM4KV20B2C | B22 | 20 | CW | Φ 80 x 152 |
| LPRM4KV20B2W | B22 | 20 | WW | Φ 80 x 152 |
| LPRM4KV20E2C | E27 | 20 | CW | Φ 80 x 152 |
| LPRM4KV20E2W | E27 | 20 | WW | Φ 80 x 152 |



Long life




CRI>80

Beam angle
>180°**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >40 Lm/W
- Housing material: Polycarbonate

Night Lamps (0.5 W)

| Item Code | Base Cap | Wattage (W) | CCT (K) | Dimension in MM (DXH) |
|--------------|----------|-------------|---------|-----------------------|
| LPRM01R001XC | B22 | 0.5 | CW | Φ 45 x 70 |
| LPRM01R001XY | B22 | 0.5 | YELLOW | Φ 45 x 70 |
| LPRM01R001XR | B22 | 0.5 | RED | Φ 45 x 70 |
| LPRM01R001XG | B22 | 0.5 | GREEN | Φ 45 x 70 |
| LPRM01R001XB | B22 | 0.5 | BLUE | Φ 45 x 70 |
| LPRM01R001XO | B22 | 0.5 | ORANGE | Φ 45 x 70 |
| LPRM01R001XP | B22 | 0.5 | PINK | Φ 45 x 70 |



Strip Lights

Give your home a festive makeover or create awe-inspiring spaces within your home with our LED strip lights in blue, white, and other pleasing colours. Our strip lights come in 5-meter roll with specific cut points.

APPLICATIONS



Living rooms



Kitchens



Decorations



Shelves



Focus



Cabinets

Janus

| Item Code | Wattage (W) | CCT (K) | Dimension in MM (L X W X H) |
|--------------|-------------|---------|-----------------------------|
| LJNS02S012XC | 24 | CW | 8 x 2.25 |
| LJNS02S012XN | 24 | NW | 8 x 2.25 |
| LJNS02S012XW | 24 | WW | 8 x 2.25 |
| LJNS02S012XR | 24 | Red | 8 x 2.25 |
| LJNS02S012XG | 24 | Green | 8 x 2.25 |
| LJNS02S012XB | 24 | Blue | 8 x 2.25 |
| LJNS01S012XC | 24 | CW | 8 x 2.25 |
| LJNS01S012XN | 24 | NW | 8 x 2.25 |
| LJNS01S012XW | 24 | WW | 8 x 2.25 |

Technical data:

- Input voltage range: 12 V DC (with adapter)
- Luminous efficacy: >90 Lm / W
- Roll: 5 meter with cut points
- No. of LEDs: 60 LEDs / meter



Strip Driver

| Item Code | Voltage (V) | Current (A) |
|-------------|-------------|-------------|
| LSTD02A012X | 12 DC | 2 |



Product specifications:

- Options: 60 LED/meter & 120 LED/meter
- Length: 45 meter/roll
- CRI: ≥80, IP65 rated
- Colour Available: CW / WW / Red / Green Blue / Ice Blue / Amber



Rope Light

| Item Code | Wattage (W) | CCT (K) | Dimension in MM |
|--------------|-------------|----------|-----------------|
| LJNP01S060XC | 60 | CW | 45m/Roll |
| LJNP01S060XW | 60 | WW | 45m/Roll |
| LJNP01S060XR | 60 | RED | 45m/Roll |
| LJNP01S060XG | 60 | GREEN | 45m/Roll |
| LJNP01S060XB | 60 | BLUE | 45m/Roll |
| LJNP01S060XI | 60 | ICE BLUE | 45m/Roll |
| LJNP01S060XA | 60 | AMBER | 45m/Roll |
| LJNP01S120XC | 120 | CW | 45m/Roll |
| LJNP01S120XW | 120 | WW | 45m/Roll |
| LJNP01S120XR | 120 | RED | 45m/Roll |
| LJNP01S120XG | 120 | GREEN | 45m/Roll |
| LJNP01S120XB | 120 | BLUE | 45m/Roll |
| LJNP01S120XI | 120 | ICE BLUE | 45m/Roll |
| LJNP01S120XA | 120 | AMBER | 45m/Roll |
| LJPMACD01S45 | | | |

Technical data:

- Easy to install
- IP65 LED Rope light
- Long lasting and bright light to make your home, factory and office bright and stylish
- Can be used in POP Cove
- Rated input voltage-220-240 V AC
- Dazzle free soft light
- Very easy to decorate patterns, designs and characters
- Low power consumption, safe and reliable





Street Lights

Create a safe city with Jaquar's street lights. Made for high-performance, our range of street lights are engineered to withstand tough weather condition. Available in a range of 20-30 watts, these street lights emit a warm and subtle light.

APPLICATIONS



Parkings



Walkways



Long life



CRI>80



Beam angle
>120°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm / W
- THD: <10%
- IP65
- Housing material: Die cast aluminium



Hummer

| Item Code | Wattage (W) | CCT (K) | Pole Mounting Dimensions (MM) | Dimension (MM) |
|--------------|-------------|---------|-------------------------------|----------------|
| LHMR01SL020C | 20 | CW | Φ 40 | 320 x 75 x 60 |
| LHMR01SL030C | 30 | CW | Φ 40 | 320 x 75 x 60 |



Long life



CRI>80



Beam angle
>120°

Technical data:

- Input voltage range: 220 to 240 V
- Battery voltage: 3.7V Li-ion
- Battery capacity: 2600 mAh
- Luminous flux on AC mode: 1800 Lm
- Luminous flux on battery mode: 500 Lm
- Power factor: >0.95
- Full battery charging time: 9 Hours
- IP66



BATTERY BACKUP

Kriza Emergency

| Item Code | Wattage (W) | CCT (K) | Pole Mounting Dimensions (MM) | Dimension (MM) |
|--------------|-------------|---------|-------------------------------|----------------|
| LKRZ01SL018C | 18 | CW | 40 (Tol.±5) | 355 x 105 x 75 |



Long life



CRI>70



Beam angle
>120°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm / W
- THD: <10%
- IP66
- Housing material: Die cast aluminium



PCR

| Item Code | Wattage (W) | CCT (K) | Pole Mounting Dimensions (MM) | Dimension (MM) |
|--------------|-------------|---------|-------------------------------|----------------|
| LPCRSRT25WXC | 25 | CW | Φ 42 | 330 x 117 x 67 |



Long life



CRI>80



Beam angle
>120°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm / W
- THD: <10%
- IP65
- Housing material: Die cast aluminium



Street Light

| Item Code | Wattage (W) | CCT (K) | Pole Mounting Dimensions (MM) | Dimension (MM) |
|-------------|-------------|---------|-------------------------------|----------------|
| LSRT01F025C | 25 W | CW | Φ 42 | 325 x 145 x 65 |



Flood Lights

Create a safe city with Jaquar's street lights. Made for high-performance, our range of street lights are engineered to withstand tough weather condition. Available in a range of 20-30 watts, these street lights emit a warm and subtle light.

APPLICATIONS



Parkings



Walkways



Long life

CRI>80

Beam angle
>60°

Technical data:

- Operating voltage range: 140 - 270V
- Luminous efficacy: >100 Lm/W
- Power factor: ≥ 0.95
- THD: <10%
- IP66
- Lens: PMMA lens for proper distribution of light
- No harmful UV & IR radiations
- Housing material: Die cast aluminum housing for superior heat dissipation



30 W



50 W

Faro Flood Light

| Item Code | Wattage (W) | CCT (K) | Dimension (MM) |
|--------------|-------------|---------|----------------|
| LFRO01S030XC | 30 | CW | 198 x 188 x 36 |
| LFRO01S030XN | 30 | NW | 198 x 188 x 36 |
| LFRO01S030XW | 30 | WW | 198 x 188 x 36 |
| LFRO01S050XC | 50 | CW | 238 x 228 x 36 |
| LFRO01S050XN | 50 | NW | 238 x 228 x 36 |
| LFRO01S050XW | 50 | WW | 238 x 228 x 36 |

JAQUAR GROUP

Global Headquarters,
Plot No. 3, Sector-11, IMT Manesar, Gurugram-122050 India
For more information: Visit any of our 21 Orientation Centres
or log on to www.jaquar.com, e-mail: ccare.lighting@jaquar.com
For any query call: 18002126808 (Toll Free)

ORIENTATION CENTRES:

AHMEDABAD: Ground Floor,
Commerce House-4, B/S Shell Petrol
Pump, Near Anand Nagar Cross
Roads, 100 Ft. Road, Prahlad Nagar,
Satellite, Ahmedabad
Ph.: 079-30452600
Email: ahmedabad@jaquar.com

BANGALORE: No. 10, V.N. Street,
Next to Hotel Ramada, Shivaji Nagar,
Tasker Town, Bangalore-560051
Email: bangalore@jaquar.com

BHOPAL: T- 7, 8, 3rd Floor, City
Center, Above Lotus Electronics,
1 Press Complex, M. P. Nagar,
Zone-1, Bhopal- 462011
Ph.: 0755-6550888
Email: bhopal@jaquar.com

BHUBANESWAR: Plot No. 853/1671,
2nd Floor, Jharpada, Cuttack Road,
Bhubaneswar-751006
Ph.: 0674-2575501
Email: bhubaneswar@jaquar.com

CHANDIGARH: S.C.O. 52-53, Sector
17-A, Opp. Hotel Park Plaza, Adjacent
to Fab India,
Chandigarh-160017
Ph.: 0172-4071727
Email: chandigarh@jaquar.com

CHENNAI: Ground Floor, KGN Towers,
#62, Ethiraj Salai, Egmore,
Chennai- 600008
Phone: 044-42693001
Email: chennai@jaquar.com

COCHIN: No. 35/563, Opposite
International Stadium, Palarivattom
P.O., Cochin-682025
Email: cochin@jaquar.com

GUWAHATI: "Swagata Envision"
Ground Floor, G.S. Road, Sixmile,
Khanapara (Opp. Directorate of
Agriculture, Assam)
Guwahati-781022
Email: guwahati@jaquar.com

HYDERABAD: Unit No. 202,
Reliance Classic, Banjara Hills,
Road No.1, Hyderabad-500034
Email: hyderabad@jaquar.co

JAIPUR: Neelkanth, 1 Bhawani
Singh Road, Opp. Nehru Sehkar
Bhawan, C-Scheme,
Jaipur-302001
Ph.: 0141-5115609
Email: jaipur@jaquar.com

JAMMU: Bonny Square, NH
Bypass, Near Vishal Mega Mart,
Kunjwani, Jammu-180010
Ph.: 0191-2484876
Email: jammu@jaquar.com

KOLKATA: 2nd Floor, 55,
Chowringhee Road,
Kolkata-700071
Ph.: 033-40054891
Email: kolkata@jaquar.com

LUCKNOW: Asha Bhawan, 27/II A,
Gokhle Marg, Lucknow
Ph.: 0522-4001434
Email: lucknow@jaquar.com

LUDHIANA: 2nd Floor, Lodhi
Complex, Mall Road,
Ludhiana-141001
Ph.: 0161-5094974
Email: ludhiana@jaquar.com

MUMBAI: 101,102,103, Kamla
Spaces, Above Kohinoor
Electronics, S.V. Road, Santacruz
West, Mumbai-400054
Ph.: 022-26613279
Email: mumbai@jaquar.com

NAGPUR: Kala Bhavan, 103/A,
South Ambazari Road,
Shradhanand Peth Square,
Laxmi Nagar, Nagpur-440022
Ph.: 0712-2223395
Email: nagpur@jaquar.com

NEW DELHI: D-56, Defence Colony,
New Delhi-110024
Ph.: 011-24636807
Email: delhincr@jaquar.com

PUNE: DSK Gandharva Heights,
5th Floor, Office No. 501,
Near Hotel Pride Executive,
Ganeshkhind Road,
Shivajinagar, Pune-411005
Email: pune@jaquar.com

RAIPUR: M K Planet, Ring Road
No. 1, New Rajendra Nagar,
Raipur-492001.
Ph.: 0771-6556789
Email: raipur@jaquar.com

SILIGURI: 1st Floor, M-Square
Building, Opp. Hotel Sachitra,
2 ½ Mile, Sevoke Road,
Siliguri-734002
Email: siliguri@jaquar.com

SURAT: 23, Siddhi Shopping
Centre, Near Agrasen
Bhavan Char Rasta,
City Light Road, Surat
Email: suratcare@jaquar.com



CALL
PURCHASE ASSISTANCE
1800-120-33222
(Toll Free)

And we'll make it easy!

Speak to our Lighting Experts, who will suggest the right product that you should go in for and where to buy it from

Looking for
Jaquar Lighting Products?